

Villager®

20  
24

# CATALOGUE



Follow us on



[www.villager.eu](http://www.villager.eu)

# ***YOU ASKED FOR A MACHINE WE GAVE YOU A FRIEND***

**W**hether you use Villager® products for work in the garden, for arranging and beautifying the yard, or for work in workshops, construction sites, or forestry, you can always count on high performance, durability, and long service life.

Thanks to the combination of innovative products, attractive design, materials, high-quality standards, and social responsibility, Villager® has grown into one of the leading brands of garden and power tools in the Balkans.

The wide range of products includes carefully selected household and garden tools, tested in real conditions, which meet the highest reliability standards, as well as appropriate equipment for their safe use. Every device, from large and powerful machines to the smallest hand tools, represents a combination of research and development and your suggestions, comments, and experiences with Villager® products.

To get the most value for your money, use Villager®.





Villager

# WHAT HAPPENS AFTER YOU BUY A NEW DEVICE?

We take care of the processes after the sale of a new device: our associates provide technical support to all our partners, take care of the product, the customer, as well as of supplying the partner network with parts and additional equipment.



With over a hundred service stations, tens of thousands of available parts, Villager strengthens its position in the field of after-sales services. With the introduction of automatic warehousing, the speed and accuracy of the delivered components are now at the highest level. Operators do not have to move within the warehouse when picking up the goods, but the products are delivered directly.

**A**utomated vertical warehousing improves our logistics processes, keeps inventory under control, and contributes to easier warehouse management.



Automated retrieval systems simplify all warehouse operations, increase productivity, and increase ergonomics. You can save space, shorten the time, and guarantee safety and efficiency for your staff.

The space within the system is almost 100% utilized, as is the possibility of eliminating potential errors. The precision during storage is extremely high, as well as the speed when separating the parts.

Using simple and intuitive tools, each operator can identify products that need to be stored or downloaded, which directly causes a drastic reduction of errors and saves time. Automated vertical storage is characterized by a high degree of efficiency, for receiving and delivering parts, as well as faster manipulation within the warehouse.



Villager®

# CONTENT



<b>QUIX ROBOTIC MOWER</b>	<b>8</b>	<b>PETROL-POWERED WHEEL DUMPER</b>	<b>138</b>
<b>ZEN CORDLESS TOOLS</b>	<b>12</b>	<b>LOG SPLITTERS</b>	<b>140</b>
<b>FUSE CORDLESS TOOLS</b>	<b>24</b>	<b>FIX CORDLESS TOOLS</b>	<b>146</b>
<b>ROBOTIC MOWERS</b>	<b>56</b>	<b>DRILLS, DRIVERS AND HAMMERS</b>	<b>148</b>
<b>LAWN MOWERS</b>	<b>58</b>	<b>ANGLE GRINDERS AND SANDERS</b>	<b>154</b>
<b>GRASS TRIMMERS</b>	<b>78</b>	<b>ELECTRIC SAWS</b>	<b>158</b>
<b>HEDGE TRIMMERS</b>	<b>87</b>	<b>WOODWORKING TOOLS</b>	<b>160</b>
<b>CHAINSAWS</b>	<b>88</b>	<b>STATIONARY MACHINES</b>	<b>162</b>
<b>TOOLS FOR CLEANING AND MAINTENANCE</b>	<b>96</b>	<b>INTERIOR DESIGN TOOLS</b>	<b>164</b>
<b>PRESSURE WASHERS</b>	<b>104</b>	<b>WELDING MACHINES</b>	<b>166</b>
<b>VACUUM CLEANERS</b>	<b>110</b>	<b>GENERATORS</b>	<b>170</b>
<b>TILLERS AND CULTIVATORS</b>	<b>114</b>	<b>STARTERS, CHARGERS AND HOISTS</b>	<b>172</b>
<b>EARTH AUGERS</b>	<b>122</b>	<b>COMPRESSORS</b>	<b>174</b>
<b>SPRAYERS</b>	<b>124</b>	<b>VARIOUS ELECTRIC TOOLS</b>	<b>178</b>
<b>PUMPS</b>	<b>128</b>	<b>AIR TOOLS</b>	<b>180</b>
		<b>PRUNING TOOLS</b>	<b>183</b>
		<b>AXES</b>	<b>188</b>
		<b>TOOL BAGS</b>	<b>189</b>
		<b>PROTECTIVE GEAR</b>	<b>190</b>
		<b>EQUIPMENT</b>	<b>192</b>
		<b>PALLET TRUCKS</b>	<b>200</b>
		<b>CONSUMABLES</b>	<b>202</b>

# QUIX

## ROBOTIC MOWER

### Quix



The Quix Villager robot lawn mower is an autonomous robot designed for independent lawn mowing with minimal user assistance. This battery-powered mower, which uses a microcomputer, timer, and sensors, achieves autonomy and unsupervised operation in a defined garden area. It is fully automated, compact, and noiseless. The product features the ability to adjust mowing intervals and work cycle settings. During mowing, the robot moves in various directions, taking a new route each time. It contains a durable 18V, 5Ah Li-ion battery. It is intended for maintaining lawns in households, covering areas up to 1000 m<sup>2</sup>.

Mowing Area: 1000 m<sup>2</sup>  
 Mowing Width: 180 mm  
 Mowing Height: 25 - 60 mm  
 Max Working Incline: 45% (22°)  
 Guidance Method: boundary Wire  
 Control: App and Display  
 Connectivity: WIFI and Bluetooth  
 Weight: 8.2 kg

Art. No. 082468  
 EAN: 8605032636207

### Quix garage



Modern and sleek Villager Garage for robots is designed for durability and functionality. This compact shelter protects your valuable robot from the elements with its sturdy build and weather-resistant materials. Its space-saving design features an easy-access lift-top roof and a customizable interior, making it an essential addition to any tech enthusiast's collection.

Art. No. 082469  
 EAN: 8605032636214



# NEW ERA

## Here are the Five key features of the QUIX robotic mower:

**Triple Brushless Motors:** QUIX utilizes separate brushless motors dedicated to propulsion and mowing tasks. This design ensures optimized power delivery, efficiency, and reduced maintenance, allowing for a quieter operation.

**Floating Deck Technology:** The floating deck adapts to changes in terrain, ensuring an even cut across various surfaces. This feature prevents scalping and maintains consistent grass height, providing a more uniform lawn appearance.

**App-Controlled Interface:** The intuitive app interface offers convenient control and monitoring from a smartphone or tablet. Users can schedule mowing sessions, adjust settings, receive status updates, and even track the mower's progress remotely.

**Precision Navigation and Mapping:** QUIX incorporates advanced navigation systems with sensors, and mapping capabilities. This allows for smart and efficient navigation around obstacles while creating optimized mowing patterns, resulting in comprehensive lawn coverage.

**Enhanced Safety Measures:** Safety features include obstacle detection sensors, automatic blade stoppage upon lifting or tilting, and robust security measures like PIN code protection. These safety protocols ensure safe operation and prevent accidents during use.



QUIX combines innovative technology with practical features to deliver a reliable, efficient, and user-friendly robotic mower experience. Its precision, adaptability to various terrains, and smart control capabilities make lawn maintenance more convenient and effective.

# QUIX

# ZEN 40V

## Garden Care with Zero Emission

Welcome to the future of garden care – the ZEN Power Tools Collection. ZEN, standing for Zero Emissions Number, is our groundbreaking series of garden tools designed for the eco-conscious homeowners and professionals. In this collection, you'll find a comprehensive range of tools, including a brush cutter, hedge trimmer, chain saws, blower, and lawn mowers. Each tool is engineered to offer maximum efficiency, minimal environmental impact, and unparalleled ease of use.



## Powering Your Passion

ZEN collection is powered by advanced lithium technology, ensuring that every ZEN tool delivers maximum performance and endurance. Choose from our range of batteries - 2Ah, 4Ah, and 8Ah - to suit your specific garden care requirements. Our universal battery system allows you to interchange batteries across the entire ZEN collection, offering unparalleled convenience and efficiency.



## Charge Ahead

Stay powered for longer with our state-of-the-art chargers - the 2A and the rapid 5A charger. These chargers are engineered for quick charging times, reducing downtime and boosting productivity. Whether you need a quick top-up or a full charge, our chargers ensure your ZEN tools are always ready for action.



## A New Era in Garden Care

ZEN is more than a collection of tools. It's a revolution in garden care. Our zero-emission tools empower you to care for your garden while caring for the planet. Experience the power of eco-friendly technology with ZEN, and be part of a greener, more sustainable future.



**zero emissions** number

# ZEN

## BATTERIES

### Battery 40V-2.0Ah



**Compact Power, Enhanced Performance:** Elevate your toolkit with the 2.0Ah battery, featuring a nominal voltage of 36V (Max. 40V) and a substantial 72Wh battery power. This lightweight battery, weighing just 0.8kg, ensures longer run times and consistent power delivery in operating temperatures ranging from 0 to 45°. Its quick charging feature allows a full recharge in just 60 minutes with a 2A charger, or an even faster 25 minutes with a 5A charger. It's an indispensable, efficient power source for all your cordless tool needs.

Voltage: 40V  
 Operating temperature: 0~45°  
 Battery power: 72Wh  
 Weight: 0.8kg  
 Charging time with 2 A charger is 60 min  
 Charging time with 5 A charger is 25 min

Art. No. 082470  
 EAN: 8605032636245

### Battery 40V-4.0Ah



**Extended Capacity and Power:** Discover the 4.0Ah Battery engineered for long-lasting performance. With a nominal voltage of 36V (Max. 40V) and a powerful 144Wh battery capacity, it operates efficiently in temperatures from 0 to 45°. Despite its increased capacity, it maintains a manageable weight of 1.3kg. Charging is convenient, taking 120 minutes with a 2A charger or just 50 minutes with a 5 A charger, ensuring you're ready for extended use in no time.

Voltage: 40V  
 Operating temperature: 0~45°  
 Battery power: 144Wh  
 Weight: 1.3kg  
 Charging time with 2 A charger is 120 min  
 Charging time with 5 A charger is 50 min

Art. No. 082471  
 EAN: 8605032636238

### Battery 40V-8.0Ah



**Unparalleled Endurance:** The 8.0Ah ZEN Battery redefines power and longevity. Boasting a nominal voltage of 36V (Max. 40V) and an impressive 288Wh battery power, it's designed to handle extensive use with ease. The battery operates effectively within a temperature range of 0 to 45° and maintains a weight of 1.3kg for optimal balance. Charging is efficient, requiring 240 minutes with a 2A charger or a faster 100 minutes with a 5A charger, readying you for prolonged and uninterrupted tool use.

Voltage: 40V  
 Operating temperature: 0~45°  
 Battery power: 288Wh  
 Weight :1.3kg  
 Charging time with 2 A charger is 240 min  
 Charging time with 5 A charger is 100 min

Art. No. 082472  
 EAN: 8605032636245

# NEW ERA

zero emissions number

## Lithium-ion batteries offer several significant benefits:

**High Energy Density:** Li-ion batteries have a high energy density, meaning they can store a substantial amount of energy in a relatively small and lightweight package. This makes them ideal for use where space and weight are crucial factors.

**Low Self-Discharge:** They have a lower self-discharge rate compared to other rechargeable batteries, retaining their charge for longer periods when not in use. This makes them suitable for applications where infrequent use is common.

**No Memory Effect:** Li-ion batteries do not suffer from the “memory effect,” a phenomenon where batteries gradually lose their maximum energy capacity if they are repeatedly recharged before being fully drained. Users can charge these batteries at any time without impacting their overall lifespan or capacity.

**Fast Charging:** They can be charged more quickly than many other types of rechargeable batteries. This feature is particularly useful for devices that require frequent charging or for quick top-ups when time is limited.

**Lower Maintenance:** Compared to other types of batteries, Li-ion batteries require minimal maintenance. They do not require periodic discharge cycles to maintain their health, making them more user-friendly and convenient.



# ZEN

## CHARGERS

### Charger 40V-2A



**Efficient Charging Solution:** ZEN charger 2 A is the perfect companion for your cordless tool batteries. With an input voltage of 230V and a frequency of 50Hz, this charger is designed for efficiency. It boasts a 130 W input power and a robust 40V output voltage, ensuring your batteries are charged quickly and reliably. The charger operates within a temperature range of 0 to 45° and delivers a steady 2A output current. Lightweight at just 0.56kg, it's ideal for both professional and home use.

Input power: 130 W  
 Output voltage: 40V  
 Operating temperature: 0 ~ 45°  
 Output current: 2.1A  
 Weight: 0.56kg

Art. No. 082473  
 EAN: 8605032636252

### Fast charger 40V-5A



**Rapid and Powerful Charging:** ZEN charger 5 A is a high-efficiency charging solution for your battery needs. This charger features an input voltage of 230V and a broad frequency range of 50Hz. With a substantial input power of 250 W and an output voltage of 40V, it charges batteries rapidly and effectively. The output current of 5A guarantees your batteries are ready for action in less time. Despite its powerful performance, it maintains a moderate weight of 0.85kg.

Input power: 250 W  
 Output voltage: 40V  
 Operating temperature: 0 ~ 45°  
 Output current: 5.1A  
 Weight: 0.85kg

Art. No. 082474  
 EAN: 8605032636269

# NEW EPA

## ZEN chargers offer several advantages:

**Portability:** These chargers are small, lightweight, and easy to carry around, making them convenient for individuals on the go, especially for those who rely heavily on their portable tools powered by Li-ion batteries.

**Ease of Use:** Compact chargers are user-friendly with simple plug-and-play functionality. They come with intuitive designs and straightforward interfaces, allowing users to charge their batteries without hassle.

**Space-Saving:** Their compact size saves space, making them ideal for environments where space is limited, such as in small workshops, sheds, or during travel where cargo space is precious.

**Versatility:** ZEN compact chargers are designed to support all ZEN batteries, providing versatility for users who own various tools powered by ZEN i-ion batteries.



**Efficiency:** While compact, these chargers often maintain high efficiency in charging batteries. They're engineered to deliver the necessary power output to charge devices batteries without sacrificing safety or the health of the batteries.

**ZEN chargers come with extra features** like overcharge protection, temperature monitoring, and charging capabilities that optimize the charging process. These features ensure that the batteries are charged efficiently and safely, extending their lifespan and minimizing risks associated with improper charging.

**zero emissions** number

# ZEN

## SELF-PROPELLED LAWN MOWERS

### LM 4111 E Matic



**Effortless Mowing with Advanced Features:** LM 4111 E Matic is a self-propelled, 40V brushless lawn mower designed for ease and efficiency. It features a robust metal deck with a 48cm size and an 46cm blade. The mower offers 6-step central height adjustment from 25 - 75 mm and a variable speed adjustment of 0-5 km/h. It comes with an 8" front and 10" rear wheels for enhanced maneuverability. A large 55 l grass collection bag with a grass indicator and a dual battery port with AUTO switch functionality are included. The mower supports 4 in 1 mowing options (collecting, mulching, side-discharge, rear discharge) and boasts convenient features like vertical storage, easy folding, and a three-gear handle height adjustment.

Mowing width: 46cm  
 Mowing height 25 - 75mm (6 seteps)  
 Mowing speed adjustment 0 - 5km/h  
 Collector volume: 55l  
 Metal deck

Art. No. 082483  
 EAN: 8605032636344

### LM 5111 E Matic



**Premium Mowing with Advanced Control:** LM 5111 E Matic is a state-of-the-art, self-propelled 40V lawn mower featuring a high-efficiency brushless motor. With a speed range of 2900 - 3300rpm and a robust metal deck measuring 53cm, this mower is designed for superior performance. The blade size is 51cm, and it offers 6 steps of central height adjustment from 25 - 80mm. It includes a speed adjustment feature of 0 - 5 km/h, 8" front and 10" rear wheels for smooth operation, and a large 60l grass collection bag. The mower is equipped with dual battery ports with an AUTO switch, supports 4 in 1 mowing options (collecting, mulching, side-discharge, rear discharge), and features an ergonomic handle for comfort.

Mowing width: 51cm  
 Mowing height 25 - 80mm (6 seteps)  
 Mowing speed adjustment 0 - 5km/h  
 Collector volume: 60l  
 Metal deck

Art. No. 082484  
 EAN: 8605032636351



## Five key benefits of ZEN battery-powered self-propelled lawn mowers:

**Environmentally Friendly:** ZEN's 40V battery-powered mowers produce zero emissions, contributing to a cleaner environment compared to gas-powered alternatives. They help reduce pollution and noise levels, making them an eco-conscious choice for lawn care.

**Ease of Use:** Self-propelled mowers are convenient as they assist in moving the mower forward, reducing the effort required from the operator. This feature is especially beneficial when tackling larger lawns or areas with varying terrain.

**Minimal Maintenance:** Battery-powered mowers generally require less maintenance compared to gas-powered counterparts. With no fuel, oil changes, or spark plug replacements, users can save time and money on upkeep.

**Quiet Operation:** These mowers operate quietly, creating a more peaceful lawn care experience for both users and neighbors. It allows for mowing at any time without disturbing others nearby.

**Versatility and Performance:** ZEN's 40V battery system likely offers compatibility with other tools within their lineup, providing versatility for users who have other ZEN tools using the same battery platform. Additionally, these mowers often offer good cutting performance and adjustable cutting heights, ensuring an efficient and customizable lawn care experience.



zero emissions number

# NEW ERA

## ZEN 40V Push lawn mowers offer several advantages:

### Environmentally Friendly:

These mowers produce zero emissions, contributing to a cleaner environment compared to gas-powered alternatives. They reduce your carbon footprint and minimize air and noise pollution.

### Convenience and Ease of Use:

Battery-powered mowers are lighter and easier to maneuver than their gas counterparts. They start with the push of a button and require minimal maintenance, eliminating the hassle of gas, oil, and spark plug changes.

**Lower Operating Costs:** While the initial investment might be higher, in the long run, battery-powered mowers save money on fuel costs. Additionally, they generally require less maintenance, which reduces overall operating expenses.

**Reduced Noise Pollution:** These mowers operate much quieter than gas-powered ones, making them ideal for residential areas. They allow you to mow your lawn without disturbing your neighbors or causing noise-related nuisances.

**Adaptability and Portability:** The cordless nature of these mowers offers greater flexibility in movement without being tethered to a power outlet or dealing with extension cords. They can navigate different terrains and reach areas that might be challenging with corded mowers.



# ZEN

zero emissions number

## PUSH LAWN MOWERS

LM 3010 E



**Efficient and User-Friendly Mowing:** Elevate your lawn care with ZEN Battery Lawn Mower Villager LM 3010 E. This 40V hand push mower features a high-performance brushless motor with adjustable speeds from 2800 - 3400rpm. It has a lightweight plastic deck with a 40cm deck size and a 38cm blade. Offering 5-step central height adjustment (25-80mm), it caters to various lawn needs. The mower includes a 40l grass collection bag with a grass indicator and is supported by 7" front and 8" rear wheels. Weighing just 11.6 kgs and emitting only 91dB of noise, it ensures a comfortable mowing experience. Its easy fold-over handles and ergonomic soft comfort handle design make storage and operation simple and efficient.

Mowing width: 38cm  
Mowing height 25 - 80mm (5 seteps)  
Collector volume: 40l

Art. No. 082481  
EAN: 8605032636320

LM 4010 E



**Superior Mowing Performance:** Upgrade your lawn care routine with ZEN Battery Lawn Mower Villager LM 4010 E. This 40V hand push mower is equipped with a high-performance brushless motor, offering speeds between 2800-3400 RPM. It features a lightweight plastic deck with a 45cm size and a 43cm blade for efficient mowing. The mower allows for 5-step central height adjustment from 25-80mm, adapting to various lawn conditions. It comes with a 45L grass collection bag, 7" front wheels, and 8" rear wheels for smooth maneuverability. Weighing 12.7 kgs and with a noise level of 91dB, it provides a user-friendly mowing experience. The easy fold-over handles and ergonomic soft grip enhance comfort and ensure easy storage.

Mowing width: 43cm  
Mowing height 25 - 80mm (5 seteps)  
Collector volume: 40l

Art. No. 082482  
EAN: 8605032636337

ZEN

## GARDEN TOOLS



## BL 5040



**Efficient and Powerful Blowing:** Unleash the power of the ZEN Battery Blower Villager BL 5040, designed for effortless clearing and cleaning tasks. This blower features a high-efficiency brushless motor with speeds up to 20,000 rpm. Enjoy the flexibility of dual speed settings: a low speed offering 40m/s and a high speed of 50m/s, with air volumes of 11.8m<sup>3</sup>/min and 14m<sup>3</sup>/min respectively. The integrated turbo function provides maximum power when needed. Its lightweight design ensures easy operation, making it perfect for a variety of outdoor cleaning tasks.

Low speed air speed: 40m/s  
 High speed air speed: 50m/s  
 Low speed air volume: 11.8m<sup>3</sup>/min  
 High speed air speed: 14m<sup>3</sup>/min

Art. No. 082480  
 EAN: 8605032636290

## HT 6140



**Precision and Comfort:** ZEN Battery Hedge Trimmer Villager HT 6140 is designed for effortless and precise hedge trimming. Powered by a brushed motor and operating at a rated voltage of 40V, it provides efficient cutting at 2800/min. The trimmer features a premium Lazer blade with a length of 610mm and a cutting length of 500mm, allowing for a maximum cutting capacity of 23mm. Despite its robust performance, it maintains a low noise level of 92dB and is lightweight at just 2.6kg, ensuring ease of use and comfort during extended gardening sessions.

Blade length: 610mm  
 Cutting length: 500mm  
 Cutting capacity: 23mm  
 Weight: 2.6kg

Art. No. 082477  
 EAN: 8605032636283



## BC 3840

**Efficient and Powerful Brush Cutter:** Upgrade your gardening tools with ZEN Battery Brush Cutter Villager BC 3840. Equipped with a brushless motor and a rated voltage of 40V, this cutter offers high efficiency and power. The split aluminum tube, 26mm in diameter, ensures durability and ease of handling. It features a Tecomec nylon head with a dual line bump feed, providing a cutting diameter of 380mm. The cutter operates at a maximum speed of 5500/min, using a 3-teeth blade with a 255mm cutting diameter and 1.4mm thickness. Despite its power, it maintains a low weight of 3.8kg.

Cutting width (nylon): 388mm  
Cutting width (blade): 255mm  
Aluminium split shaft  
Weight: 3.8kg

Art. No. 082476  
EAN: 8605032636276

zero emissions number

## CHAIN SAWS

## CS 3040



**Compact Powerhouse:** ZEN Battery Chain Saw Villager CS 3040 combines portability with high performance. It features a brushless motor with a 36V (Max. 40V) rating and a rapid motor speed of 7500/min. Equipped with a 12" bar and chain, and a 3/8" chain pitch, it delivers a maximum chain speed of 14.5m/s. The saw includes a 150ml oil tank and offers adjustable lubrication speed of 4-10ml/min, optimizing chain life. Despite its powerful output, it maintains a low noise level of 106dB and is incredibly lightweight at just 1.9kgs, enhancing user comfort and maneuverability.

Guide bar length: 12"  
Chain pitch: 3/8"  
Chain speed: 14.5 m/s;  
Weight: 1.9 kg

Art. No. 082479  
EAN: 8605032636313

## CS 3540



**High-Efficiency and Easy Handling:** Experience the power and precision of ZEN Battery Chain Saw Villager CS 3540. This chain saw features a high-performance brushless motor with a rated voltage of 40V and a motor speed of 7500/min. It comes equipped with a 14" bar and chain, boasting a 3/8" chain pitch and a maximum chain speed of 14.5m/s for effective cutting. The saw has a 150ml oil tank with an adjustable lubrication speed. Impressively, it can make up to 120 cuts on 10x10cm wood with a 4Ah battery. Despite its robust functionality, it has a manageable noise level of 106dB and a lightweight design at 2.3kgs, ensuring ease of use and reduced fatigue.

Guide bar length: 14"  
Chain pitch: 3/8"  
Chain speed: 14.5 m/s;  
Weight: 2.3 kg

Art. No. 082478  
EAN: 8605032636306



## Five features commonly found in 40V chain saws from the ZEN:

**Powerful Battery:** ZEN 40V chain saws typically come equipped with high-performance lithium-ion batteries. These batteries offer long run times and consistent power output, allowing for efficient cutting without the limitations of cords or the hassle of gas-powered engines.

**Tool-less Chain Tensioning:** Many ZEN 40V chain saws feature tool-less chain tensioning systems. This allows for quick and easy adjustment of the chain's tension without needing additional tools, ensuring optimal cutting performance and safety.

**Automatic Oiling System:** To keep the chain running smoothly, ZEN's battery-powered chain saws often have automatic oiling systems. These systems lubricate the chain and bar automatically during operation, reducing friction and wear, and ensuring a longer lifespan for the chain.

**Low Noise and Vibration:** Battery-powered chain saws tend to produce less noise and vibration compared to their gas-powered counterparts. ZEN's 40V models often prioritize reduced noise levels and minimized vibration, offering a more comfortable and quieter cutting experience.

**Safety Features:** ZEN chain saws typically incorporate various safety features such as chain brakes and kickback protection to enhance user safety. Chain brakes can stop the chain in milliseconds in case of kickback or emergencies, reducing the risk of injury.

**These features contribute to making ZEN's 40V battery-powered chain saws efficient, user-friendly, and safe tools for cutting tasks around the yard or property.**



**zero emissions** number

# WHAT IS FUSE 18V?



***Fuse cares about the environment.***

Less batteries and chargers mean less usage of raw materials and smaller production of electric waste.

***Fuse long-term exploitation***

Advanced technology and proper usage and maintenance guarantee longevity of the product.

***Fuse comfort and reliability***

Absence of a power cable guarantees more movement freedom while working.

***Fuse several times longer lifespan***

Fuse 18 V batteries last up much longer than Ni-Cd batteries of similar characteristics.

***One set of Fuse batteries and chargers for all devices***

One battery (except devices with two batteries) is enough for power-up every tool from Fuse range.

***More room and easier organization***

By using only one battery and charger you will easily organize your workspace.





**Long-term high performance**

Fuse 18 V show almost identical performance at the beginning and the end of their lifespan.



**Several times longer lifespan**

Fuse 18 V batteries are based on Li-ion technology. These batteries have much longer lifespan than Ni-Cd batteries of similar characteristics.



**Self protection**

Fuse 18 V battery can be stored for several months without fear of discharging and power loss.


Fuse 18 V battery can be charged at any time, regardless of depletion levels and without fear of losing capacity.



**Saves money and space**

By buying one battery (in some cases two) and one charger you are saving by buying your next Fuse tool, because you will only buy the bare tool and in that way avoid unnecessary expenses of purchasing a new battery and charger set, while saving room in your workshop.

# FUSE



## FUSE 18V 1.5Ah BATTERY

*Affordable batteries. Small, light and easy to handle. Comfortable for longer use-spans.*

Battery type: Li-ion, 18V  
Battery capacity: 1.5Ah

Available only in sets of tools



## FUSE 18V 2Ah BATTERY

Item No. 056370

*Affordable batteries. Small, light and easy to handle. Comfortable for longer use-spans.*

Battery type: Li-ion, 18V  
Battery capacity: 2Ah

EAN 8605032611624

Shipp. package (cm): 46 × 25.6 × 15.2cm  
No. of Items in shipp. package: 20



## FUSE 18V 3Ah BATTERY

*High capacity batteries. Handy in use for longer run times, ideal for angle grinders, lawn mowers, blowers and chain saws.*

Battery type: Li-ion, 18V  
Battery capacity: 3Ah

Available only in sets of tools



## FUSE 18V 4Ah BATTERY

Item No. 056371

*High capacity batteries. Handy in use for longer run times, ideal for angle grinders, lawn mowers, blowers and chain saws.*

Battery type: Li-ion, 18V  
Battery capacity: 4Ah

EAN 8605032611631

Shipp. package (cm): 46 × 25.6 × 19.6  
No. of Items in shipp. package: 20



**1.5Ah BATTERY  
AND 2.4A CHARGER**

Item No. 067112

Contains:  
Fuse Li-ion battery 1.5Ah;  
Battery charger 2.4A.

EAN 8605032617602

Shipp. package (cm): 49 × 37 × 27  
No. of Items in shipp. package: 12



**3Ah BATTERY  
AND 2.4A CHARGER**

Item No. 067113

Contains:  
Fuse Li-ion battery 3Ah;  
Battery charger 2.4A.

EAN 8605032617619

Shipp. package (cm): 55 × 37 × 27  
No. of Items in shipp. package: 12



**Battery chargers**

Fuse battery chargers directly communicate with the battery pack to manage charges.

User can monitor battery charges with on-board indicator lights.

**NEW**



**2X4Ah BATTERY  
AND 2.4A CHARGER**

Item No. 083382

Contains:  
2XFuse Li-ion battery 4Ah;  
Fast battery charger 2.4A.

EAN 8605032636436

Shipp. package (cm): 55 × 37 × 27  
No. of Items in shipp. package: 12

**NEW**



**FUSE 18V  
CHARGER 2.4A**

Item No. 056373

Standard battery charger for Fuse 18V batteries.

Power: 70W  
Charging time (1.5 Ah, 2Ah, 3Ah, 4Ah): 35 min, 45 min, 70 min, 90 min.

EAN 8605032611655

Shipp. package (cm): 63.5 × 35 × 15.4  
No. of Items in shipp. package: 20



**FUSE 18V  
CHARGER 4.5A**

Item No. 083383

Fast battery charger for Fuse 18V batteries.

Power: 130W  
Charging time (1.5 Ah, 2Ah, 3Ah, 4Ah): 45 min, 45 min, 55 min, 65 min.

EAN 8605032636443

Shipp. package (cm): 63.5 × 35 × 15.4  
No. of Items in shipp. package: 20



**FUSE 18V TWO BAY  
FAST CHARGER 2 × 3.5A**

Item No. 058189

Fast battery charger for two Fuse 18V batteries simultaneously.

Power: 200W  
Charging time for two batteries (1.5 Ah, 2Ah, 3Ah, 4Ah): 25 min, 35 min, 50 min, 70 min.

EAN 8605032613505

Shipp. package (cm): 38.5 × 24 × 37  
No. of Items in shipp. package: 10

# FUSE



## VLN 3220 DRILL / DRIVER

*VLN 3220 is an entry level compact cordless drill/driver. Built-in LED light illuminates the work surface and a contoured soft grip gives you ultimate comfort during the long use. Battery run-times on page 38-39.*

Electric motor with brushes;  
Torque: 35Nm  
Chuck: 0.8mm - 10mm  
No load speed:  
0 - 350rpm / 0 - 1300rpm  
Weight: 0.88kg

## VLN 3220 BARE TOOL

Item No. 056361

**Content:**  
VLN 3220 Tool only  
Weight: 1.30kg

EAN 8605032611532

Shipp. package (cm): 55.5 × 22.3 × 24.5  
No. of items in shipp. package: 5




## VLN 3220 1BCB

Item No. 056358

**Content:**  
VLN 3220  
Battery 1.5Ah  
Charger 2.4A  
Weight: 2.4kg

EAN 8605032611501

Shipp. package (cm): 54 × 21.3 × 24  
No. of items in shipp. package: 5




## VLN 3220 2BSC

Item No. 056357

**Content:**  
VLN 3220 Tool  
2 × Battery 1.5Ah  
Charger 2.4A  
Set of bits and drills  
Plastic case  
Weight: 4.1kg

EAN 8605032611495

Shipp. package (cm): 68 × 39 × 32.5  
No. of items in shipp. package: 5






### VLP 5220 DRILL / DRIVER

VLP 5220 is a semi-professional cordless drill/driver. Rock solid, reliable and cleverly designed, It is built to survive the lumps and bumps of proper work, and its transmission is built to last. Battery run-times on page 38-39.

Electric motor with brushes;  
Torque: 40Nm;  
Chuck: 0.8mm - 13mm;  
No load speed:  
0 - 450rpm / 0 - 1600rpm;  
Weight: 1.29kg

### VLP 5220 BARE TOOL




Item No. 058187

**Content:**  
VLP 5220 Tool only  
Weight: 1.53kg

EAN 8605032612270

Shipp. package (cm): 51 × 22.5 × 24.5  
No. of Items in shipp. package: 5

### VLP 5220 2BSC



Item No. 056356

**Content:**  
VLP 5220 Tool  
2 × Battery 1.5Ah  
Charger 2.4A  
Set of bits and drills  
Plastic case  
Weight: 4.5kg



EAN 8605032611488

Shipp. package (cm): 68 × 39 × 32.5  
No. of Items in shipp. package: 5



### VLP 5020 DRILL / DRIVER

VLP 5020 is a cordless drill/driver equipped with a high-performance motor. It allows metal drilling, wood drilling, and fastening jobs. VLP 5020 allows users to work in tight areas and minimizes user fatigue. Battery run-times on page 38-39.

Brushless electric motor;  
Torque: 45Nm;  
Chuck: 0.8mm - 13mm;  
No load speed:  
0 - 500rpm / 0 - 1800rpm;  
Weight: 1.3kg

### VLP 5020 BARE TOOL



Item No. 072310

**Content:**  
VLP 5020 Tool only  
Weight: 1.7kg

EAN 8605032620145

Shipp. package (cm): 51 × 22.5 × 24.5  
No. of Items in shipp. package: 5

### VLP 5020 2BSC



Item No. 072311

**Content:**  
VLP 5020 Tool  
2 × Battery 1.5Ah  
Charger 2.4A  
Set of bits and drills  
Plastic case  
Weight: 4.7kg



EAN 8605032620152

Shipp. package (cm): 68 × 39 × 32.5  
No. of Items in shipp. package: 5



### VLP 5120 DRILL / DRIVER

VLP 5120 is a Villager's flagship cordless impact drill/driver. Equipped with a brushless motor, it delivers plenty of power for most construction jobs and projects around the house. Battery run-times on page 38-39.

Brushless electric motor;  
Torque: 60Nm; Chuck: 0.8mm - 13mm; No load speed: 0 - 500rpm / 0 - 1800rpm;  
Impact rate: 0 - 25600ipm;  
Weight: 1.42kg

### VLP 5120 BARE TOOL



Item No. 058185

**Content:**  
VLP 5120 Tool only  
Weight: 1.96kg

EAN8605032612256

Shipp. package (cm): 51 × 22.5 × 24.5  
No. of Items in shipp. package: 5

### VLP 5120 2BSC



Item No. 056354

**Content:**  
VLP 5120 Tool  
2 × Battery 2Ah  
Charger 2.4A  
Set of bits and drills  
Plastic case  
Weight: 4.74kg



EAN: 8605032611464

Shipp. package (cm): 68 × 39 × 32.5  
No. of Items in shipp. package: 5



### VPL 8120 DRILL / DRIVER

VPL 8120 is a cordless drill/driver ready for your drilling and fastening needs featuring a high performance motor providing you the power needed to help complete a variety of applications. Battery run-times on page 38-39.

Brushless electric motor;  
Torque: 80Nm; Chuck: 0.8mm - 13mm; No load speed: 0 - 550rpm / 0 - 2000rpm;  
Impact rate: 0 - 32000ipm;  
Weight: 1.3kg

### VPL 8120 BARE TOOL



Item No. 072616

**Content:**  
VPL 8120 Tool only  
Weight: 1.6kg

8605032620497

Shipp. package (cm): 49.5 × 24.5 × 24.7  
No. of Items in shipp. package: 5



# FUSE

Unlike cordless drill/drivers and impact drivers, which excel at drilling holes and driving screws, the impact wrenches and drivers are specially designed for tightening and loosening various hex-head bolts, nuts, and screws. They employ both rotational force (torque) and short-burst concussive blows (impacts) to deliver an unparalleled amount of power. For example, most cordless drill/drivers produce about 35 to 50 Nm of torque, and the average impact driver delivers about 150 Nm. By comparison, cordless impact wrenches can easily produce torque outputs of over 180 Nm, which is more than enough muscle to power-drive the fattest lags and bust loose rusty, corroded nuts.



## VLP 5320 IMPACT WRENCH

Fuse VLP 5320 is equipped with brushless motor. It is designed to deliver very high torque output (250 Nm). Battery run-times on page 38-39.

Brushless electric motor;  
Torque: 250Nm  
Tool mount: Drive: ½" square  
No load speed: 0 - 2200rpm  
Impact rate: 0 - 3300ipm  
Weight: 1.15kg

## VLP 5320 BARE TOOL

Item No. 058186

**Content:**  
VLP 5320 Tool only  
Weight: 1.7kg

EAN 8605032612263

Shipp. package (cm): 56 × 21.8 × 24.5  
No. of Items in shipp. package: 5

## VLP 5320 2BSC

Item No. 056355

**Content:**  
VLP 5320 Tool  
2 × Battery 2Ah  
Charger 2.4A  
Plastic case  
Weight: 4.22kg

EAN: 8605032611471

Shipp. package (cm): 68 × 39 × 32.5  
No. of Items in shipp. package: 5



## VLP 5420 IMPACT DRIVER

Fuse VLP 5420 is a premium cordless impact driver equipped with brushless motor. It is designed to deliver plenty of power and torque. Battery run-times on page 38-39.

Brushless electric motor;  
Torque: 180Nm  
Tool mount: Drive: ¼" Hex  
No load speed: 0 - 2200rpm  
Impact rate: 0 - 3300ipm  
Weight: 1.15kg



## VLP 5420 BARE TOOL

Item No. 058977

**Content:**  
VLP 5420 Tool only  
Weight: 1.7kg

EAN 8605032612461

Shipp. package (cm): 44 × 22.5 × 25.5  
No. of Items in shipp. package: 5





### VPL 8420 IMPACT DRIVER

VPL 8420 is a cordless impact driver designed to deliver plenty of power and torque. This Impact Driver offers the most compact design for increased maneuverability in tight spaces and extended comfort. Battery run-times on page 38-39.

Brushless electric motor;  
Torque: 180Nm  
Tool mount: Drive: ¼" Hex  
No load speed: 0 - 2800rpm  
Impact rate: 0 - 3800ipm  
Weight: 1.3kg

### VPL 8420 BARE TOOL



Item No. 072309

**Content:**  
VPL 8420 Tool only  
Weight: 1.6kg

EAN 8605032620138

Shipp. package (cm): 61 × 23.7 × 21  
No. of Items in shipp. package: 5



### VLN 3320 IMPACT WRENCH

VLN 3320 is an entry level impact wrench. It is designed to deliver high torque output with minimal exertion by the user. Battery run-times on page 38-39.

Electric motor with brushes;  
Torque: 180Nm  
Tool mount: Drive: ½" square  
No load speed: 0 - 2400rpm  
Impact rate: 0 - 3600ipm  
Weight: 0.88kg

### VLN 3320 BARE TOOL



Item No. 056362

**Content:**  
VLN 3320 Tool only  
Weight: 1.7kg

EAN 8605032611549

Shipp. package (cm): 55.5 × 22.3 × 25  
No. of Items in shipp. package: 5



### VLN 3420 IMPACT DRIVER

VLN 3420 is an entry level impact driver. It is more compact and lightweight than a standard drill/driver and has more torque. Battery run-times on page 38-39.

Electric motor with brushes;  
Torque: 180Nm  
Tool mount: Drive: ¼" Hex  
No load speed: 0 - 2800rpm  
Impact rate: 0 - 3600ipm  
Weight: 1.22kg

### VLN 3420 BARE TOOL



Item No. 056363

**Content:**  
VLN 3420 Tool only  
Weight: 1.7kg

EAN 8605032611556

Shipp. package (cm): 55.5 × 22.3 × 25  
No. of Items in shipp. package: 5



### VLP 5720 IMPACT WRENCH

Fuse VLP 5720 is a flagship cordless impact driver equipped with brushless motor. It is designed to deliver great amount of torque. Torque can be set via torque selector key. Battery run-times on page 38-39.

Brushless electric motor;  
Torque: 100 - 400Nm  
Tool mount: Drive: ½" square  
No load speed: 0 - 2200rpm  
Impact rate: 0 - 3300ipm  
Weight: 1.52kg

### VLP 5720 BARE TOOL



Item No. 066254

**Content:**  
VLP 5720 Tool only  
Weight: 2kg

EAN 8605032616414

Shipp. package (cm): 56 × 21.8 × 24.5  
No. of Items in shipp. package: 5





## VLN 0220 CORDLESS HAMMER FOR DRILLING AND CHISELING

*VLN 0220 is cordless hammer for drilling and chiseling. It is a cordless concrete solution that's loaded with advanced engineering for maximum efficiency. It's powered by Fuse batteries and an efficient brushless motor for maximum power, speed and run-time. Battery run-times on page 38-39.*

Brushless electric motor  
Tool mount: SDS plus  
No load speed: 0 - 1350rpm  
Impact rate: 0-4700ipm  
Impact energy: 2J  
Weight: 1.85kg

## VLN 0220 BARE TOOL

Item No. 072769

**Content:**  
VLN 0220 Tool only  
Weight: 4.55kg

EAN 8605032620633

**Shipp. package (cm):** 44 × 28 × 23  
**No. of Items in shipp. package:** 5



## VLP 0320 CORDLESS HAMMER FOR DRILLING AND CHISELING

*VLP 0320 is premium cordless hammer for drilling and chiseling. This hammer drill tackles tough jobs, on concrete or metal, anywhere on a worksite. It increases user's productivity. Villager hammers have reduced vibration without any reduction in performance. Battery run-times on page 38-39.*

Brushless electric motor  
Tool mount: SDS plus  
No load speed: 0 - 1150rpm  
Impact rate: 0-5100ipm  
Impact energy: 2.8J  
Weight: 2.6kg

## VLP 0320 BARE TOOL

Item No. 072770

**Content:**  
VLP 0320 Tool only  
Weight: 5.6kg

EAN 8605032620657

**Shipp. package (cm):** 44 × 28 × 23  
**No. of Items in shipp. package:** 5



## VLN 0120 CORDLESS HAMMER FOR DRILLING

*Fuse VLN 0120 is a cordless hammer designed for hitting hard and drilling big. The hammer action, coupled with the SDS plus bit, means you get the job done without breaking your back. Battery run-times on page 38-39.*

Electric motor with brushes  
Tool mount: SDS plus  
No load speed: 0 - 850rpm  
Impact rate: 5000ipm  
Impact energy: 1.3J  
Weight: 1.5kg

## VLN 0120 BARE TOOL

Item No. 060109

**Content:**  
VLN 0120 Tool only  
Weight: 1.6kg

EAN 8605032613086

**Shipp. package (cm):** 44 × 28 × 23  
**No. of Items in shipp. package:** 5



## VLN 0120 1BSC

Item No. 060110

**Content:**  
VLN 0120 Tool  
1 × Battery 2Ah  
Charger 2.4A  
Plastic case  
Weight: 3.25kg

EAN: 8605032613093

**Shipp. package (cm):** 44 × 35 × 32.5  
**No. of Items in shipp. package:** 4







**NEW**



## VLP 4520 ANGLE GRINDER

*Fuse VLP 4520 is a premium quality angle grinder equipped with brushless motor. Its ergonomic design will allow you hours of grinding, sanding and cutting with ease. Battery run-times on page 38-39.*

Brushless electric motor;  
No load speed: 8500rpm  
Spindle thread: M 14  
Disc diameter: 125mm  
Weight: 1.7kg

## VLP 4520 BARE TOOL

Item No. 058976

**Content:**  
VLP 4520 Tool only  
Weight: 2kg

EAN 8605032612454

**Shipp. package (cm):** 37 × 29.5 × 31  
**No. of Items in shipp. package:** 4



## VLP 4420 ANGLE GRINDER

*Fuse VLP 4420 is a premium quality angle grinder equipped with brushless motor. Its ergonomic design will allow you hours of grinding, sanding and cutting with ease. Battery run-times on page 38-39.*

Brushless electric motor;  
No load speed: 4000 - 8500rpm; Spindle thread: M 14; Disc diameter: 115mm  
Weight: 1.7kg

## VLP 4420 BARE TOOL

Item No. 082119

**Content:**  
VLP 4420 Tool only  
Weight: 2kg

EAN 8605032635675

**Shipp. package (cm):** 37 × 29.5 × 31  
**No. of Items in shipp. package:** 4



## VLN 4320 ANGLE GRINDER

*Fuse VLN 4320 is an entry level compact cordless angle grinder. This lightweight and versatile angle grinder will find a wide range of use in your workshop and home. Battery run-times on page 38-39.*

Electric motor with brushes;  
No load speed: 8000rpm  
Spindle thread: M 14  
Disc diameter: 115mm  
Weight: 1.82kg

## VLN 4320 BARE TOOL

Item No. 058188

**Content:**  
VLN 4320 Tool only  
Weight: 2.1kg

EAN 8605032612287

**Shipp. package (cm):** 37 × 29.5 × 31  
**No. of Items in shipp. package:** 4


## VLN 4320 1BCB

Item No. 072302

**Content:**  
VLN 4320 Tool  
Battery 4Ah  
Charger 2.4A  
Weight: 4.83kg

EAN: 8605032620060

**Shipp. package (cm):** 53.6 × 36.5 × 30  
**No. of Items in shipp. package:** 5




## VLN 4320 1BSC


Item No. 056359

**Content:**  
VLN 4320 Tool  
Battery 4Ah  
Charger 2.4A  
Plastic case  
Weight: 4.83kg

EAN: 8605032611518

**Shipp. package (cm):** 68 × 39 × 32.5  
**No. of Items in shipp. package:** 5





### **VLN 7120 VIBRATIONAL SANDER**

*Fuse VLN 7120 is a lightweight and compact cordless sander. It will find a wide range of use in your workshop and home. Battery run-times on page 38-39.*

Electric motor with brushes;  
No load speed: 11000rpm;  
Sander type: Delta; Operating surface: 135 mm x 135 mm x 95 mm; Weight: 0.84kg

### **VLN 7120 BARE TOOL**

Item No. 058979

**Content:**  
VLN 7120 Tool only  
Weight: 1.2kg

EAN 8605032612485

**Shipp. package (cm):** 46.5 x 24.3 x 19.5  
**No. of Items in shipp. package:** 4



### **VLN 7220 ORBITAL SANDER**

*Fuse VLN 7220 is a basic level orbital sander. It is an essential shop for any wood, or body-repair shop. Battery run-times on page 38-39.*

Electric motor with brushes;  
No load speed: 10000rpm;  
Sander type: Orbital;  
Operating surface: 125mm;  
Weight: 1.1kg

### **VLN 7220 BARE TOOL**

Item No. 067790

**Content:**  
VLN 7220 Tool only  
Weight: 1.3kg

EAN 8605032618364

**Shipp. package (cm):** 46.5 x 24.3 x 19.5  
**No. of Items in shipp. package:** 4



### **NEW VLN 0520 PLANER**

*Fuse VLN 0520 is a wood planer that smooths and flattens lumber by shaving thin layers to achieve precise thickness and evenness. Battery run-times on page 38-39.*

Electric motor with brushes;  
No load speed: 12000rpm;  
Width: 60mm; Cutting depth: 0-1.5mm; Rabbet depth: 12mm (1/2"); Weight: 2.65kg

### **VLN 0520 BARE TOOL**

Item No. 082121

**Content:**  
VLN 0520 Tool only  
Weight: 2.65kg

EAN 8605032635699

**Shipp. package (cm):** 46.5 x 24.3 x 19.5  
**No. of Items in shipp. package:** 4



# FUSE



## VLN 4020 CORDLESS POLISHER

*VLN 4020 is a cordless polisher equipped with high-performance brushless electric motor. This tool provides rapid removal and an ultra-smooth finish. Battery run-times on page 38-39.*

Brushless electric motor;  
No load speed: 500 - 3000rpm  
Inner pad diameter: 22.23 mm  
Outer pad diameter: 150mm  
Weight: 1.2kg

## VLN 4020 BARE TOOL

Item No. 072744

**Content:**  
VLN 4020 Tool only  
Weight: 1.55kg

EAN 8605032620589

Shipp. package (cm): 38.5 × 34 × 35  
No. of Items in shipp. package: 6



## VLP 4820 CORDLESS POLISHER

*VLP 4820 is premium cordless polisher. It is the powerful, robust and handy expert polishing and grinding device. It is ideal for polishing of varnished surfaces as well as grinding of wood, plastics and metal. Battery run-times on page 38-39.*

Brushless electric motor;  
No load speed: 2100 - 5000rpm  
Eccentric turning: 15mm  
Inner pad diameter: 22.23 mm  
Outer pad diameter: 125mm  
Weight: 1.95kg

## VLP 4820 BARE TOOL

Item No. 072743

**Content:**  
VLP 4820 Tool only  
Weight: 2.35kg

EAN 8605032620572

Shipp. package (cm): 44.5 × 41 × 34  
No. of Items in shipp. package: 6



# FUSE



## *Cordless circular saws*

Fuse cordless circular saws are powerful and durable, ideal for the hard-core DIY enthusiasts. Sawing with cordless circular saws mean maximum work progress in workshop or on the field.



## *Cordless reciprocating saws*

Fuse reciprocating saw allows you the freedom to move around the job site or home without the hassle of a cord interfering with your work. With the right blades fitted almost any material can be cut.



## *Cordless jigsaw*

Fuse jigsaw is an extremely versatile tool and deserves a place in every tool collection. It is able to make a variety of cuts from straight crosscuts to curved and lines. It has adjustable baseplate for cutting bevels.

### ***Cordless Miter saws***

Anyone who needs to cut lengths or boards of wood, a compound miter saw could be considered an essential tool. Its ability to make cuts quickly and precisely set it apart from any other type of saw.

### ***Laser***

It provides high visibility for precision cutting.



### ***Bevel configuration***

Cutting opportunities with Fuse miter saws are immense, especially with bevel configuration. It means that there is no need to move material for the majority of cuts.

### ***Miter configuration***

The miter range is between 0 degrees and 45 degrees on both the left and right, with stops at the customary 0, 15, 30 and 45 degrees.



### VLP 1320 JIG SAW

*VLP 1320 is a cordless jig saw which provides plenty of power coupled with outstanding handling and accuracy. This jig saw makes a clean, quick and professional job of cutting and sawing work. Battery run-times on page 38-39.*

Brushless electric motor; No load speed:  
0 - 3000rpm; Stroke length: 26mm;  
Cutting angle: keyless 0° - 45°;  
Weight: 1.7kg

### VLP 1320 BARE TOOL

Item No. 072307

**Content:**  
VLP 1320 Tool only  
Weight: 2.0kg

EAN 8605032620114

**Shipp. package (cm):** 34 × 25.5 × 23.5  
**No. of Items in shipp. package:** 4



### VLN 1120 JIG SAW

*Fuse VLN 1120 is an entry level cordless jigsaw. VLN 1120 allow you to make cuts of any shape and length in a wide variety of materials. Battery run-times on page 38-39.*

Electric motor with brushes; No load speed:  
0 - 2400rpm; Stroke length: 25.4mm;  
Cutting angle: keyless 0° - 45°;  
Weight: 1.76kg

### VLN 1120 BARE TOOL

Item No. 056364

**Content:**  
VLN 1120 Tool only  
Weight: 2.25kg

EAN 8605032611563

**Shipp. package (cm):** 43.5 × 24 × 27  
**No. of Items in shipp. package:** 5



**NEW**



### VLN 1920 COMBIMATE SAW

*VLN 1920 combination saw is a versatile power tool that combines the functions of a jig saw and a table saw. It's designed to perform various cutting tasks, offering flexibility in woodworking and construction projects. Battery run-times on page 38-39.*

Electric motor with brushes; No load speed:  
0 - 3000rpm; Stroke length: 20mm;  
Cutting angle: keyless 0° - 90°;  
Weight: 1.74 kg

### VLN 1920 BARE TOOL

Item No. 082120

**Content:**  
VLN 1920 Tool only  
Weight: 1.74 kg

EAN 8605032635682

**Shipp. package (cm):** 34 × 25.5 × 23.5  
**No. of Items in shipp. package:** 4



### VMS 18520 MITER SAW

*Fuse VMS 18520 is a power tool used to make a quick, accurate crosscut in a workpiece at a selected angle. Commonly used for cutting of molding and trim. A primary feature is the miter index that allows the angle of the blade to be changed relative to the fence. Battery run-times on page 38-39.*

Brushless electric motor; No load speed: 3300rpm;  
Blade diameter: 185mm / 16mm; Miter angle (left/  
right): 0° - 45°; Bevel angle (left): 0-45°;  
Cutting capacity: at 0°: 50 x 210mm;  
at 45° miter: 50 x 105mm; at 45° bevel: 35 x 210mm;  
Weight: 9.9kg



### VMS 18520 BARE TOOL

Item No. 062821

**Content:**  
VMS 18520 Tool only  
Weight: 11kg

EAN 8605032615639

**Shipp. package (cm):** 64 × 40 × 37  
**No. of Items in shipp. package:** 1



### VLN 1620 HAND HELD CIRCULAR SAW

With a Fuse VLN 1620 hand held cordless circular saw, you can move more freely around your material and get into those tight nooks and crannies like never before. Battery run-times on page 38-39.

Electric motor with brushes; No load speed: 3650rpm; Blade diameter: 165mm / 16mm; Cutting angle: 45° - 90°; Cutting capacity: at 90°: 50mm; at 45°: 35mm Weight: 2.76kg

### VLN 1620 BARE TOOL

Item No. 060100

**Content:**  
VLN 1620 Tool only  
Weight: 3.7kg

EAN 8605032612997

**Shipp. package (cm):** 39.5 x 32 x 27  
**No. of Items in shipp. package:** 2



### VLP 1820 HAND HELD CIRCULAR SAW

Fuse VLP 1820 is a premium quality hand held cordless circular saw. This saw is powerful and durable, ideal for DIY enthusiasts. Battery run-times on page 38-39.

Brushless electric motor; No load speed: 3650rpm; Blade diameter: 185mm / 16mm; Cutting angle: 0° - 45°; Cutting capacity: at 0°: 51mm; at 45°: 36mm Weight: 2.5kg

### VLP 1820 BARE TOOL

Item No. 067788

**Content:**  
VLP 1820 Tool only  
Weight: 2.76kg

EAN 8605032618340

**Shipp. package (cm):** 39.5 x 32 x 27  
**No. of Items in shipp. package:** 2



### VLN 1520 RECIPROCATING SAW

Fuse VLN 1520 is a reciprocating saw. VLN 1520 is a type of saw in which the cutting action is achieved through a push-and-pull ("reciprocating") motion of the blade. Battery run-times on page 38-39.

Electric motor with brushes; No load speed: 0 - 3000rpm; Stroke length: 25.4mm; Maximum cutting depth: 100mm; Weight: 1.66kg

### VLN 1520 BARE TOOL

Item No. 060099

**Content:**  
VLN 1520 Tool only;  
Saw blade for metal; Saw blade for wood;  
Weight: 2.27kg

EAN 8605032612980

**Shipp. package (cm):** 39 x 37.5 x 26  
**No. of Items in shipp. package:** 4



### VMS 18020 MITER SAW

Fuse VMS 18020 is a basic miter saw for the DIY enthusiast doing occasional cuts. With its aluminium base, it is light and therefore easily transported. Battery run-times on page 38-39.

Brushless electric motor; No load speed: 3300rpm; Blade diameter: 185mm / 16mm; Miter angle (left/right): 0° - 45°; Bevel angle (left): 0-45°; Cutting capacity: at 0°: 50 x 105mm; at 45° miter: 50 x 75mm; at 45° bevel: 35 x 105mm; Weight: 6.9kg



### VMS 18020 BARE TOOL

Item No. 067791

**Content:**  
VMS 18020 Tool only  
Weight: 8kg

EAN 8605032618371



### VLN 1020 CORDLESS ROUTER

VLN 1020 is a high quality cordless router which combines power, precision and versatility in a small-sized tool. This router has the features you need for great performance and controlled results. Battery run-times on page 38-39.

Electric motor with brushes; No load speed: 25000rpm; Depth of milling: 25.4mm; Shaft: 6mm, 8mm; Weight: 1.0kg

### VLN 1020 BARE TOOL

Item No. 072308

**Content:**  
VLN 1020 Tool only;  
Tools and equipment;  
Weight: 1.2kg

EAN 8605032620121

**Shipp. package (cm):** 27.5 x 24.5 x 23.5  
**No. of Items in shipp. package:** 4



# FUSE



## VLN 9520 HEAT GUN

*Villager FUSE VLN 9520 is a heat gun suitable for factory and assembly jobs as a tool which is necessary for preparation of working surfaces. Battery run-times on page 38-39.*

Electric motor with brushes  
Air flow: 170l/min  
Temperature: 550°C  
Weight: 0.53kg



## VLN 9520 BARE TOOL

Item No. 066256

**Content:**  
VLN 9520 Tool only  
Weight: 0.8kg

EAN 8605032616438

Shipp. package (cm): 41 × 40 × 44  
No. of items in shipp. package: 20



## VAT 3520 NAIL GUN AND STAPLER

*Fuse VAT 3520 is a cordless nail gun and stapler. This tool is basically a "must" in every carpenter's shop. Battery run-times on page 38-39.*

Electric motor with brushes  
Shots per minute: 20  
Staple length: 15mm - 25mm  
Nail length: 15mm - 32mm  
Weight: 2.1kg





**VLN 9020  
CAULKING GUN**

*VLN 9020 is a caulking gun which provides powered caulking to reduce the fatigue on your hand from manual caulk and adhesive guns. It is a versatile, powerful and lightweight solution for dispensing large amounts of caulk and adhesives. . Battery run-times on page 38-39.*

Electric motor with brushes;  
Pushing speed: 0.5-8 mm/s;  
Max thrust: 2kN; Weight: 1.65kg

**VLN 9020  
BARE TOOL**

Item No. 072747

**Content:**  
VLN 9020 Tool only

EAN 8605032620619

Shipp. package (cm): 48 × 45.5 × 29.5  
No. of Items in shipp. package: 6



**VLN 9320  
LED REFLECTOR**

*This inspection light is especially developed for the complex maintenance and repairs you tackle in your garage, workshop and home. It enhances visibility with advanced LEDs that deliver exceptional luminosity. Battery run-times on page 38-39.*

Lamp type: LED; Power: 20W;  
Rated luminous flux: 1800 lm;  
Colour temperature: 6500 K;  
Nominal beam angle: 120 degrees;  
Weight: 1.63 kg

**VLN 9320  
BARE TOOL**

Item No. 066253

**Content:**  
VLN 9320 Tool only;

EAN 8605032616407

Shipp. package (cm): 48.5 × 27.5 × 265  
No. of Items in shipp. package: 2

**VLN 9120  
INSPECTION LIGHT**

*This inspection light is especially developed for the complex maintenance and repairs you tackle in your garage, workshop and home. It enhances visibility with advanced LEDs that deliver exceptional luminosity. Battery run-times on page 38-39.*

Lamp type: LED; Power: 3W;  
Luminous flux: 100lm; Color temperature: 6500K; Swivel torch head: 0-270°;  
Angle torch head: 0-180°;  
Weight: 0.3kg

**VLN 9120  
BARE TOOL**

Item No. 058978

**Content:**  
VLN 9120 Tool only;

EAN 8605032612478

Shipp. package (cm): 35.5 × 20 × 14.5  
No. of Items in shipp. package: 4



**NEW**



**VAT 3520  
BARE TOOL**

Item No. 060101

**Content:**  
VAT 3520 Tool only  
Weight: 2.3kg

EAN 8605032613000

Shipp. package (cm): 50 × 31.5 × 25.5  
No. of Items in shipp. package: 5



**VHP 2420  
PRESSURE WASHER**

*VHP 2420 is designed for on-the-go cleaning without relying on electrical outlets or water sources, making it convenient for outdoor tasks like washing cars, bikes, or small outdoor surfaces. Battery run-times on page 38-39.*

Voltage: 18V  
Max pressure: 24Bar  
Rated water flow: 2l/min  
Max shooting distance: 2m

Accessories: 40cm long lance, 10cm short lance, 6m hose, Foam cup, Nozzle.

**VHP 2420  
BARE TOOL**

Item No. 082122

**Content:**  
VHP 2420 Tool only  
Weight: 1.5kg

EAN 8605032635705

Shipp. package (cm): 87x47.5x19.5 cm  
No. of Items in shipp. package: 4



### VVC 1020 B VACUUM CLEANER

*Fuse VVC 1020 cordless vacuum cleaner is designed for carrying around and use on all surfaces. VVC 6020 can help you cut down on cleaning times and keep your house and car cleaner. Battery run-times on page 38-39.*

Brushless electric motor; No load speed: 1800rpm; Air flow: 11+-1l/s / 15+-1l/s; Hose length 1.3m; Hose diameter 32mm; Suction: 1.8kPa; Capacity: 10l; Weight:3.35kg

### VVC 1020 B BARE TOOL

Item No. 066255

**Content:**  
VVC 1020 Tool only  
Weight: 3.7kg

EAN 8605032616421

**Shipp. package (cm):** 35 × 24.5 × 29  
**No. of Items in shipp. package:** 1



**Dual Source**  
18V / 220V

### VAT 1220 AIR INFLATOR

*Fuse VAT 1220 is a cordless air inflator. This tool is very useful in any outdoor activity such as road trips and campings. Battery run-times on page 38-39.*

Electric motor with brushes; Power source: Fuse 18V battery and Electric grid 12V; Maximal pressure: 11bar; Air flow: 15l/min; Hose length: 82cm / 36cm; Weight: 1.55kg

### VAT 1220 BARE TOOL

Item No. 060111

**Content:**  
VAT 1220 Tool only  
Weight: 1.86kg

EAN 8605032613109

**Shipp. package (cm):** 44.5 × 26 × 23.5  
**No. of Items in shipp. package:** 4



### VVC 6020 VACUUM CLEANER

Fuse VVC 6020 cordless vacuum cleaner is designed for carrying around and use on all surfaces. VVC 6020 can help you cut down on cleaning times and keep your house and car cleaner. Battery run-times on page 38-39.

Electric motor with brushes;  
No load speed: 18000rpm; Suction: 3.6kPa;  
Capacity: 600ml; Weight: 1.2kg

### VVC 6020 BARE TOOL



Item No. 056365

**Content:**  
VVC 6020 Tool only  
Weight: 1.9kg

EAN 8605032611570

Shipp. package (cm): 50 × 34.5 × 39.5  
No. of Items in shipp. package: 4



### VEM 1020 CORDLESS MIXER

VEM 1020 is a cordless mixer which allows mixing fluid and powdery construction materials. Due to its big ergonomic handlebar, the mortar mixer always lays in the hand perfectly. Battery run-times on page 38-39.

Electric motor with brushes;  
No load speed: 0 - 650rpm;  
Thread: M14; Paddle diameter: 100 mm;  
Weight: 2.5kg

### VEM 1020 BARE TOOL

Item No. 072746

**Content:**  
VEM 1020 Tool only  
Weight: 3.85kg

EAN 8605032620602

Shipp. package (cm): 43 × 31.5 × 28.5  
No. of Items in shipp. package: 2



### VEM 1220 CORDLESS MIXER

VEM 1220 is a powerful cordless mixer equipped with electric motor with brushes. It is designed for durability with a speed regulator and easy start. Battery run-times on page 38-39.

Electric motor with brushes;  
No load speed: 0 - 450rpm / 0-720rpm;  
Thread: M14; Paddle diameter: 120 mm;  
Weight: 3kg

### VEM 1220 BARE TOOL

Item No. 072745

**Content:**  
VEM 1020 Tool only  
Weight: 4.35kg

EAN 8605032620596

Shipp. package (cm): 41 × 39.5 × 33.5  
No. of Items in shipp. package: 2



### VAT 0640 AIR COMPRESSOR

Fuse VAT 0640 is a cordless air compressor. This tool is ideal for trim work and any other household or jobsite duties that require compressed air. Battery run-times on page 38-39.

36V (18+18V); Maximum permissible working pressure: 8bar; Capacity of the vessel: 6l;  
Max air flow: 98l/min; Weight: 11kg

### VAT 0640 BARE TOOL

Item No. 062799

**Content:**  
VAT 0640 Tool only  
Weight: 13.5kg

EAN 8605032615622

Shipp. package (cm): 43 × 34 × 37  
No. of Items in shipp. package: 1



### FUSE BLUETOOTH SPEAKER

Enhance your workday by streaming your favorite music from your Bluetooth equipped device. Enjoy rich sound from two 3W speakers. Battery run-times on page 38-39.

Operating range up to 10m; 3.5 mm AUX-in port; USB port for smartphone charging;  
Weight: 0.82kg

### BLUETOOTH SPEAKER

Item No. 066257

**Content:**  
Speaker only  
Weight: 1kg

EAN 8605032616445

Shipp. package (cm): 31 × 46 × 20  
No. of Items in shipp. package: 10



### VLN 9920 USB CHARGER

Fuse VLN 9920 is a mobile phone charger, a portable device charger and a flashlight.

Input voltage: 18V; Output voltage: 5V;  
Output current power: 2A; Number of USB ports: 2; Flashlight: LED; 200 µA; LUX>60;  
Weight: 0.11kg

### VLN 9920 BARE TOOL

Item No. 056366

**Content:**  
VLN 9920 Tool only  
Weight: 0.21kg

EAN 8605032611587

Shipp. package (cm): 36.7 × 32.5 × 93  
No. of Items in shipp. package: 60



# FUSE



We have a great range of various tools to keep your lawn, hedges, trees and shrubs well maintained, keeping your garden looking great!



## Dual battery setup

To ensure higher power outputs some Fuse garden tools are driven by two 18V batteries. Bigger voltage means more power - more power means more work done, simple as that.

## Two way adjustment

Pivoting handle and telescopic handle bar.

## Light construction

For heavy workload.



## Keep your paths clear

of leaves with a cordless leaf blower or use it to clear up grass cuttings with ease. They offer more maneuverability as you are not restricted by a power cord.

### *Cordless lawn mowers*

They are quiet to operate, lightweight and easy to handle. Cordless models generate no fumes, meaning they are better for the environment and with no electric cord, lawns can be cut without having to worry about a trailing cable. The range is available with Fuse battery power that offers the benefits of high energy density in relatively light weight batteries, and low self discharge rate which gives the assurance that the batteries will always hold their charge and be ready to go.



### *Tap-n-go*


Rotating trimmer head with tap-n-go nylon head and plant guard.



### *One-click*

Fast tool change with one click fitting.

# FUSE



Over recent years, the technological advances in battery performance have transformed how rechargeable mowers can function. Now, cordless lawn mowers are highly desirable tools, with quick charge times and long battery life, requiring little effort both in terms of use and of maintenance.



## VILLY4340 E CORDLESS LAWN MOWER

*Fuse Villy 4340 E is a full-sized cordless lawn mower for mowing mid-sized lawns, mowing area is up to 500 m<sup>2</sup>. Battery run-times on page 38-39.*

Brushless electric motor; Voltage 36V; Mowing width: 430mm; Mowing area: 500m<sup>2</sup>; Mowing height 25 - 75 mm (6 stages, central); Collector volume: 55l; Weight: 18kg

## VILLY 4340E 2BCB

Item No. 066365

**Content:**  
Villy 4340 E,  
2xBattery 4Ah;  
Charger 2.4A;  
Weight: 21.2kg

EAN 8605032616520

Shipp. package (cm): 69 × 41 × 33  
No. of items in shipp. package: 1



## VILLY 3740 E CORDLESS LAWN MOWER

*Fuse Villy 3740 E is appropriate for mowing small to mid-sized lawns, recommended mowing area is 400 m<sup>2</sup>. Battery run-times on page 38-39.*

Brushless electric motor; Voltage 36V; Mowing width: 370mm; Mowing area: 400m<sup>2</sup>; Mowing height 25 - 75 mm (6 stages, central); Collector volume: 35l; Weight: 16kg



For more complex gardens, the wires of an electric lawn mower may well get snagged on shrubbery, or the cable simply won't be long enough to cope with the shape of your lawn. These machines are much easier for mowing both front and back gardens without easily accessible power supplies. The cordless mower offers complete freedom as well as all the benefits you would expect with a corded electric option. These environmentally friendly machines are quiet, lightweight, and easy to store and maintain making them perfect for anyone who wants to keep mowing the lawn simple.



Fuse cordless lawn mowers are delivered with necessary batteries and chargers. This way you will have a plug and play mower right out of the box.



### VILLY 3740 E 2BCB

Item No. 066364

**Content:**  
Villy 3740 E,  
2xBattery 3Ah;  
Charger 2.4A;  
Weight: 19.2kg

EAN 8605032616513

**Shipp. package (cm):** 69 × 41 × 33  
**No. of Items in shipp. package:** 1



### VILLY 2020 E CORDLESS LAWN MOWER

*Fuse Villy 2020 is a cordless lawn mower, appropriate for mowing small lawns up to 300 m<sup>2</sup>. Battery run-times on page 38-39.*

Brushless electric motor;  
Voltage 18V; Mowing width:  
330mm; Mowing area: 300m<sup>2</sup>;  
Mowing height 25 - 75 mm  
(6 stages, central); Collector  
volume: 30l; Weight: 10kg

### VILLY 2020 E 1BCB

Item No. 060115

**Content:**  
Villy 2020 E,  
Battery 2Ah;  
Charger 2.4A;  
Weight: 13.2kg

EAN 8605032613147

**Shipp. package (cm):** 69 × 41 × 33  
**No. of Items in shipp. package:** 1



# FUSE

Cordless grass and hedge trimmers let you carry out jobs around the garden and allotment without worrying where the nearest plug socket is. All you need to do is to charge the battery and you're good to go.



## BC 2320 GRASS TRIMMER

*Fuse BC 2320 is an entry level cordless grass trimmer. It is excellent for maintaining grass surfaces that cannot be reached by a lawn mower. Battery run-times on page 38-39.*

Electric motor with brushes; Voltage 18V;  
No load speed: 10000rpm; Cutting width:  
230mm; Handle type: telescopic;  
Weight: 1.8kg

## BC 2320 BARE TOOL

Item No. 060104

**Content:**  
BC 2320 Tool  
Weight: 2kg

EAN 8605032613031

**Shipp. package (cm):** 93 × 55 × 26  
**No. of Items in shipp. package:** 2

## BC 2320 1BCB

Item No. 056360

**Content:**  
BC 2320 Tool  
Battery 2 Ah  
Charger 2.4 A  
Weight: 3.95kg

EAN 8605032611525

**Shipp. package (cm):** 93 × 55 × 26  
**No. of Items in shipp. package:** 2



## BC 2940 GRASS TRIMMER

*Fuse BC 2940 is a twin battery cordless grass trimmer. Its twin battery setup and robust construction will allow longer work spans in harder conditions. Battery run-times on page 38-39.*

Brushless electric motor; Voltage 36V  
(18+18V); No load speed: 8000rpm; Cutting  
width: 290mm; Handle type: telescopic;  
Weight: 2.14kg

## BC 2940 BARE TOOL

Item No. 067789

**Content:**  
BC 2940 Tool  
Weight: 5.1kg

EAN 8605032618357

**Shipp. package (cm):** 84 × 24.8 × 55.5  
**No. of Items in shipp. package:** 2



## VWB 1920 WEED BRUSH

*Fuse VWB 1920 is a cordless weed brush. It is supplied with a nylon and a metal cleaning brush, ideal for concrete and cobblestone surfaces. Battery run-times on page 38-39.*

Electric motor with brushes; Voltage 18V;  
No load speed: 1200 rpm; Brush diameter:  
100mm; Handle type: telescopic;  
Weight: 1.74kg

## VWB 1920 BARE TOOL

Item No. 060102

**Content:**  
VWB 1920 Tool  
2×Brush

EAN 8605032613017

**Shipp. package (cm):** 87 × 47.5 × 19.5  
**No. of Items in shipp. package:** 2





### VHT 4420 HEDGE TRIMMER

Fuse VHT 4420 is a light, comfortable and strong cordless hedge trimmer, designed for maintenance of your hedge. Battery run-times on page 38-39.

Electric motor with brushes; Voltage 18V; No load speed: 1300 rpm; Blade type: counter-rotating, double; Blade length: 510 mm; Cutting diameter: 14.5 mm; Weight: 2.4kg

#### VHT 4420 BARE TOOL

Item No. 056367

**Content:**

VHT 4420 Tool  
Weight: 3.5kg

EAN 8605032611594

Shipp. package (cm): 85 × 44 × 24.5  
No. of Items in shipp. package: 2



### VCS 7620 GRASS SHEARS

Fuse VCS 7620 is a multifunctional cordless tool designed for hedge and grass maintenance. Battery run-times on page 38-39.

Electric motor with brushes; Voltage 18V; No load speed: 1200 rpm; Hedge trimmer blade: 200mm; Grass shears blade: 92 mm; Weight: 1.1kg

#### VCS 7620 BARE TOOL

Item No. 060103

**Content:**

VCS 7620 Tool  
Weight: 2.1kg

EAN 8605032613024

Shipp. package (cm): 42.5 × 23.5 × 34  
No. of Items in shipp. package: 4

**NEW**



### VBV 2440 LEAF BLOWER

Raking up leaves can be an all-day task, but not if you have the Fuse VBV 2440 cordless leaf blower to aid you in your quest for the perfect garden. Battery run-times on page 38-39.

Brushless electric motor; Voltage 36V (18+18V); No load speed: 2300rpm; Max air flow: 17 m<sup>3</sup> /min; Max blowing speed: 67 m/s; Weight: 2.75 kg

#### VBV 2440 BARE TOOL

Item No. 081343

**Content:**

VBV 2440 Tool  
Weight: 2.75kg

EAN 8605032635576

Shipp. package (cm): 53.5 × 31 × 31  
No. of Items in shipp. package: 2

**NEW**



### VFB 2220 SURFACE CLEANER

Fuse VFB 2220 is cordless cleaning device equipped with rotating brushes.. It's designed to efficiently sweep and collect dirt, dust, and debris from floors, and outdoor spaces. Battery run-times on page 38-39.

Electric motor with brushes; Voltage 18V; No load speed:600-1200rpm; Working width: 220mm; Roller size: Ø110mm; Water hose quick adaptor: 1/4"

#### VFB 2220 BARE TOOL

Item No. 082123

**Content:**

VFB 2220 Tool  
Weight: 2.8kg

EAN 8605032635712

Shipp. package (cm): 80 × 34 × 55  
No. of Items in shipp. package: 2



### VST 2820 SNOW THROWER

Fuse VST 2820 is a very handy device to have around the home on snowy winter days, and one that will make your life a lot easier on those cold and wet winter mornings. Battery run-times on page 38-39.

Electric motor with brushes; Voltage 18V; No load speed:2100rpm; Working width: 280mm; Working depth: 150mm; Throwing distance: 5m

#### VST 2820 BARE TOOL

Item No. 058975

**Content:**

VST 2820 Tool  
Weight: 5.0kg

EAN 8605032612447

Shipp. package (cm): 80 × 34 × 55  
No. of Items in shipp. package: 2



### VBV 2120 LEAF BLOWER

Raking up leaves can be an all-day task, but not if you have the Fuse VBV 2120 cordless leaf blower to aid you in your quest for the perfect garden. Battery run-times on page 38-39.

Electric motor with brushes; Voltage 18V; No load speed: 12000rpm; Max air flow: 105 m<sup>3</sup> /min; Max blowing speed: 58 m/s; Weight: 1.25 kg

#### VBV 2120 BARE TOOL

Item No. 056368

**Content:**

VBV 2120 Tool  
Weight: 1.75kg

EAN 8605032611600

Shipp. package (cm): 41 × 35 × 22.8  
No. of Items in shipp. package: 2

# FUSE



Fuse cordless chain saws are quiet, lightweight and easy to use, making them less tiring to use and easier to maneuver. Cordless chain saws are great as they have no fumes and no electric cord to hold you back or cut through. They are much quieter to run so they are more suitable for use in the back garden. The Fuse 18V Li-ion batteries that run these chain saws powers the motor and drives the cutting chain. They also offer a considerably longer life span. The bigger the Ah of a battery, the longer it will run without charging, so choose a higher battery capacity for larger projects where you need a longer running time.



NEW



## VBT 0520 CORDLESS CHAIN SAW

*A small handheld chainsaw is a compact cutting tool designed for light pruning, trimming, and small-scale cutting tasks. Battery run-times on page 38-39.*

Electric motor with brushes;  
Voltage 18V;  
Guide bar length: 155mm;  
Chain teeth number: 16 teeth;  
Chain speed: 5.6 m/s;  
Weight: 1.3 kg

## VBT 0520 1BCB

Item No. 081255

**Content:**  
VBT 0520  
Battery 2Ah;  
Charger 2.4A;  
Weight: 4.35kg

EAN 8605032635569

Shipp. package (cm): 67 × 51 × 40  
No. of Items in shipp. package: 2



## VBT 1440 CORDLESS CHAIN SAW

*Light and comfortable, Fuse VBT 1440 cordless chain saw is a great solution for woodsman and household activities. Battery run-times on page 38-39.*

Electric motor with brushes;  
Voltage 36V (18+18V);  
Guide bar length: 355mm;  
Chain teeth number: 26 teeth;  
Chain speed: 8.5 m/s;  
Weight: 3.9 kg


## VBT 1440

Item No. 056369

**Content:**  
VBT 1440 Tool only  
Weight: 4.35kg

EAN 8605032611617

Shipp. package (cm): 47.5 × 26 × 48  
No. of Items in shipp. package: 2



## VCPS 0820 CORDLESS POLE SAW

*Fuse VCPS 0820 is a cordless pole saw. This tool is very suitable for pruning and it has a wide use in fruit growing. Battery run-times on page 38-39.*

Electric motor with brushes;  
Voltage 18V;  
Guide bar length: 240mm;  
Cutting length: 190mm;  
Handle length: 190cm - 270cm;  
Chain speed: 5.5 m/s;  
Weight: 3.8 kg

## VCPS 0820

Item No. 060114


**Content:**  
VCPS 0820 Tool only  
Weight: 5kg

EAN 8605032613130


**Shipp. package (cm):** 173.5 × 180 × 11.5  
**No. of items in shipp. package:** 1



# FUSE



# FUSE



## VBS 1620 CORDLESS SPRAYER

*Fuse VBS 1620 is a cordless sprayer, durable and longlasting. It is a right choice for every florist and gardener. Battery run-times on page 38-39.*

Voltage 18V;  
Volume: 16l;  
Work oressure: 2.7 - 4bar;  
Range: 3m;  
Extension length: 120cm;  
Weight: 3.5 kg

## VBS 1620 1BCB

Item No. 062747

**Content:**  
VBS 1620 Tool  
Battery 2Ah  
Charger 2.4 A  
Weight: 5.4kg

EAN 8605032615578

Shipp. package (cm): 49 × 25 × 38  
No. of Items in shipp. package: 1



## FUSE SET VLN 3220 + VLN 3420

Item No. 066251

**Content:**  
VLN 3220 cordless drill / driver  
VLN 3420 cordless impact driver  
2 × battery 1.5Ah  
Charger 2.4A

EAN 8605032616384

Shipp. package (cm): 45.5 × 33 × 27  
No. of Items in shipp. package: 2



**FUSE SET  
VLN 3220 + VLN 1120**

Item No. 066252

**Content:**  
VLN 3220 cordless drill / driver  
VLN 1120 cordless jigsaw  
2 x battery 1.5Ah  
Charger 2.4A

EAN 8605032616391

Shipp. package (cm): 54 x 31 x 27  
No. of Items in shipp. package: 2



**FUSE SET  
VLN 3220 + VLN 4320**

Item No. 060108

**Content:**  
VLN 3220 cordless drill / driver  
VLN 4320 cordless angle grinder  
battery 1.5Ah  
battery 3Ah  
Charger 2.4A

EAN 8605032613079

Shipp. package (cm): 48 x 39 x 24  
No. of Items in shipp. package: 2

# FUSE



<i>model</i>	<i>task</i>	<i>1.5Ah</i>	<i>2Ah</i>	<i>3Ah</i>	<i>4Ah</i>
<i>VLN 3220</i>	<i>No. of wood screw 6 mm × 60 mm</i>	<i>110</i>	<i>150</i>	<i>220</i>	<i>300</i>
<i>VLP 5020</i>	<i>No. of wood screw 6 mm × 60 mm</i>	<i>120</i>	<i>160</i>	<i>240</i>	<i>320</i>
<i>VLP 5220</i>	<i>No. of wood screw 6 mm × 60 mm</i>	<i>120</i>	<i>160</i>	<i>240</i>	<i>320</i>
<i>VLP 5120</i>	<i>No. of wood screw 6 mm × 60 mm</i>	<i>140</i>	<i>180</i>	<i>270</i>	<i>260</i>
<i>VLN 3420</i>	<i>No. of wood screw 6 mm × 60 mm</i>	<i>120</i>	<i>150</i>	<i>220</i>	<i>300</i>
<i>VLP 5420</i>	<i>No. of wood screw 6 mm × 60 mm</i>	<i>140</i>	<i>180</i>	<i>270</i>	<i>360</i>
<i>VLP 8420</i>	<i>No. of wood screw 6 mm × 60 mm</i>	<i>160</i>	<i>200</i>	<i>320</i>	<i>400</i>
<i>VLP 8120</i>	<i>No. of wood screw 6 mm × 60 mm</i>	<i>160</i>	<i>220</i>	<i>320</i>	<i>400</i>
<i>VLN 3320</i>	<i>Wheel bolt M22</i>	<i>100</i>	<i>135</i>	<i>190</i>	<i>260</i>
<i>VLP 5320</i>	<i>Wheel bolt M22</i>	<i>120</i>	<i>165</i>	<i>250</i>	<i>330</i>
<i>VLP 5720</i>	<i>Wheel bolt M22</i>	<i>150</i>	<i>200</i>	<i>300</i>	<i>400</i>
<i>VLN 0120</i>	<i>Concrete drilling 6 mm × 50 mm</i>	<i>50</i>	<i>70</i>	<i>100</i>	<i>140</i>
<i>VLN 0220</i>	<i>Concrete drilling 6 mm × 50 mm</i>	<i>60</i>	<i>80</i>	<i>120</i>	<i>160</i>
<i>VLP 0320</i>	<i>Concrete drilling 6 mm × 50 mm</i>	<i>80</i>	<i>100</i>	<i>150</i>	<i>200</i>
<i>VLN 4320</i>	<i>Cutting steel rod Ø 12 mm</i>	<i>20</i>	<i>25</i>	<i>35</i>	<i>45</i>
<i>VLP 4520</i>	<i>Cutting steel rod Ø 12 mm</i>	<i>25</i>	<i>30</i>	<i>40</i>	<i>55</i>
<i>VLN 1120</i>	<i>Cut length wood 20 mm</i>	<i>12m</i>	<i>16m</i>	<i>24m</i>	<i>32m</i>
<i>VLP 1320</i>	<i>Cut length wood 20 mm</i>	<i>15m</i>	<i>20m</i>	<i>30m</i>	<i>40m</i>
<i>VLN 1620</i>	<i>Cut length wood 20 mm</i>	<i>30m</i>	<i>40m</i>	<i>60m</i>	<i>80m</i>
<i>VLP 1820</i>	<i>Cut length wood 20 mm</i>	<i>40m</i>	<i>50m</i>	<i>80m</i>	<i>100m</i>
<i>VLN 1520</i>	<i>Cut length wood 20 mm</i>	<i>20m</i>	<i>30m</i>	<i>40m</i>	<i>60m</i>
<i>VMS 18520</i>	<i>Number of cuts 50 × 50 mm</i>	<i>50</i>	<i>110</i>	<i>160</i>	<i>220</i>
<i>VMS 18020</i>	<i>Number of cuts 50 × 50 mm</i>	<i>50</i>	<i>110</i>	<i>160</i>	<i>220</i>
<i>VLN 7120</i>	<i>Working time min.</i>	<i>25</i>	<i>30</i>	<i>45</i>	<i>60</i>
<i>VLN 7220</i>	<i>Working time min.</i>	<i>15</i>	<i>20</i>	<i>30</i>	<i>40</i>
<i>VLN 9120</i>	<i>Working time min.</i>	<i>40</i>	<i>60</i>	<i>80</i>	<i>120</i>
<i>VLN 9320</i>	<i>Working time hours</i>	<i>3</i>	<i>4</i>	<i>6</i>	<i>8</i>
<i>VLN 9520</i>	<i>Working time min.</i>	<i>10</i>	<i>13</i>	<i>20</i>	<i>25</i>

<i>model</i>	<i>task</i>	<i>1.5Ah</i>	<i>2Ah</i>	<i>3Ah</i>	<i>4Ah</i>
<i>VLN 1020</i>	<i>Working time min.</i>	<i>10</i>	<i>15</i>	<i>20</i>	<i>30</i>
<i>VLN 4020</i>	<i>Working time min.</i>	<i>20</i>	<i>30</i>	<i>45</i>	<i>60</i>
<i>VLP 4820</i>	<i>Working time min.</i>	<i>20</i>	<i>35</i>	<i>55</i>	<i>70</i>
<i>VLN 9020</i>	<i>Working time</i>	<i>4h</i>	<i>6h</i>	<i>9h</i>	<i>12h</i>
<i>VLN 9721</i>	<i>Working time min.</i>	<i>10</i>	<i>13</i>	<i>20</i>	<i>25</i>
<i>VEM 1020</i>	<i>Working time min.</i>	<i>7</i>	<i>10</i>	<i>15</i>	<i>20</i>
<i>VEM 1220</i>	<i>Working time min.</i>	<i>10</i>	<i>15</i>	<i>25</i>	<i>30</i>
<i>VAT 3520</i>	<i>Number of staples</i>	<i>700</i>	<i>1200</i>	<i>1500</i>	<i>2400</i>
<i>VAT 1220</i>	<i>Working time min.</i>	<i>25</i>	<i>30</i>	<i>45</i>	<i>60</i>
<i>VAT 0640</i>	<i>Working time min.</i>	<i>10</i>	<i>15</i>	<i>20</i>	<i>30</i>
<i>VCF 3020</i>	<i>Working time min.</i>	<i>30</i>	<i>40</i>	<i>60</i>	<i>80</i>
<i>VVC 6020</i>	<i>Working time min.</i>	<i>20</i>	<i>30</i>	<i>50</i>	<i>70</i>
<i>VVC 1020 B</i>	<i>Working time min.</i>	<i>10</i>	<i>20</i>	<i>30</i>	<i>40</i>
<i>BT speaker</i>	<i>Working time hours</i>	<i>6</i>	<i>8</i>	<i>12</i>	<i>16</i>
<i>BC 2940</i>	<i>Working time min.</i>	<i>15</i>	<i>25</i>	<i>35</i>	<i>50</i>
<i>BC 2320</i>	<i>Working time min.</i>	<i>25</i>	<i>35</i>	<i>55</i>	<i>70</i>
<i>VHT 4420</i>	<i>Working time min.</i>	<i>45</i>	<i>60</i>	<i>90</i>	<i>120</i>
<i>VCS 7620</i>	<i>Working time min.</i>	<i>20</i>	<i>30</i>	<i>40</i>	<i>60</i>
<i>VBV 2120</i>	<i>Working time min.</i>	<i>15</i>	<i>20</i>	<i>30</i>	<i>40</i>
<i>Villy 2020 E</i>	<i>Mowing area m<sup>2</sup></i>	<i>100</i>	<i>150</i>	<i>200</i>	<i>300</i>
<i>Villy 3740 E</i>	<i>Mowing area m<sup>2</sup></i>	<i>150</i>	<i>200</i>	<i>300</i>	<i>400</i>
<i>Villy 4340 E</i>	<i>Mowing area m<sup>2</sup></i>	<i>200</i>	<i>250</i>	<i>350</i>	<i>500</i>
<i>VBW 1920</i>	<i>Working time min.</i>	<i>20</i>	<i>30</i>	<i>40</i>	<i>60</i>
<i>VST 2820</i>	<i>Working time min.</i>	<i>10</i>	<i>15</i>	<i>20</i>	<i>30</i>
<i>VBT 1440</i>	<i>Cutting wood log Ø 10 cm</i>	<i>30</i>	<i>40</i>	<i>70</i>	<i>110</i>
<i>VCPS 0820</i>	<i>Cutting wood log Ø 10 cm</i>	<i>20</i>	<i>30</i>	<i>60</i>	<i>80</i>
<i>VBS 1620</i>	<i>Working time min.</i>	<i>90</i>	<i>120</i>	<i>180</i>	<i>240</i>

# WORK SMARTER NOT HARDER

Villager



Lawn mowing is often a hard work which demands a great expense of time and energy. After a tough week of work, the last you need is to spend an entire afternoon mowing your lawn. For this reason we give you the robotic mowers.

Robotic mowers are complex machines. Here you may find more useful informations about our models. If you have got better things to do than spend every weekend pushing a lawn mower around your yard, consider purchasing a robot lawn mower and letting it do the work for you.





**Mowing height**

Adjust mowing height just by twisting one knob.

**Induction motor**

Motor with higher efficiency and performance.

**Traction wheels**

Bigger diameter and deep threads for better traction and good wear resistance.

**Large bumper area**

protects a Villybot from damaging during work cycles.



**RANDOM CUTTING**

Robot operate in various direction, every time walk in new route. Main advantage is lawn free of any traces like traditional mower leaves.



**NO NOISE**

You will be surprised how imperceptible Villybot is. You will hardly notice it as it mows around your lawn doing its job quickly, quietly and efficiently. No noise, just a great looking lawn.

**VILLYBOT 2.0 ROBOT MOWER**

Item No. 064597

Motor type: Induction motor; Battery type: Li-ion, integrated, 18V, 2.5Ah; Type of guidance: perimeter wire; Mowing type: random cutting; Mowing area: 400m<sup>2</sup>; Mowing width: 180mm; Mowing height: 25mm - 50mm (central); Maximum operating angle: 30° (17°); Weight 7kg;

**Equipment:** charging station, perimeter wire, wire pegs.

**Features:** lift sensor, rain sensor, bump sensor, anti-theft code

EAN 8605032615929

Pcs. per shipping box: 1  
Pcs. per pallet: 20

**VILLYBOT 2.0 GARAGE**

Item No. 069939

*Villybot 2.0 garage protects the Villybot and charging station from exposure to sun and rain.*

EAN 8605032618968



**MAINTENANCE**

Occasionally it may be necessary to clean collected grass, and also to control blade sharpness and swap them (as needed).



**CUTS ROUGH LAWNS**

Robust chassis, large wheels and optimized balance ensure a perfect result, even on a rough lawn.



**MOWS ON A STEEP SLOPES**

Villybot can cope with slopes up to 30%, 35%, thanks to intelligent design and innovative propulsion.

# EVERYTHING YOU NEED TO KNOW ABOUT

In order to make an informed choice when it comes to a lawn mower that meets your needs, you need to take into account the following three criteria: lawn size; type of engine; mower functions and equipment.

## *Lawn size*

The first important criterion in choosing a lawn mower is the size of the lawn you want to mow. Villager models of electric, battery-powered and light engine-powered lawn mowers for mowing small and mid size lawns up to 800 m<sup>2</sup>. For mid-sized to large surfaces of up to 1500 m<sup>2</sup>, we recommend some of the models with a larger width (from 46 to 56 cm), with or without additional functions such as the collector or individual power supply. For large grass surfaces up to 5000 m<sup>2</sup>, we recommend one of the five tractor lawn mowers with a large number of attachment tools.

## *Electric or petrol-powered*

The second criterion is the choice of the type of engine that drives the lawn. If you have a small-surface lawn without too many obstacles for the use of an electric cable, then the right choice for you would be one of the Villager electric lawn mowers. For larger and more demanding lawns we warmly recommend one of the engine-powered lawn mowers with fuel-driven engines. We offer a wide range of powertrains, cutting width and additional equipment which will meet the demands of the most demanding customers. Variety is the key.

## *Functions and equipment*

Most of the Villager lawn mowers are equipped with a grass collector, and some of them also have a mulching set and swathe side discharge option. Therefore, it is of vital importance whether you want your lawn mower to collect the swathe, or use a special mulching set to turn the swathe into finest particles which then fall back onto the lawn. Thus you will get a healthy and resilient lawn. If swathe collection is not necessary, and the terrain where the maintained lawn is located is not an ideal one, then one of the powerful and robust Villager lawn mowers with the side discharge option is practically made for you.



Villager

# HARD WORKERS



## B&S INTEK™ SERIES ENGINES

Efficient and durable engines outputs a 6.83kW and 23.4Nm of torque at 2800rpm.



## V 722 PROFESSIONAL LAWN MOWER

*V 722 is a full-sized park mower. Robust and reliable, equipped with powerful B&S engine on steel tube frame and professional grade equipment, it will be a reliable partner for many years to come.*



Item No. 058481

Engine type: B&S Intek Series 21R7 AVS, 344cm<sup>3</sup>, 6.83kW (2800rpm); Mowing width: 711mm; Mowing area: 2500m<sup>2</sup>; Mowing height: 38mm - 102mm (6 levels); Drive type: self-propelled (3-speed, 3 - 5.7 km/h); Wheel diameter: front 200mm, back 330mm; Collector volume: 80l (optional); Weight 131.2kg.

**Functions:**  
mowing, mulching (optional),  
collecting (optional), side discharge.

EAN 8605032612225

Pcs. per shipping box: 1  
Pcs. per pallet: 1

## MULCHING KIT FOR V722

No. 068240

EAN 8605032618524



Villager lawn mowers for commercial use are built to withstand heavy-duty use on a regular basis. Therefore, they come with higher quality engines, structures, and overall construction. The horsepower of their engines is also significantly higher.

These features make them ideal for use on significantly large fields, such as golf courses and sports fields. They can also be easily used on lawns with rough terrain that have tall grass and weeds.



### VRS 5500 PROFESSIONAL LAWN MOWER

*VRS 5500 is a professional self-propelled lawn mower equipped with PTO drive, multi-gear transmission, heavy-duty and steel housing.*

Item No. 055360

Engine type: Villager OHV professional, 196cm<sup>3</sup>, 3.1kW (2800rpm); Mowing width: 530mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 20mm - 85mm (9 levels, central); Drive type: self-propelled (driveshaft); Wheel diameter: front 200mm, back 225mm; Collector volume: 70l; Weight 50.2kg.

**Functions:**  
mowing, mulching,  
collecting, side discharge.

EAN 8605032610702

Pcs. per shipping box: 1  
Pcs. per pallet: 4



With these Villager lawn mowers there was no compromise, only the best of the best was good enough. Each of these 6 models has some of the characteristics that sets it apart from similar products of other makers, be those the exquisite Briggs & Stratton and Honda engines, variable propulsion, electric starters, or wheels of a large diameter.



**FALCON  
6111 B-MATIC  
LAWN MOWER**

No. 060389

Engine type: B&S 750 EX DOV, 161cm<sup>3</sup>, 2.5kW (2800rpm); Mowing width: 525mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 28mm - 75mm (6 levels, central); Drive type: self-propelled (variable, Villager); Wheel diameter: front 203mm, back 280mm; Collector volume: 65l; Weight 36.5kg.

**Functions:**  
mowing, mulching, collecting, side discharge.

EAN 8605032613918

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**FALCON  
6111 H-MATIC  
LAWN MOWER**

No. 060390

Engine type: Honda GCVx 170 OHC, 167cm<sup>3</sup>, 3.4kW (2800rpm); Mowing width: 525mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 25mm - 75mm (6 levels, central); Drive type: self-propelled (variable, Villager); Wheel diameter: front 203mm, back 280mm; Collector volume: 65l; Weight 37.2kg.

**Functions:**  
mowing, mulching, collecting, side discharge.

EAN 8605032613925

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**FALCON  
5111 T-ES  
LAWN MOWER**

No. 060228

Engine type: T 8 OHV, 173cm<sup>3</sup>, 3.0kW (3000rpm); Mowing width: 501mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 25mm - 75mm (7 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 178mm, back 254mm; Collector volume: 60l; Weight 38kg.

**Functions:**  
mowing, mulching, collecting, side discharge, electric starter.

EAN 8605032613611

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**FALCON  
6111 H  
LAWN MOWER**

No. 074735

Engine type: Honda GCVx 200, 201cm<sup>3</sup>, 3.82kW (2900rpm); Mowing width: 530mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 25mm - 80mm (6 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 200mm, back 280mm; Collector volume: 70l; Weight 39kg.

**Functions:**  
mowing, mulching, collecting, side discharge.

EAN 8008984858060

Pcs. per shipping box: 1

Pcs. per pallet: 8.



**FALCON  
5111 H  
LAWN MOWER**

No. 074734

Engine type: Honda GCVx 175, 166cm<sup>3</sup>, 3.3kW (2900rpm); Mowing width: 510mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 22mm - 80mm (6 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 200mm, back 280mm; Collector volume: 60l; Weight 34.5kg.

**Functions:**  
mowing, mulching, collecting, side discharge.

EAN 8008984858053

Pcs. per shipping box: 1

Pcs. per pallet: 8.



**FALCON  
4111 H  
LAWN MOWER**

No. 074733

Engine type: Honda GCVx 145, 145cm<sup>3</sup>, 2.75kW (2900rpm); Mowing width: 460mm; Mowing area: 1100m<sup>2</sup>; Mowing height: 22mm - 80mm (6 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 200mm, back 280mm; Collector volume: 60l; Weight 28.3kg.

**Functions:**  
mowing, mulching, collecting, side discharge.

EAN 8008984857940

Pcs. per shipping box: 1

Pcs. per pallet: 8.



Villager®

# ATLAS SERIES

*Atlas series of lawn mowers was designed for hobbyists. A wide range of cutting widths, types or power supply and engines will meet the demands of every customer. These series of lawn mowers perhaps best illustrates the variety of Villager's offering to its customers.*



## NEW VILLAGER T-SERIES EURO 5 ENGINES

New engine construction  
Less emissions  
Larger engine displacement  
Better fuel efficiency

Whether you are an ordinary hobbyist or a hardcore gardener, these series surely offers something worthy of your attention. Cutting surfaces of 800 - 1500 m<sup>2</sup>, Villager, Honda or B&S engines, self-propelled or push drive, these are just some of the options that are at your disposal.





**ATLAS  
5111 H  
LAWN MOWER**

No. 060706

Engine type: Honda GCV 170x, 166cm<sup>3</sup>, 2.4kW (2800rpm); Mowing width: 501mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 25mm - 75mm (7 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 178mm, back 254mm; Collector volume: 60l; Weight 40kg.

**Functions:** F  
mowing, mulching, collecting,  
side discharge.

EAN 8605032614847

Pcs. per shipping box: 1

Pcs. per pallet: 8.



**ATLAS  
5111 T  
LAWN MOWER**

No. 060171

Engine type: T 8 OHV, 173cm<sup>3</sup>, 3.0kW (2800rpm); Mowing width: 501mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 25mm - 75mm (7 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 178mm, back 254mm; Collector volume: 60l; Weight 38.5kg.

**Functions:**  
mowing, mulching, collecting,  
side discharge.

EAN 8605032612614

Pcs. per shipping box: 1

Pcs. per pallet: 8.



**ATLAS  
5111 B  
LAWN MOWER**

No. 060223

Engine type: B&S 575 EX OHV, 140cm<sup>3</sup>, 2.07kW (2800rpm); Mowing width: 501mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 25mm - 75mm (7 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 178mm, back 254mm; Collector volume: 60l; Weight 40kg.

**Functions:**  
mowing, mulching, collecting,  
side discharge.

EAN 8605032613598

Pcs. per shipping box: 1

Pcs. per pallet: 8.



**ATLAS  
4111 B  
LAWN MOWER**

No. 060222

Engine type: B&S 450 E OHV, 125cm<sup>3</sup>, 1.7kW (2800rpm); Mowing width: 457mm; Mowing area: 1100m<sup>2</sup>; Mowing height: 25mm - 75mm (7 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 178mm, back 203mm; Collector volume: 60l; Weight 32.5kg.

**Functions:**  
mowing, mulching, collecting,  
side discharge.

EAN 8605032612638

Pcs. per shipping box: 1

Pcs. per pallet: 8.



**ATLAS  
4111 T  
LAWN MOWER**

No. 060170

Engine type: T 6 OHV, 146cm<sup>3</sup>, 2.6kW (2800rpm); Mowing width: 457mm; Mowing area: 1100m<sup>2</sup>; Mowing height: 25mm - 75mm (7 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 178mm, back 203mm; Collector volume: 60l; Weight 34.3kg.

**Functions:**  
mowing, mulching, collecting, side discharge.

EAN 8605032612591

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**ATLAS  
4011 B  
LAWN MOWER**

No. 060221

Engine type: B&S 450 E OHV, 125cm<sup>3</sup>, 1.7kW (2800rpm); Mowing width: 457mm; Mowing area: 1100m<sup>2</sup>; Mowing height: 25mm - 75mm (7 levels, central); Drive type: Push; Wheel diameter: front 178mm, back 203mm; Collector volume: 60l; Weight 30.5kg.

**Functions:**  
mowing, mulching, collecting, side discharge.

EAN 8605032612621

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**ATLAS  
4011 T  
LAWN MOWER**

No. 060169

Engine type: T 6 OHV, 146cm<sup>3</sup>, 2.6kW (2800rpm); Mowing width: 457mm; Mowing area: 1100m<sup>2</sup>; Mowing height: 25mm - 75mm (7 levels, central); Drive type: Push; Wheel diameter: front 178mm, back 203mm; Collector volume: 60l; Weight 31kg.

**Functions:**  
mowing, mulching, collecting, side discharge.

EAN 8605032612607

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**VRSH  
555 R  
LAWN MOWER**

No. 050941

Engine type: VGR 170 V, 150cm<sup>3</sup>, 2.5kW (2800rpm); Mowing width: 508mm; Mowing area: 1500m<sup>2</sup>; Mowing height: 25mm - 75mm (6 levels); Drive type: self-propelled; Wheel diameter: front 200mm, back 300mm; Collector volume: 65l; Weight 34kg.

**Functions:**  
mowing, mulching, collecting, side discharge.

EAN 8605032608983

Pcs. per shipping box: 1  
Pcs. per pallet: 4/6.



**ATLAS  
3110 T  
LAWN MOWER**

No. 066673

Engine type: T 6 OHV, 146cm<sup>3</sup>, 2.6kW (2800rpm); Mowing width: 420mm; Mowing area: 800m<sup>2</sup>; Mowing height: 25mm - 70mm (6 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 152mm, back 254mm; Collector volume: 40l; Weight 22.5kg.

**Functions:**  
mowing, collecting.

EAN 8605032616728

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**ATLAS  
3010 T  
LAWN MOWER**

No. 060218

Engine type: T 6 OHV, 146cm<sup>3</sup>, 2.6kW (2800rpm); Mowing width: 420mm; Mowing area: 800m<sup>2</sup>; Mowing height: 25mm - 70mm (6 levels, central); Drive type: push; Wheel diameter: front 152mm, back 254mm; Collector volume: 40l; Weight 22.5kg.

**Functions:**  
mowing, collecting.

EAN 8605032613581

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**ATLAS  
5101 T  
LAWN MOWER**

No. 060227

Engine type: T 6 OHV, 146cm<sup>3</sup>, 2.6kW (2800rpm); Mowing width: 501mm; Mowing area: 1100m<sup>2</sup>; Mowing height: 25mm - 75mm (7 levels, central); Drive type: self-propelled (GT); Wheel diameter: front 178mm, back 254mm; Weight 31 kg.

**Functions:**  
mowing, mulching,  
side discharge.


EAN 8605032613635

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**Atlas 5101 T**

The main characteristic of the new Atlas 5101 T lawn mower is its front axle propulsion. The benefits of such a propulsion are as follows: easier maneuvering (no need for releasing the propulsion clutch when changing direction); lawn maintenance (lower pressure on the propulsion axle decreases the possibility of damage on a fragile surface).



**ATLAS  
5001 T  
LAWN MOWER**

No. 060168

Engine type: T 6 OHV, 146cm<sup>3</sup>, 2.6kW (3000rpm); Mowing width: 510mm; Mowing area: 1100m<sup>2</sup>; Mowing height: 35mm - 70mm (3 levels); Drive type: push; Wheel diameter: front 178mm, back 178mm; Weight 27.5kg.

**Functions:**  
mowing,  
side discharge.

EAN 8605032612645

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



**ATLAS  
5001 B  
LAWN MOWER**

No. 060335

Engine type: B&S 450 E OHV, 125cm<sup>3</sup>, 1.7kW (2800rpm); Mowing width: 510mm; Mowing area: 1100m<sup>2</sup>; Mowing height: 35mm - 70mm (3 levels); Drive type: push; Wheel diameter: front 178mm, back 178mm; Weight 20.5kg.

**Functions:**  
mowing,  
side discharge.

EAN 8605032613789

Pcs. per shipping box: 1  
Pcs. per pallet: 8.



# SMALL & POWERFUL

Villager electric lawn mowers are intended for maintaining small surface lawns from 300m<sup>2</sup> to 800m<sup>2</sup>. They are fit for use in urban areas thanks to the low level of noise they produce. Light and compact, they are easy to store in the winter.



## VILLY 1600 E ELECTRIC LAWN MOWER

No. 051312

Motor type: AC induction motor, 1600W, 230V~50Hz; Mowing width: 420mm; Mowing area: 800m<sup>2</sup>; Mowing height: 25mm - 65mm (3 levels, central); Drive type: push; Wheel diameter: front 170mm, back 200mm; Collector volume: 35l; Weight 15kg.

**Functions:**  
mowing,  
collecting.

EAN 8605032609430

Pcs. per shipping box: 1  
Pcs. per pallet: 12



## VILLY 1300 E ELECTRIC LAWN MOWER

No. 016998

Motor type: AC induction motor, 1300W, 230V~50Hz; Mowing width: 320mm; Mowing area: 600m<sup>2</sup>; Mowing height: 25mm - 55mm (3 levels, central); Drive type: push; Wheel diameter: front 140mm, back 155mm; Collector volume: 35l; Weight 12.5kg.

**Functions:**  
mowing,  
collecting.

EAN 8606012800953

Pcs. per shipping box: 1  
Pcs. per pallet: 20



## VILLY 1000 E ELECTRIC LAWN MOWER

No. 016997

Motor type: AC induction motor, 1000W, 230V~50Hz; Mowing width: 305mm; Mowing area: 300m<sup>2</sup>; Mowing height: 25mm - 55mm (3 levels); Drive type: push; Wheel diameter: front 140mm, back 140mm; Collector volume: 28l; Weight 10kg.

**Functions:**  
mowing,  
collecting.

EAN 8606012800946

Pcs. per shipping box: 1  
Pcs. per pallet: 28



### AC INDUCTION MOTOR

Takes less space; Weight less;  
No brushes - no maintenance;  
Higher efficiency



### VILLY 1400 P ELECTRIC LAWN MOWER

No. 030091

Motor type: Electric motor, 1400W,  
230V~50Hz; Mowing width: 340mm;  
Mowing area: 500m<sup>2</sup>; Mowing height:  
25mm - 65mm (4 levels, central); Drive  
type: push; Wheel diameter: front 140mm,  
back 160mm; Collector volume: 35l;  
Weight 11kg.

**Functions:**  
mowing,  
collecting.

EAN 8606012806368

Pcs. per shipping box: 1  
Pcs. per pallet: 16



### VILLY 1200 P ELECTRIC LAWN MOWER

No. 033467

Motor type: Electric motor, 1200W,  
230V~50Hz; Mowing width: 320mm;  
Mowing area: 400m<sup>2</sup>; Mowing height:  
20mm - 60mm (3 levels); Drive type:  
push; Wheel diameter: front 140mm, back  
140mm; Collector volume: 26l;  
Weight 9.8kg.

**Functions:**  
mowing,  
collecting.

EAN 8606012807815

Pcs. per shipping box: 1  
Pcs. per pallet: 24



### VILLY 1800 P ELECTRIC LAWN MOWER

No. 041404

Motor type: Electric motor, 1800W,  
230V~50Hz; Mowing width: 420mm;  
Mowing area: 800m<sup>2</sup>; Mowing height:  
25mm - 85mm (7 levels, central); Drive  
type: push; Wheel diameter: front 160mm,  
back 210mm; Collector volume: 50l;  
Weight 13kg.

**Functions:**  
mowing,  
collecting.

EAN 8605032603520

Pcs. per shipping box: 1  
Pcs. per pallet: 8



### VILLY 1600 P ELECTRIC LAWN MOWER

No. 030092

Motor type: Electric motor, 1600W,  
230V~50Hz; Mowing width: 380mm;  
Mowing area: 600m<sup>2</sup>; Mowing height:  
30mm - 65mm (5 levels, central); Drive  
type: push; Wheel diameter: front 140mm,  
back 180mm; Collector volume: 45l;  
Weight 12kg.

**Functions:**  
mowing,  
collecting.

EAN 8606012806375

Pcs. per shipping box: 1  
Pcs. per pallet: 12



# MOWING THUNDER

*Villager Capricorn 38 electric riding mowers are intended for maintaining medium to large surface lawns up to 5000m<sup>2</sup>. They are fit for use in urban slope and uneven areas thanks to the low level of noise and vibration they produce and outstanding offroad capabilities. Rigid and robust, they are easy to use and maintain.*



**NEW**

## **CAPRICORN 38 ELECTRIC RIDING MOWER**

No. 077890

Drive Motor type: Brushless motor 1200W; Cutting Motor type: Brushless motor 1350 W; Battery type: Lead Acid, 48V, 75Ah; Mowing width: 980mm; Mowing height: 30mm - 100mm (central); Front/Rear Wheel Size : 15"/16"; Steering wheel: Standard; Turing Radius: 41cm; Max. Drive Speed : 12.8km/h; Weight 230kg;

### **Equipment:**

Hour Meter; High back seat; Washout Port; Bumper; Cup holder

### **Functions:**

mowing; mulching

EAN 8605032634470

Pcs. per shipping box: 1  
Pcs. per pallet: 1



### **Key features**

- ✓ No emissions
- ✓ Impressive battery life
- ✓ No gas required
- ✓ No limited maintenance required
- ✓ Great performance, even in thick grass
- ✓ No vibrations and quiet operation
- ✓ Straightforward setup

### **Mowing height**

Adjust mowing height just by pulling one lever

### **Brushless motors**

Motors with higher efficiency and performance



### **Traction wheels**

Bigger diameter and deep threads for better traction and good wear resistance



# COMFORT & EFFICIENCY

Villager tractor lawn mowers were designed for use on large grass surfaces such as parks, sports fields, etc. Equipped with powerful B&S and Loncin motors, blades with operating width ranging from 610 mm to 980 mm, and a wide range of additional equipment and accessories, they will make your mowing experience a genuine pleasure.







**NEW**

**CROSSMOW 700  
TRACTOR MOWER**

No. 083657

Engine type: Loncin, 708cm<sup>3</sup>, 16.4kW (3600rpm) with oil pump; Mowing width: 860mm (DCS); Mowing area: 10000m<sup>2</sup>; Mowing height: 40mm - 110mm (4 levels, central); Transmission: Hydro Gear G7000; Speed 0-9 km/h; Wheel diameter: front 400mm, back 500mm; 200l; Weight 312kg.

**Functions:**  
mowing, mulching

EAN 8605032636924

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VT 1025 HD TWIN  
TRACTOR MOWER**

No. 074738

Engine type: Loncin ST 550 Twin, 586cm<sup>3</sup>, 13.9kW (3600rpm) with oil pump; Mowing width: 980mm (double blade); Mowing area: 6000m<sup>2</sup>; Mowing height: 25mm - 80mm (7 levels, central); Transmission: Hydrostatic; Speeds (forward / back): 1/1 (variable); Wheel diameter: front 380mm, back 457mm; Collector volume: 240l; Weight 202kg.

**Functions:**  
mowing, mulching, collecting

EAN 8008984857858

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VT 848  
TRACTOR MOWER**

No. 074737

Engine type: Loncin ST 450, 432cm<sup>3</sup>, 10.6kW (3600rpm) with oil pump; Mowing width: 840mm (double blade); Mowing area: 5000m<sup>2</sup>; Mowing height: 25mm - 80mm (7 levels, central); Transmission: Manual; Speeds (forward / back): 5/1; Wheel diameter: front 380mm, back 457mm; Collector volume: 200l; Weight 160kg.

**Functions:**  
mowing, mulching, collecting

EAN 8008984857865

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VT 1005 HD  
TRACTOR MOWER**

No. 056513

Engine type: Loncin LC1P92F-1, 452cm<sup>3</sup>, 7.9kW (2600rpm); Mowing width: 980mm (double blade); Mowing area: 6000m<sup>2</sup>; Mowing height: 25mm - 80mm (7 levels, central); Transmission: Hydrostatic; Speeds (forward / back): 1/1 (variable); Wheel diameter: front 380mm, back 457mm; Collector volume: 240l; Weight 202kg.

**Functions:**  
mowing, mulching, collecting

EAN 8008984828001

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VT 845  
TRACTOR MOWER**

No. 051310

Engine type: Loncin LC1P85FA, 352cm<sup>3</sup>, 7.0kW (3000rpm); Mowing width: 840mm (double blade); Mowing area: 5000m<sup>2</sup>; Mowing height: 25mm - 80mm (7 levels, central); Transmission: Manual; Speeds (forward / back): 5/1; Wheel diameter: front 330mm, back 457mm; Collector volume: 240l; Weight 160kg.

**Functions:**  
mowing, mulching, collecting

EAN 8008984805460

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VT 985  
TRACTOR MOWER**

No. 055351

Engine type: Loncin LC1P85FA, 352cm<sup>3</sup>, 7.0kW (3000rpm); Mowing width: 980mm (double blade); Mowing area: 5000m<sup>2</sup>; Mowing height: 25mm - 80mm (7 levels, central); Transmission: Manual; Speeds (forward / back): 5/1; Wheel diameter: front 380mm, back 457mm; Weight 165kg.

**Functions:**  
mowing, mulching, side discharge

EAN 8008984824546

Pcs. per shipping box: 1  
Pcs. per pallet: 1



Villager riding mowers are designed for operating on medium sized lawns. Equipped with Loncin petrol engines and AC induction motors, these mowers will be of great help in your household.



#### **VTR 660 RIDE ON MOWER**

No. 071619

Engine type: Loncin, 224cm<sup>3</sup>, 4.2kW (3000rpm); Mowing width: 616mm; Mowing area: 4000m<sup>2</sup>; Mowing height: 30mm - 90mm (4 levels, central); Transmission: Manual; Speeds (forward / back): 4/1; Wheel diameter: front 250mm, back 325mm; Collector volume: 130l; Weight: 125kg.

**Functions:**  
mowing,  
collecting

EAN 8605032632940

Pcs. per shipping box: 1  
Pcs. per pallet: 1



#### **VTR 650 RIDE ON MOWER**

No. 051438

Engine type: Loncin LC1P70, 196cm<sup>3</sup>, 4.8kW (3000rpm); Mowing width: 610mm; Mowing area: 4000m<sup>2</sup>; Mowing height: 35mm - 75mm (5 levels, central); Transmission: Manual; Speeds (forward / back): 4/1; Wheel diameter: front 250mm, back 325mm; Collector volume: 150l; Weight: 115kg.

**Functions:**  
mowing,  
collecting

EAN 8605032609577

Pcs. per shipping box: 1  
Pcs. per pallet: 1



### SNOW BLADE

No. 033874

*Independent angle control handle to adjust angle from tractor mower seat. Blade angles left or right up to 30°.*

**Suits for:** all models



### ROLLER

No. 033872

*Good for leveling of uneven ground and pushing down sown seed.*

**Suits for:** all models



### SPREADER

No. 033871

*Good construction and design ensure continuous flow and spread of materials.*

**Suits for:** all models



### DUMP CART

No. 033870

*Sturdy trailer made of polyethylene with dumper-style tailgate for easy unloading.*

**Suits for:** all models



### DEFLECTOR

No. 044929

*Convert the tractor from collecting to rear discharge. It deflects the cuttings backwards and downwards.*

**Suits for:** models with collector



### TOW HITCH

No. 033868

*This tow bar attachment can be fitted to all Villager tractors mowers to allow the user to tow attachments safely and easily.*

**Suits for:** all models



### SNOW CHAINS

No. 033873

*Snow chains bite into snow and ice and provide grip and traction on slippery surfaces.*

**Suits for:** all models



### BATTERY CHARGER

No. 042468

*The battery charger is an important tool to have when the tractor mower is not in use for a long time, for example, during winter storage.*

**Suits for:** all models

### MULCHING SETS

No. 041562

No. 041561

No. 035212

**Suits for:**  
VT 1000 HD  
VT 1005 HD

**Suits for:**  
VT 840  
VT 845

**Suits for:**  
VT 980  
VT 985



### SWEEPER AND COLLECTOR

No. 041563

*External grass collector with spiral brush sweeper. It sweeps and collect excessive grass cuts.*

**Suits for:** VT 1000 HD and VT 1005 HD



# MEADOW MASTERS



**VFM 1000  
SCYTHE MOWER**

No. 053419

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>, 4.1kW (3600rpm); Mowing width: 1000mm; Mowing area: 2500m<sup>2</sup>; Mowing height: 35mm - 70mm; Transmission: cardan shaft; Speeds (forward): 2; Wheel diameter: 450mm; Mowing speed: 2.5 - 4km/h; Weight: 68kg.

**Functions:**  
adjustable handle, lawn clippings removal, professional mowing blade.

EAN 8605032610030

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VFM 888 R  
SCYTHE MOWER**

No. 055376

Engine type: VGR 170 V, 150cm<sup>3</sup>, 2.5kW (3300rpm); Mowing width: 870mm; Mowing area: 2000m<sup>2</sup>; Mowing height: 35mm - 80mm; Transmission: belt; Speeds (forward): 1; Wheel diameter: 325mm; Mowing speed: 3km/h; Weight: 54kg.

**Functions:**  
adjustable handle, lawn clippings removal.

EAN 8605032610801

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VFM 870 L  
SCYTHE MOWER**

No. 074849

Engine type: Loncin, 123cm<sup>3</sup>, 2.2kW (3300rpm); Mowing width: 870mm; Mowing area: 2000m<sup>2</sup>; Mowing height: 35mm - 80mm; Transmission: belt; Speeds (forward): 1; Wheel diameter: 325mm; Mowing speed: 2.6km/h; Weight: 52kg.

**Functions:**  
adjustable handle, lawn clippings removal.


EAN 8605032633527

Pcs. per shipping box: 1  
Pcs. per pallet: 1



### AERATION & CULTIVATION

Villager aerators provide for an easy and quick collection of grass felt (layers of trodden swathe) and aeration (cultivation of the bottom lawn layer).



Cylinder with rake  
Designed for lawn aeration



Cylinder with blades.  
Designed for lawn cultivation



### VPS 290 LAWN AERATOR

No. 059464

Engine type: Villager, 212cm<sup>3</sup>, 4.0kW (3400rpm); Operating width: 400mm; Operating height: -5 to +15 mm; Operating height adjustment: 6 levels (central); Drive type: push; Aerator type: Cylinder with blades and rake; Collector volume: 45l; Weight: 38.4kg.

**Functions:**  
lawn aeration,  
lawn cultivation.

EAN 8605032612492

Pcs. per shipping box: 1  
Pcs. per pallet: 1



### VAS 1500 P LAWN AERATOR

No. 050015

Motor type: Electric motor, 1500W, 230V~50Hz; Operating width: 380mm; Operating height: -12 to + 5 mm; Operating height adjustment: 6 levels (central); Drive type: push; Aerator type: Cylinder with blades and rake; Collector volume: 50l; Weight: 14.5kg.

**Functions:**  
lawn aeration,  
lawn cultivation.

EAN 8605032608754

Pcs. per shipping box: 1  
Pcs. per pallet: 12

# EVERYTHING ABOUT

In order to choose the optimal trimmer that meets your needs, you need to take into account the following criteria.

## *Electric or fuel-driven*

The first important criterion in choosing a trimmer or scythe is whether you want a motor or an electric drive. Both have their advantages, so there is no single right answer. If you live in an urban environment, maintain a small surface and have access to power supply at any given time, and you dislike noise - then Villager electric trimmers are the perfect choice for you. If you plan on maintaining more demanding surfaces, which are less maintained, then we offer you a wide range of engine-powered cutters of different power and intended use. **The choice is yours to make.**

## *Intended use*

The intended manner of using a scythe or a trimmer has everything to do with determining your choice. If you plan to spend hours maintaining neglected large areas, then you should consider one of the backpack models. If you plan to use the trimmer in your garden only, then try a model with a loop handlebar and a regular strap, and if you are an advanced user denying any obstacles in the form of undergrowth, then you should consider some of the more powerful trimmers with a 'bicycle' handlebar, professional strap, or maybe even an anti-vibration system. **The choice is up to you.**



### *Frequency of usage*

The frequency of use of a trimmer or brush cutter is a very important criterion when choosing one. If you plan to maintain your property several times during the season, then we recommend one of the trimmers from our orange 'hobby' line. On the other hand, if you are a hardcore gardener who spends hours maintaining grass and undergrowth, as well as weeding, then your choice should be one of the powerful brush cutters from the 'black edition' series. What differentiates the black and orange series is not only the color, but also a range of technical solutions, choice of components and materials, etc. **Black or orange?**



Villager

# PERFORMANCE WITHOUT COMPROMISE

Villager range of performance motor trimmers offers advanced performance, comfortable work, quality and durability. The whole range is optimized so as to offer the best solution for every potential customer, based on the type and intended use.



**VILALGER  
BC 174  
NYLON HEAD**

Semi-professional  
nylon head with  
Bump-N-Work system







**BC 2700 XCE  
GRASS TRIMMER**

No. 046518

Engine type: Villager 2-stroke, 46.5cm<sup>3</sup>, 1.95kW (10500rpm); Cutting diameter: nylon 460mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, non-detachable, Ø28mm; Handle type: "bike" handle; Harness type: professional; Weight: 8.65kg.

**Features:**  
Anti-vibration System,  
Super Start

EAN 8605032605715

Pcs. per shipping box: 1  
Pcs. per pallet: 30



**BC 1900 PE  
GRASS TRIMMER**

No. 046574

Engine type: Villager 2-stroke, 51.7cm<sup>3</sup>, 1.3kW (7800rpm); Cutting diameter: nylon 450mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, non-detachable, Ø28mm; Handle type: "bike" handle; Harness type: professional; Weight: 8.24kg.

**Features:**  
Super Start, Digital RPM limiter,  
Circular saw 24 teeth

EAN 8605032605814

Pcs. per shipping box: 1  
Pcs. per pallet: 30



**BC 1250 PE  
GRASS TRIMMER**

No. 046573

Engine type: Villager 2-stroke, 42.7cm<sup>3</sup>, 1.1kW (7800rpm); Cutting diameter: nylon 450mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, non-detachable, Ø28mm; Handle type: "bike" handle; Harness type: professional; Weight: 8.11kg.

**Features:**  
Super Start,  
Digital RPM limiter

EAN 8605032605807

Pcs. per shipping box: 1  
Pcs. per pallet: 30

Villager

# S-SERIES

Villager S-series trimmers was designed for hobbyists. A wide range of models will meet the needs of all customers.





### VILLAGER 2T OIL

Universal semi-synthetic oil. With integrated fuel stabilizer  
*Fuel fresh.*



*High quality 2T oils are essential for longevity and performance of grass trimmers and other 2-stroke engine powered tools and vehicles.*



### BC 755 SE GRASS TRIMMER

Lightweight 

No. 060289

Engine type: Villager 2-stroke, 22.5cm<sup>3</sup>, 0.7kW (8000rpm); Cutting diameter: nylon 415mm; Transmission system: drive-shaft; Drive-shaft: aluminium, non-detachable, Ø24mm; Handle type: "bike" handle; Harness type: single; Weight: 5.5kg.

**Features:**  
fuel efficient  
"Lightweight"

EAN 8605032613772

Pcs. per shipping box: 1  
Pcs. per pallet: 30



### BC 1900 S GRASS TRIMMER

No. 020238

Engine type: Villager 2-stroke, 51.7cm<sup>3</sup>, 1.4kW (7000rpm); Cutting diameter: nylon 415mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, non-detachable, Ø28mm; Handle type: "bike" handle; Harness type: professional; Weight: 7.9kg.

**Features:**  
high power output

EAN 8606012802872

Pcs. per shipping box: 1  
Pcs. per pallet: 30



### BC 1250 S GRASS TRIMMER

No. 018390

Engine type: Villager 2-stroke, 42.7cm<sup>3</sup>, 1.25kW (7000rpm); Cutting diameter: nylon 415mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, non-detachable, Ø28mm; Handle type: "bike" handle; Harness type: professional; Weight: 7.8kg.

**Features:**  
well balanced performance

EAN 8605032601714

Pcs. per shipping box: 1  
Pcs. per pallet: 30



### BC 900 S GRASS TRIMMER

No. 009047

Engine type: Villager 2-stroke, 32.6cm<sup>3</sup>, 0.9kW (6500rpm); Cutting diameter: nylon 415mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, non-detachable, Ø28mm; Handle type: "bike" handle; Harness type: professional; Weight: 7.0kg.

**Features:**  
fuel efficient

EAN 8606102570421

Pcs. per shipping box: 1  
Pcs. per pallet: 48

# E-SERIES

The E-series of Villager grass trimmers best illustrates the variety of our offer. Depending on your needs, we can offer: standard or backpack models, a wide range of engines, detachable or non-detachable drive-shafts, bicycle or loop handlebars, standard or professional harnesses, n so.



## BBC 52 E BACK PACK TRIMMER

No. 041590

Engine type: Villager 2-stroke, 51.7cm<sup>3</sup>, 1.3kW (7800rpm); Cutting diameter: nylon 450mm, blade 255mm; Transmission system: cord and drive-shaft; Drive-shaft: aluminium, detachable, Ø26mm; Handle type: "loop" handle; Harness type: professional; Weight: 11.5kg.

**Features:**  
high power output

EAN 8605032603872

Pcs. per shipping box: 1  
Pcs. per pallet: 15



## BC 52 EB GRASS TRIMMER

No. 046576

Engine type: Villager 2-stroke, 51.7cm<sup>3</sup>, 1.3kW (7800rpm); Cutting diameter: nylon 450mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, non-detachable, Ø28mm; Handle type: "bike" handle; Harness type: professional; Weight: 7.74kg.

**Features:**  
high power output

EAN 8605032605838

Pcs. per shipping box: 1  
Pcs. per pallet: 30



### BC 43 EB GRASS TRIMMER

No. 041589

Engine type: Villager 2-stroke, 42.7cm<sup>3</sup>, 1.2kW (7800rpm); Cutting diameter: nylon 450mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, non-detachable, Ø28mm; Handle type: "bike" handle; Harness type: professional; Weight: 7.88kg.

**Features:**  
well balanced performance

EAN 8605032603865

Pcs. per shipping box: 1  
Pcs. per pallet: 30



### MBC 33 E MULTIFUNCTIONAL TRIMMER

No. 046575

Engine type: Villager 2-stroke, 32.6cm<sup>3</sup>, 0.9kW (7000rpm); Cutting diameter: nylon 430mm, blade 255mm; Hedge trimmer length: 400mm; Chain saw guide bar length: 254mm Transmission system: drive-shaft; Drive-shaft: aluminium, detachable, Ø26mm; Handle type: "loop" handle; Harness type: single; Weight: 5.88kg.

**Features:**  
grass trimmer, hedge trimmer,  
telescopic chain saw

EAN 8605032605821

Pcs. per shipping box: 1  
Pcs. per pallet: 20

### PROFESSIONAL HARNESS PH 2016



PH 2016 is an universal professional harness for grass trimmers with good weight distribution between the shoulders, chest and back. Features floating hip pad with quick-release. It comes as standard equipment with PE-series and larger E-series grass trimmers.



### BC 43 ES GRASS TRIMMER

No. 046730

Engine type: Villager 2-stroke, 42.7cm<sup>3</sup>, 1.2kW (7800rpm); Cutting diameter: nylon 450mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, detachable, Ø26mm; Handle type: "loop" handle; Harness type: single; Weight: 8kg.

**Features:**  
well balanced performance  
detachable

EAN 8605032606156

Pcs. per shipping box: 1  
Pcs. per pallet: 30



### BC 33 ESB GRASS TRIMMER

No. 041588

Engine type: Villager 2-stroke, 32.6cm<sup>3</sup>, 0.9kW (7000rpm); Cutting diameter: nylon 430mm, blade 255mm; Transmission system: drive-shaft; Drive-shaft: aluminium, detachable, Ø26mm; Handle type: "bike" handle; Harness type: professional; Weight: 7.53kg.

**Features:**  
fuel efficient  
detachable

EAN 8605032603858

Pcs. per shipping box: 1  
Pcs. per pallet: 30



### BC 26 ES GRASS TRIMMER

No. 041587

Engine type: Villager 2-stroke, 25.4cm<sup>3</sup>, 0.7kW (8400rpm); Cutting diameter: nylon 380mm; Transmission system: cord and drive-shaft; Drive-shaft: aluminium, detachable, Ø26mm; Handle type: "loop" handle; Harness type: single; Weight: 5.45kg.

**Features:**  
fuel efficient  
detachable

EAN 8605032603841

Pcs. per shipping box: 1  
Pcs. per pallet: 30



Villager electric trimmers are excellent for maintaining grass surfaces that cannot be reached by a lawn mower. Their configuration and small dimensions make it easy for them to reach inaccessible surfaces. They are ideal for work in noise sensitive areas.

NEW



**ET 1005  
ELECTRIC GRASS TRIMMER**

No. 083380

Motor type: electric motor, 1000W, 230V~50Hz; Cutting diameter: nylon 350mm; Idle speed: 7500rpm; Nylon diameter: 2mm; Handle type: "loop"; Handlebar: detachable; Weight: 4.3kg.

**Features:**  
split model

EAN

Pcs. per shipping box: 4  
Pcs. per pallet: 36



**ET 355  
ELECTRIC GRASS TRIMMER**

No. 046737

Motor type: electric motor, 350W, 230V~50Hz; Cutting diameter: nylon 250mm; Idle speed: 12000rpm; Nylon diameter: 1.2mm; Handle type: "loop"; Handlebar: telescopic, adjustable; Weight: 2.2kg.

**Features:**  
light  
affordable

EAN 8605032606194

Pcs. per shipping box: 4  
Pcs. per pallet: 72



**ET 555  
ELECTRIC GRASS TRIMMER**

No. 046738

Motor type: electric motor, 550W, 230V~50Hz; Cutting diameter: nylon 270mm; Idle speed: 11000rpm; Nylon diameter: 1.5mm; Handle type: "loop"; Handlebar: telescopic, adjustable; Weight: 2.8kg.

**Features:**  
light  
rotating nylon head (90°)

EAN 8605032606200

Pcs. per shipping box: 4  
Pcs. per pallet: 72



**ET 1000  
ELECTRIC GRASS TRIMMER**

No. 023437

Motor type: electric motor, 1000W, 230V~50Hz; Cutting diameter: nylon 350mm; Idle speed: 7500rpm; Nylon diameter: 2mm; Handle type: "loop"; Handlebar: detachable; Weight: 4.3kg.

**Features:**  
split model

EAN 8606012803459

Pcs. per shipping box: 4  
Pcs. per pallet: 36

Villager hedge trimmers allow you to get your hedges and shrubs looking just right without it taking up too much time or energy. Villager hedge trimmer makes the work efficient, safe, and fast.



### VHPT 27 E GAS-POWERED HEDGE TRIMMER

No. 050790

Engine type: Villager 2-stroke, 22.5cm<sup>3</sup>, 0.65kW (6500rpm); Blade length: 600mm; Blade type: counter-rotating, double; Blade holder: steel; Cutting diameter: up to 20mm; Handle type: rotating; Weight: 4.9kg.

**Features:**

Anti-vibration System, professional blade

EAN 8605032608860

Pcs. per shipping box: 1  
Pcs. per pallet: 20

NEW



### VHT 715 P ELECTRIC HEDGE TRIMMER

No. 083381

Motor type: electric motor, 710W, 230V~50Hz; Blade length: 600mm; Blade type: counter-rotating, double; Blade holder: aluminium; Cutting diameter: up to 24mm; Handle type: rotating; Weight: 3.0kg.

**Features:**

electric brake, blade tip protection

EAN

Pcs. per shipping box: 2  
Pcs. per pallet: 20

### VHT 710 P ELECTRIC HEDGE TRIMMER

No. 033491

Motor type: electric motor, 710W, 230V~50Hz; Blade length: 600mm; Blade type: counter-rotating, double; Blade holder: aluminium; Cutting diameter: up to 24mm; Handle type: rotating; Weight: 3.7kg.

**Features:**

electric brake, blade tip protection

EAN 8606012807853

Pcs. per shipping box: 2  
Pcs. per pallet: 20

### VHT 500 ELECTRIC HEDGE TRIMMER

No. 033492

Motor type: electric motor, 500W, 230V~50Hz; Blade length: 470mm; Blade type: counter-rotating, double; Blade holder: plastic; Cutting diameter: up to 20mm; Handle type: classic; Weight: 3.0kg.

**Features:**

electric brake

EAN 8606012807860

Pcs. per shipping box: 2  
Pcs. per pallet: 28

# Villager®



By using contemporary technologies and new materials, enviable results have been accomplished in the field of quality enhancement, reliability, and durability of Villager chain saws.

## *Chain brake*

Every Villager chain saw has a chain brake as a standard part of safety equipment.

## *Oregon chain*

Oregon organized chain saw chains into product families that are optimized for specific application and cutting needs. It means that there is an appropriate Oregon chain for any Villager chain saw.

## *Oregon guide bar*

Oregon understood that the needs of woodcutters are as diverse as the terrains and environments in which they work. They have organized guide bars into product families with similar characteristics to equip every Villager chain saw model with the appropriate guide bar.

## *Integrated tool*

Some Villager chain saws are equipped with integrated tool which is essential for basic maintenance (socket key and screwdriver). It is clipped into housing on a bottom of a chain saw.







### **Super start**

Some Villager chain saws are equipped with spring-loaded starter, aka Super start. Using this starter reduces the force necessary for starting the engine by 30%.

### **Easy access air filter**

Air filter cover is secured with snap buckle. No need for any tool when changing or cleaning the air filter.

### **Primer bulb**

Every Villager chain saw is equipped with primer bulb. It is a fuel pump which delivers fuel from tank to carburetor for easier cold start of the chain saw.

### **Anti Vibration System**

The advanced system of springs absorbs the engine vibrations, thus making the work more comfortable. This system is a standard feature for every Villager chain saw.

### **Secure fuel cap**

with threads for gradual pressure relief to prevent fuel spill.

### **Visible fuel level**

Some Villager chain saws are equipped with transparent window on a fuel tank for easier fuel check.



### **Villager Chainoil**

Universal mineral bar and chain oil with special additive for lubricating.

Villager Chainoil bar and chain oil is designed to provide protection to cutting equipment while operating a chain saw. It reduces friction and wear on guide bars and chains, extending the life of cutting equipment.

# PE SERIES

Together with experts in the machine industry, Villager has developed a whole new platform of engine-powered chain saws in the past several years. Some of the features of Villager engine-powered chain saws belonging to this generation are: low exhaust fumes emission, with the purpose of environmental protection; designer solutions that make operating the chain saw a lot easier, and enhance the user experience; technical solutions in the area of mechanics that make these chain saws more reliable and cost-efficient.



### VGS 5032 PE CHAIN SAW

No. 046461

Engine type: Villager 2-stroke, 50.9cm<sup>3</sup>, 2.2kW (12000rpm); Guide bar: Oregon Speed Cut, 45cm, 325, 1.3 mm; Chain: Oregon 95TXL072E, 325, 1.3mm, 36 teeth; Fuel tank: 520ml; Oil tank: 250ml; Weight: 5.7kg.

#### Features:

Anti-vibration System, Super Start, transparent fuel tank, integrated tool primar bulb

EAN 8605032605586

Pcs. per shipping box: 2  
Pcs. per pallet: 28



### VGS 3920 PE CHAIN SAW

No. 050803

Engine type: Villager 2-stroke, 38.5cm<sup>3</sup>, 1.6kW (12000rpm); Guide bar: Oregon Low Pro, 35cm, 3/8, 1.3 mm; Chain: Oregon 91P053X, 3/8, 1.3mm, 26 teeth; Fuel tank: 410ml; Oil tank: 280ml; Weight: 4.65kg.

#### Features:

Anti-vibration System, transparent fuel tank primar bulb

EAN 8605032608952

Pcs. per shipping box: 2  
Pcs. per pallet: 28



### VGS 4125 PE CHAIN SAW

No. 046460

Engine type: Villager 2-stroke, 41.4cm<sup>3</sup>, 1.85kW (12000rpm); Guide bar: Oregon Micro-lite, 40cm, 325, 1.3 mm; Chain: Oregon 95VPX066E, 325, 1.3mm, 33 teeth; Fuel tank: 550ml; Oil tank: 260ml; Weight: 5.2kg.

#### Features:

Anti-vibration System, transparent fuel tank, integrated tool primar bulb

EAN 8605032605579

Pcs. per shipping box: 2  
Pcs. per pallet: 28



### VGS 3011 PE CHAIN SAW

No. 060096

Engine type: Villager 2-stroke, 28.5cm<sup>3</sup>, 1.0kW (12000rpm); Guide bar: Villager Carving, 30cm, 1/4, 1.3 mm; Chain: Villager, 1/4, 1.3mm, 32 teeth; Fuel tank: 210ml; Oil tank: 200ml; Weight: 3.4kg.

#### Features:

Anti-vibration System, Super Start, smooth cut, primar bulb

EAN 8605032612706

Pcs. per shipping box: 2  
Pcs. per pallet: 28



### FOREST HELMET VFH 19

Helmet for forestry or yard work, with a six-point plastic harness and adjustable slip ratchet. The earmuffs are developed for optimal noise reduction. Mesh visor provides great protection and visibility.

Villager

# WORK SMARTER AND MORE EFFICIENTLY

Villager array of chain saws offers advanced performance, comfortable work, quality and durability. The entire array has been optimized so that, depending on usage type and purpose, it can offer the best solution to every potential user.



## VGS 620 S CHAIN SAW

No. 044516

Engine type: Villager 2-stroke, 62cm<sup>3</sup>, 2.8kW (11000rpm); Guide bar: Oregon Pro Am, 45cm, 3/8, 1.5 mm; Chain: Oregon 73LPX068E, 3/8, 1.5mm, 34 teeth; Fuel tank: 550ml; Oil tank: 350ml; Weight: 6.3kg.

### Features:

Anti-vibration System, decompressor, primar bulb

EAN 8605032605135

Pcs. per shipping box: 2  
Pcs. per pallet: 28



## VGS 560 S CHAIN SAW

No. 041692

Engine type: Villager 2-stroke, 56cm<sup>3</sup>, 2.35kW (11000rpm); Guide bar: Oregon Pro Am, 45cm, 325, 1.5 mm; Chain: Oregon 21BPX072E, 325, 1.5mm, 36 teeth; Fuel tank: 550ml; Oil tank: 260ml; Weight: 5.2kg.

### Features:

Anti-vibration System, primar bulb

EAN 8605032603995

Pcs. per shipping box: 2  
Pcs. per pallet: 28



## VGS 500 S CHAIN SAW

No. 041691

Engine type: Villager 2-stroke, 49.3cm<sup>3</sup>, 2.1kW (11000rpm); Guide bar: Oregon Pro Am, 45cm, 325, 1.5 mm; Chain: Oregon 21BPX072E, 325, 1.5mm, 36 teeth; Fuel tank: 550ml; Oil tank: 260ml; Weight: 5.1kg.

### Features:

Anti-vibration System, primar bulb

EAN 8605032603988

Pcs. per shipping box: 2  
Pcs. per pallet: 28



### VGS 460 PRIME CHAIN SAW

No. 057750

Engine type: Villager 2-stroke, 45.8cm<sup>3</sup>, 1.8kW (11000rpm); Guide bar: Villager, 45cm, 325, 1.5 mm; Chain: Villager, 325, 1.5mm, 36teeth; Fuel tank: 550ml; Oil tank: 260ml; Weight: 5.5kg.

**Features:**

Anti-vibration System, primar bulb

EAN 8605032612096

Pcs. per shipping box: 2  
Pcs. per pallet: 28



### VGS 380 PRIME CHAIN SAW

No. 057749

Engine type: Villager 2-stroke, 37.2cm<sup>3</sup>, 1.2kW (12000rpm); Guide bar: Villager, 40cm, 3/8, 1.3 mm; Chain: Villager, 3/8, 1.3mm, 28.5 teeth; Fuel tank: 310ml; Oil tank: 210ml; Weight: 4.5kg.

**Features:**

Anti-vibration System, primar bulb

EAN 8605032612119

Pcs. per shipping box: 2  
Pcs. per pallet: 28



### VGS 260 PRIME CHAIN SAW

No. 057748

Engine type: Villager 2-stroke, 25.4cm<sup>3</sup>, 0.9kW (12000rpm); Guide bar: Villager, 30cm, 3/8, 1.3 mm; Chain: Villager, 3/8, 1.3mm, 22.5 teeth; Fuel tank: 200ml; Oil tank: 140ml; Weight: 3.2kg.

**Features:**

Anti-vibration System, Super Start, primar bulb

EAN 8605032612102

Pcs. per shipping box: 2  
Pcs. per pallet: 40



### VGS 460 S CHAIN SAW

No. 041690

Engine type: Villager 2-stroke, 45.02cm<sup>3</sup>, 1.7kW (11000rpm); Guide bar: Oregon Pro Am, 45cm, 325, 1.5 mm; Chain: Oregon 21BPX072E, 325, 1.5mm, 36 teeth; Fuel tank: 550ml; Oil tank: 260ml; Weight: 5.1kg.

**Features:**

Anti-vibration System, primar bulb

EAN 8605032603971

Pcs. per shipping box: 2  
Pcs. per pallet: 28



### VGS 410 S CHAIN SAW

No. 041689

Engine type: Villager 2-stroke, 40.1cm<sup>3</sup>, 1.5kW (12000rpm); Guide bar: Oregon Double Guard, 40cm, 3/8, 1.3 mm; Chain: Oregon 91P057X, 3/8, 1.3mm, 28.5 teeth; Fuel tank: 390ml; Oil tank: 210ml; Weight: 4.6kg.

**Features:**

Anti-vibration System, Super Start, primar bulb

EAN 8605032603964

Pcs. per shipping box: 2  
Pcs. per pallet: 28



### VGS 520 PRIME CHAIN SAW

No. 057751

Engine type: Villager 2-stroke, 50.1cm<sup>3</sup>, 2.1kW (12000rpm); Guide bar: Villager, 45cm, 325, 1.5 mm; Chain: Villager, 325, 1.5mm, 36 teeth; Fuel tank: 550ml; Oil tank: 260ml; Weight: 5.6kg.

**Features:**

Anti-vibration System, primar bulb

EAN 8605032612089

Pcs. per shipping box: 2  
Pcs. per pallet: 28

Light and comfortable, Villager electric chain saws are a great solution for household activities.



### ADVANTAGES OF ELECTRIC CHAIN SAWS

Electric chain saws are light and compact, so they're not a burden to carry. They are quieter than gas chain saws and don't leave the smell of gas in their wake. When using an electric chain saw, you don't have to worry about mixing oil and gasoline. Best of all, an electric chain saw starts with the touch of a button.



#### VET 2440V ELECTRIC CHAIN SAW

No. 071592

Motor type: electric motor, 2400W, 230V~50Hz; Guide bar: Villager, 40cm, 3/8, 1.3 mm; Chain: Villager, 3/8, 1.3mm, 28.5 teeth; Chain speed: 14m/s; Oil tank: 110ml; Weight: 5.5kg.

**Features:**  
electric brake  
transparent fuel tank

EAN 8605032620756

Pcs. per shipping box: 2  
Pcs. per pallet: 56



#### VET 2035 V ELECTRIC CHAIN SAW

No. 071593

Motor type: electric motor, 2000W, 230V~50Hz; Guide bar: Villager, 35cm, 3/8, 1.3 mm; Chain: Villager, 3/8, 1.3mm, 26.5 teeth; Chain speed: 13.1m/s; Oil tank: 220ml; Weight: 5kg.

**Features:**  
electric brake  
transparent fuel tank

EAN 8605032620763

Pcs. per shipping box: 2  
Pcs. per pallet: 56



#### VEPS 915 TELESCOPIC CHAIN SAW

No. 055655

Motor type: electric motor, 750W, 230V~50Hz; Guide bar: Villager, 24cm, 3/8, 0.5 mm; Chain: Villager, 3/8, 0.5mm, 6 teeth; Chain speed: 11m/s; Oil tank: 60ml; Telescopic extension length: 190 - 285cm; Weight: 3.1kg.

**Features:**  
electric brake  
transparent fuel tank

EAN 8605032610870

Pcs. per shipping box: 2  
Pcs. per pallet: 28

Villager petrol and electric chippers are devices that have found large use in processing herbal waste.

No one likes dealing with brush piles. Ideally, you could leave cut branches and shrubs as wildlife habitat—but that assumes you have enough woods to tuck it all out of sight. For typical homeowners, it makes sense to fire up one of Villagers powerful and convenient chippers and process the branches into nutrient-releasing scraps that can hold in soil moisture and block weed growth.



### VC 2500 ELECTRIC CHIPPER

No. 041454

Motor type: electric motor, 2500W, 230V~50Hz;  
Chisel capacity: 40mm;  
Collector volume: 50l;  
Weight: 14.1kg.

**Features:**  
light construction  
useful in making biomass

EAN 8605032603803

Pcs. per shipping box: 1  
Pcs. per pallet: 12



### VPC 160 L PETROL-POWERED CHIPPER

No. 076616

Motor type: Loncin, 159cm<sup>3</sup>; 2.7kW (3600rpm);  
Central chisel capacity: 50mm;  
Fuel tank volume: 1.2l;  
Weight: 28kg.

**Features:**  
robust construction  
useful in making biomass

EAN 8605032633947

Pcs. per shipping box: 1  
Pcs. per pallet: 2



### VPC 250 S PETROL-POWERED CHIPPER

No. 046524

Motor type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW (3600rpm);  
Central chisel capacity: 12mm;  
Side chisel capacity: 76mm;  
Fuel tank volume: 3.6l;  
Weight: 84kg.

**Features:**  
robust construction  
lever for transport and maneuvering

EAN 8605032605456

Pcs. per shipping box: 1  
Pcs. per pallet: 2

VPTC 8520 is ideal for residential or smaller commercial property maintenance. This machine is powered by a robust 140 cm<sup>3</sup> B&S engine, and has a large impeller with serrated edges to maximize suction and debris reduction. Variable height adjustment makes the vacuum perfect for any terrain, whether it's hard surface or turf.




**VPTC 8520  
VAC COLLECTOR**

No.066206

Engine type: B&S 500 E OHV, 140cm<sup>3</sup>, 2.12kW (3400rpm); Drive type: self-propelled; Operating speed: 3.4km/h; Operating height: 15mm - 50mm; Vacuum air speed: 26m/s; Blower air speed: 43m/s; Collector volume: 150l; Weight: 40kg.

**Features:**  
leaf blowing, vacuum collecting

EAN 80605032616247

Pcs. per shipping box: 1  
Pcs. per pallet: 2





**HARD TO REACH  
PLACES?  
NO PROBLEM!**

Gardens are seldom simple - and this doesn't help matter when you're trying clean up garden debris. Home owners have to deal with gutters and drainage areas, professionals maintaining commercial properties have to work around benches, railings and water features. To help with this, VPTC 8520 vac collector can be fitted with a hose kit, that allows to angle the hose around corners and under objects - ensuring that you can clean everywhere, no matter how hard it is to reach.

**VPTC 8520  
COLLECTOR HOSE**

No.066207

EAN 8605032616322

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VPTC 8520  
SWEEPER ROLLER**

No.066208

EAN 8605032616339

Pcs. per shipping box: 1; Pcs. per pallet: 1



**VPTC 8520  
RAKING ROLLER**

No.066209

EAN 8605032616346

Pcs. per shipping box: 1; Pcs. per pallet: 1




Villager

# POWER OF WIND

Clearing leaves can wear you out. One of the most effective tools you can own to give you the upper hand in the annual struggle of yard versus leaf is the backpack blower. After all, you've just spent a summer's worth of time mowing, trimming, weeding, fertilizing and watering. There's no sense in standing by while your work gets buried under dead leaves.

Villager petrol and electric blowers, with or without the suction feature, are an indispensable tool for autumn garden maintenance.





### SHREDDING BLADES

Shredding blades are very useful feature. Their mulching ratio is 10 to 1. Reduced to less than 10% of the original volume, the organic material can be used for composting.



### VB 5290 E LEAF BLOWER

No. 037054

Engine type: Villager 2-stroke, 51.7cm<sup>3</sup>, 1.5kW (6500rpm); Operating modes: blower; Max. air flow: 14.4m<sup>3</sup>/min; Max. blowing speed: 101m/s; Fuel tank: 650ml; Weight: 8.3kg.

**Features:**  
Anti-vibration System, extension pipe, round pipe

EAN 8605032601670

Pcs. per shipping box: 1  
Pcs. per pallet: 12



### VBV 750 LEAF BLOWER

No. 015889

Engine type: Villager 2-stroke, 26cm<sup>3</sup>, 0.75kW (7500rpm); Operating modes: blower; Max. air flow: 7.8m<sup>3</sup>/min; Max. blowing speed: 70m/s; Fuel tank: 650ml; Weight: 4.3kg.

**Features:**  
Anti-vibration System, extension pipe, round pipe

EAN 8606012800564

Pcs. per shipping box: 1  
Pcs. per pallet: 18



### VBV 230 E LEAF BLOWER/VACUUM

No. 054143

Engine type: Villager 2-stroke, 22.5cm<sup>3</sup>, 0.7kW (8000rpm); Operating modes: blower, vacuum; Max. air flow: 7.8m<sup>3</sup>/min; Collector volume: 50l; Max. blowing speed: 85m/s; Fuel tank: 450ml; Weight: 4.1kg.

**Features:**  
shredding blades, extension pipe, round pipe

EAN 8605032610061

Pcs. per shipping box: 1  
Pcs. per pallet: 18



### VEBV 3000 LEAF BLOWER/VACUUM

No. 041453

Motor type: electric motor, 3000W, 230V~50Hz; Operating modes: blower, vacuum; Max. air flow: 16m<sup>3</sup>/min; Collector volume: 45l; Max. blowing speed: 83m/s; Fuel tank: 450ml; Weight: 4.5kg.

**Features:**  
shredding blades, telescopic pipe, rake

EAN 8605032603797

Pcs. per shipping box: 1  
Pcs. per pallet: 28

Villager

Villager multifunctional sweepers are designed to be used in all seasons. When combined with all of its attachments, sweepers will easily win the battle with snow and satisfy even the most demanding of customers with its remarkable usability.



### VSS 60 SWEEPER

No.046441

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW (3600rpm); Working width: 600mm; Drive type: self-propelled; Transmission type: friction disc; Speeds (forward / back): 5/2; Weight: 71kg.

#### Features:

sweeper, collector (optional), snow thrower (optional), snow blade (optional), brush height adjustment, brush angle adjustment

EAN 8605032605494

Pcs. per shipping box: 1  
Pcs. per pallet: 4



### VSS 60 SNOW THROWER

No.046442

Working width: 600mm;  
Weight: 22kg.

EAN  
8605032605463

Pcs. per shipping box: 1  
Pcs. per pallet: 2



### VSS 60 COLLECTOR

No.046444

Working width:  
600mm;  
Weight: 9kg.

EAN  
8605032605487

Pcs. per shipping box: 1  
Pcs. per pallet: 6



### VSS 60 SNOW BLADE

No.046443

Working width:  
600mm;  
Weight: 7kg.

EAN  
8605032605470

Pcs. per shipping box: 1  
Pcs. per pallet: 20



### VSS 100 PROFESSIONAL SWEEPER

Robust construction;  
easy maneuvering;  
heavy duty brushes



### VSS 100 SWEEPER

No.060093

Engine type: Villager, 173cm<sup>3</sup>, 3.6kW (3600rpm);  
Working width: 1000mm; Drive type: self-propelled;  
Transmission type: variable belt and friction disc;  
Speeds (forward / back): 3/1; Weight: 79kg.

#### Features:

sweeper, collector (optional), snow blade (optional),  
handle adjustment, brush height adjustment, brush  
angle adjustment.

EAN 8605032612737

Pcs. per shipping box: 1  
Pcs. per pallet: 4



### VSS 100 COLLECTOR

No.060094

Working width: 1000mm;  
Weight: 17.65kg.

EAN  
8605032612751

Pcs. per shipping box: 1  
Pcs. per pallet: 6



### VSS 100 SNOW BLADE

No.060095

Working width: 1000mm;  
Weight: 15.5kg.

EAN  
8605032612744

Pcs. per shipping box: 1  
Pcs. per pallet: 5

Villager

# LET IT SNOW

Villager snow throwers are driven by powerful 4-stroke OHV motors which possess maximum performances necessary for work in difficult winter conditions. A special electro start system facilitates starting the engine at low temperatures. The snow throwers were designed in such a way as to be easily used in all weather conditions. Wide tires with deep treads are better at clinging to icy surfaces while achieving maximum towing. Villager snow throwers are always ready for winter challenges, they are equipped with LED night light for night work, handle heating which enables comfortable work in the cold, available commands for increased safety, multi-level transmission with two backward speeds for easier moving and handling.





### VST 50 SNOW THROWER

No. 054511

Engine type: Loncin, 4-stroke, 196cm<sup>3</sup>, 4.1kW (3600rpm); Working width: 530 mm; Working depth: 510mm; Range: 5 - 11m; Transmission type: friction disc; Speeds (forward / back): 4/1; Weight: 51 kg.

**Features:**  
adjustable throwing range and angle

EAN 8605032610122

Pcs. per shipping box: 1  
Pcs. per pallet: 6



### VST 70 SNOW THROWER

No. 040716

Engine type: Loncin, 4-stroke, 212cm<sup>3</sup>, 4.4kW (3600rpm); Working width: 665 mm; Working depth: 510mm; Range: 5 - 11m; Transmission type: friction disc; Speeds (forward / back): 6/2; Weight: 95 kg.

**Features:**  
adjustable throwing range and angle, electric starter, heating handles, LED headlight

EAN 8605032603148

Pcs. per shipping box: 1  
Pcs. per pallet: 4



### VST 120 SNOW THROWER

No. 040717

Engine type: Loncin, 4-stroke, 375cm<sup>3</sup>, 7.8kW (3600rpm); Working width: 863 mm; Working depth: 510mm; Range: 5 - 15m; Transmission type: friction disc and differential; Speeds (forward / back): 6/2; Weight: 129 kg.

**Features:**  
adjustable throwing range and angle, electric starter, heating handles, LED headlight

EAN 8605032603155

Pcs. per shipping box: 1  
Pcs. per pallet: 2



### Villager 4T Winter 4-stroke oil

4 - stroke oil for snow throwers, made for low temperature conditions

# ALL YOU NEED TO KNOW ABOUT



*Villager washing class will give you perfect insight which pressure is the most suited for your need. Villager puts its devices into specific performance classes based on different cleaning requirements.*



## **V1 washing class**

V1 washing class presents initial, hobby pressure washer. Occasional use is recommended for this class. Small surfaces and superficial dirt are most convenient for cleaning. Compact design and easy maneuvering are major characteristics. Motor power is going up to 1500 Wats. Maximum work pressure is going up to 110 bars. Flow rate is going up to 410 liters per hour.

## **V2 washing class**

V2 washing class is ideal for quite frequent use. Considering ideal mixture of performances (water flow, work pressure and motor power) these machines are suitable for garden tools, motorcycles and medium surfaces. Great design, compact size and functionality assures stability while working and makes job more easier. Motor power is going up to 2200 Wats. Maximum work pressure is going up to 170 bars. Flow rate is going up to 440 liters per hour.

## **V3 washing class**

V3 washing class is recommended for frequent use. Semi-professional pressure washers offers better practical functions than previous class. Main features are extra accessories for easy solving wide range of dirt. Ideal while cleaning large surfaces, commercial vehicles, balconies, agricultural machine etc. Work pressure and water flow are well aligned for cleaning stubborn dirt. Motor power is going up to 3200 Wats. Maximum work pressures is going up to 230 bars. Flow rate is going up to 530 liters per hour.


## **V4 washing class**

V4 washing class is recommended for high frequent and professional use. Pressure washer can be applied in different sectors such as agricultural, construction, off road vehicles and large surfaces. Additionally equipment, specifically diesel burner gives option to heat water. That implies easy removing oily dirt and oily residuals from motors. Maximum work pressure is going up to 200 bars. Flow rate is going up to 530 liters per hour.



# PERFORMANCE GRAPH OF VILLAGER PRESSURE WASHERS

*\*This graph is based on the general capabilities of pressure washers*



## VHW 150 H

VHW 150 H belongs to V4 class and it is professional high pressure washer. Suitable for tough and non-water solvable dirt removal. It has a different uses and it is ideal in several sectors such as agriculture, food industry, milk industry and construction sector. The main advantage is option to heat water up to 90 degrees.

## VPW 195

VPW 195 belongs to V4 class and it is professional petrol-powered high pressure washer. For cleaning sessions of more than an hour, such as for cleaning a tall house or a building like a pole barn, go with a VPW 195, petrol-powered pressure washer. The power afforded from a gas engine becomes more obvious when you have to blast off hardened mud or thick layers of unidentifiable slime, mildew, moss or grease.

## VHW 155

VHW 155 belongs to V3 class and it is semi-professional pressure washer. It consist 5 nozzles for different application. Robust machine with comfortable equipment makes cleaning almost a pleasure. Commercial vehicles, huge yards and balconies are ideal surfaces for this machine. Motor power is big advantage.

## VHW 120

VHW 120 belongs to V2 class and it is hobby pressure washer. Reliable "all around" pressure washer, ideal for cleaning in different outdoor areas of your house. It has application in cleaning garden furniture, stairways, cars and ets. The main advantage is perfect combination between work pressure and water flow.

## VHW 100

VHW 100 belongs to V2 class and it is hobby pressure washer. Occasional use are recommended. Ideal for cleaning small vehicles, rugs, balconies and etc. The main advantage is low water consumption and optimum work pressure.

## VHW 80

VHW 80 belongs to V1 class and it is hobby pressure washer. Handy and compact design, easy to move. Occasional use of this pressure washer, suitable for superficial dirt. Ideal while cleaning hand tools, bicycles, benches and etc. The main advantage is light weight.

# Villager®

For cleaning sessions of more than an hour, such as for cleaning a tall house or a building like a pole barn, go with a VPW195, petrol-powered pressure washer. The power afforded from a petrol engine becomes more obvious when you have to blast off hardened mud or thick layers of unidentifiable slime, mildew, moss or grease. Ideal for field use with no power supply like construction sites or washing agricultural machines.

## 5 nozzles set

Detergent nozzle, 40°, 25°, 15°, 0°.

Ajustable handle

## VGR 250 H engine

4-stroke, air cooled engine. Displacement 212cm<sup>3</sup>, power output is 4.1kW at 3600 rpm.

## Big wheels

Large diameter wheel for easy maneuvering.



**Professional hose**

High quality, high-pressure, armor hose.

**Thermal valve**

**High pressure water pump**

Professional high pressure pump.  
Working pressure is 220 bar.  
Water flow is 570 liters per hour.

**Detergent vessel**

**Professional gun**

Professional gun with metal tube.



\* Extension hose coupling optional

Villager

# JUST WASH!

Villager pressure washers can be used for cleaning different types of dirt. Compact and versatile machines, excellent for cleaning paths, backyards, balconies, washing cars, stairs and other surfaces. Remarkably flexible, with a lot of additional equipment, they are capable of cleaning the most persistent dirt.



## VHW 150 H PRESSURE WASHER

No. 026803

Motor type: electric motor, 3000W, 230V~50Hz; Purpose: professional washer; Pump type: aluminium with brass pump head; Max. flow rate: 600l/h; Work pressure: 130bar; Max. pressure: 150bar; Max. water temperature: 90°C; Hose length: 8m; Cable length: 8m; Weight: 54kg.

### Features:

diesel water heater, temperature regulator, dispenser and nozzles, detergent vessel.

EAN 8013298026111

Pcs. per shipping box: 1  
Pcs. per pallet: 4



## VPW 195 PRESSURE WASHER

No. 067059

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW (3600rpm); Purpose: professional washer; Pump type: aluminium with brass pump head; Max. flow rate: 570l/h; Work pressure: 186bar; Max. pressure: 220bar; Max. water temperature: 40°C; Hose length: 10m; Weight: 29kg.

### Features:

professional gun, detergent vessel, set of 5 nozzles.

EAN 8605032617527

Pcs. per shipping box: 1  
Pcs. per pallet: 4



## VHW 155 PRESSURE WASHER

No. 060098

Motor type: AC induction motor, 3200W, 230V~50Hz; Purpose: semi-professional washer; Pump type: aluminium with brass pump head; Max. flow rate: 540l/h; Work pressure: 150bar; Max. pressure: 225bar; Max. water temperature: 50°C; Hose length: 10 m hose reel; Cable length: 5 m; Weight: 26kg.

### Features:

professional gun, inlet filter, 5 nozzles set, built-in detergent vessel.

EAN 8605032612973

Pcs. per shipping box: 1  
Pcs. per pallet: 8



### VHW 120 PRESSURE WASHER

No. 050904

Motor type: AC induction motor, 2100W, 230V~50Hz; Purpose: hobby washer; Pump type: aluminium; Max. flow rate: 432l/h; Work pressure: 110bar; Max. pressure: 165bar; Max. water temperature: 50°C; Hose length: 8m hose reel; Cable length: 5m; Weight:18kg.

**Features:**  
turbo nozzle,  
built-in detergent vessel.

EAN 8605032608976

Pcs. per shipping box: 1  
Pcs. per pallet: 12



### VHW 100 PRESSURE WASHER

No. 050902

Motor type: AC induction motor, 1800W, 230V~50Hz; Purpose: hobby washer; Pump type: aluminium; Max. flow rate: 432l/h; Work pressure: 90bar; Max. pressure: 135bar; Max. water temperature: 50°C; Hose length: 5m; Cable length: 5m; Weight:17kg.

**Features:**  
turbo nozzle,  
built-in detergent vessel.

EAN 8605032608969

Pcs. per shipping box: 1  
Pcs. per pallet: 12



### VHW 80 PRESSURE WASHER

No. 055830


Motor type: Electric motor, 1400W, 230V~50Hz; Purpose: hobby washer; Pump type: plastic; Max. flow rate: 408l/h; Work pressure: 70bar; Max. pressure: 105bar; Max. water temperature: 50°C; Hose length: 5m; Cable length: 5m; Weight:6.5kg.

**Features:**  
turbo nozzle, detergent vessel,  
inlet filter.

EAN 8605032611112

Pcs. per shipping box: 1  
Pcs. per pallet: 20

# HEAVY-DUTY CLEANUP



When it comes to heavy-duty cleanup, the trusty VillyVac shop vacuums are go-to tools!

You may have heard the term “shop vac” before, but may not be all too clear on what it actually is. To say the least, shop vacs are indeed very powerful and useful cleaning tools. Simply put, it is a vacuum intended for heavy-duty uses that normal vacuums just cannot deal with.

## ***What is a shop vac?***

A shop vac is a special kind of vacuum most often used in construction and woodworking. These things consist of a high-powered motor and suction unit which sucks up dirt, debris, and chunks of material from building sites and woodworking shops. They feature a very big and tough hose, a big canister for holding the debris, models with a socket can be switched on by a switch on the power tool.

Many people refer to shop vacs as bucket vacuums because, well, they look like buckets with a hose coming out of it. They usually feature wheels to make them easy to navigate around any space. Simply put, this is not the kind of vacuum that you would generally use to clean your home. It is intended for big-time jobs.

## ***What is a shop vac used for?***

Shop vacs are usually only used in construction sites or woodworking shops, hence why they are called shop vacs. This particular type of vacuum is meant for sucking up nails, screws, other smaller metal pieces, sawdust, chunks of wood, and any other smaller objects that are often on the ground of a woodworking shop or construction site.

Sure, you can use one of these bad guys to do some home vacuuming, but that is not what it is built for. Some shop vacs, the more expensive ones, can sometimes even suck up water and other wet messes. These are called wet/dry shop vacs and they are very versatile. Construction sites, especially when outdoors, can get pretty wet sometimes, so having a water-capable shop vac is often seen as quite a big bonus.

### HEPA FILTER WITH MESH

A HEPA filter is a type of mechanical air filter; it works by forcing air through a fine filter core that traps harmful particles.

Mesh helps by collecting larger particles and reducing a possibility of filter clogging.



### *Pros of VillyVac cleaners*

They are much more powerful than normal vacuums

They can handle much bigger objects than normal vacuums

Clogging a VillyVac is not an easy feat to accomplish

All of VillyVac shop vacs can handle wet messes

They are ideal for construction sites and woodworking shops



### VILLYVAC 10 HU WET AND DRY VACUUM CLEANER

No. 066269

Motor type: electric motor, 1200W, 230V~50Hz; Max. vacuum: 180mbar; Container volume: 10l; Power cable length: 4m; Weight: 4.2kg.

**Accessories:**  
plastic hose 1.5m, plastic tube (2 parts), wet/dry brush, upholstery brush, round brush, cervice nozzle, hepa filter with mesh, dust bag.

EAN 8605032616452

Shipp. package (cm): 48 × 38 × 34  
No. of Items in shipp. package: 1



### VILLYVAC 18 HU WET AND DRY VACUUM CLEANER

No. 066270

Motor type: electric motor, 1200W, 230V~50Hz; Max. vacuum: 180mbar; Container volume: 18l; Power cable length: 4m; Weight: 4.7kg.

**Accessories:**  
plastic hose 1.5m, plastic tube (2 parts), wet/dry brush, upholstery brush, round brush, cervice nozzle, hepa filter with mesh, dust bag.

EAN 8605032616469

Shipp. package (cm): 49 × 38 × 35  
No. of Items in shipp. package: 1



Villager vacuum cleaners are suitable for dry and wet cleaning. Powerful motors, high air flow and suction power, together with the appropriate accessories, enable you to efficiently remove all the stains.



### VILLYVAC 20 DWS WET AND DRY VACUUM CLEANER

No. 066271

Motor type: electric motor, 1200W, 230V~50Hz; Max. vacuum: 190mbar; Container volume: 20l; Power cable length: 5m; Weight: 8.2kg.

**Accessories:**  
plastic hose 2m, plastic tube (2 parts), wet/dry brush, upholstery brush, round brush, cervice nozzle, hepa filter with mesh, dust bag, socket for power tool.

EAN 8605032616476

Shipp. package (cm): 53 × 46 × 40  
No. of Items in shipp. package: 1



### VILLYVAC 30 DWS WET AND DRY VACUUM CLEANER

No. 066272

Motor type: electric motor, 1200W, 230V~50Hz; Max. vacuum: 190mbar; Container volume: 30l; Power cable length: 5m; Weight: 8.7kg.

**Accessories:**  
plastic hose 2m, metal tube (2 parts), floor brush, wet/dry brush, upholstery brush, round brush, cervice nozzle, hepa filter with mesh, dust bag, socket for power tool.

EAN 8605032616483

Shipp. package (cm): 64 × 46 × 40  
No. of Items in shipp. package: 1



### VILLYVAC 40 DWS WET AND DRY VACUUM CLEANER

No. 066273

Motor type: electric motor, 1200W, 230V~50Hz; Max. vacuum: 190mbar; Container volume: 40l; Power cable length: 8m; Weight: 9.2kg.

**Accessories:**  
plastic hose 2m, telescopic metal tube, floor brush, wet/dry brush, upholstery brush, round brush, cervice nozzle, hepa filter with mesh, dust bag, socket for power tool.

EAN 8605032616490

Shipp. package (cm): 76 × 46 × 40  
No. of Items in shipp. package: 1





**FA 36  
PLASTIC HOSE**

No. 066662

Type: plastic hose  
Length: 1.5m

EAN 8605032616698

Shipp. package (cm): 52 × 45 × 53  
No. of Items in shipp. package: 5



**FA 36  
PLASTIC HOSE**

No. 066664

Type: plastic hose  
Length: 3m

EAN 8605032616711

Shipp. package (cm): 52 × 45 × 53  
No. of Items in shipp. package: 5



**FC 23  
CREVICE NOZZLE**

No. 066658

EAN 8605032616650

Shipp. package (cm): 38 × 38 × 35  
No. of Items in shipp. package: 36



**HEPA FILTER  
WITH MESH**

No. 066663

EAN 8605032616704

Shipp. package (cm): 41 × 29 × 29  
No. of Items in shipp. package: 12



**EQUIPMENT**



**FB 03 B DRY VACUUM  
CLEANING BRUSH**

No. 066656

EAN 8605032616636

Shipp. package (cm): 38 × 38 × 48  
No. of Items in shipp. package: 5



**FB 27 B WET AND DRY  
CLEANING BRUSH**

No. 066657

EAN 8605032616643

Shipp. package (cm): 38 × 36 × 47  
No. of Items in shipp. package: 6



**FC 17  
UPHOLSTERY BRUSH**

No. 066659

EAN 8605032616667

Shipp. package (cm): 32 × 28 × 16  
No. of Items in shipp. package: 10



**FC 20  
ROUND BRUSH**

No. 066660

EAN 8605032616674

Shipp. package (cm): 54 × 33 × 33  
No. of Items in shipp. package: 30



**FD 16 METAL TELESCOPIC VACUUM CLEANING TUBE**

No. 066661

EAN 8605032616681

Shipp. package (cm): 58 × 41 × 34  
No. of Items in shipp. package: 42

**DUST BAGS**

Volume	Material	No.	Volume	Material	No
10 l	microfiber	71335	18 l	paper	70810
18 l	microfiber	71336	20 l	paper	70811
20 l	microfiber	71337	30 l	paper	70812
30 l	microfiber	71338	40 l	paper	70813
40 l	microfiber	71339			

# EVERYTHING ABOUT

*Anyone with experience gardening knows how hard it is to break ground for a new garden and properly mix and manage the soil over time. If your garden's at all sizable, it can be exhausting and hard on your back.*

*Tillers make the work much easier. They bring a good amount of power to the job and do most of the work for you, so you can get it done faster and without expending nearly as much energy. For farmers and gardeners, they're an invaluable tool.*

*If you're tired of the backbreaking labor of gardening and ready to let a tiller take some of the effort off your shoulders, here are a some things you should know before you choose one.*

## **Types of Tillers**

Your first decision when picking out a tiller is which type to go with. You have a few options to consider based on the level of power you need and the type of work you'll be doing.

## **Cultivators**

Cultivators are lightweight tools that are good for stirring soil. If your garden is already established, they can make a lot of the labor of taking care of it easier. Cultivators are easier to use than tillers, as they're both more lightweight and available in electric models. If your gardening needs aren't too extensive, they're an option for simplifying the amount of work you have to do.

*VTB 1400 E, VTB 375*

## **Rear tine Tillers**

Rear-tine tillers are your more powerful option. If you're breaking ground on a new garden, especially if you have tough soil, this is the type of tiller that will make the job manageable. These machines have large wheels with tines located on the front of the machine.

*VTB 4811 V*



### ***Front tine Tillers***

With front-tine tillers, two tines are located under the engine in front of the tiller's wheels. They're more powerful than cultivators. Their design makes them easy to maneuver, so they can be especially useful in gardens with narrow rows.

VTB 8511 V, VTB 8422 P, VTB 852,  
VTB 853 prime, VTB 4310 V

### ***Conclusion***

You don't need just any tiller, you need one that's the right fit for the kind of work you'll be putting it to. Consider your garden, your soil, and the types of uses you want your tiller to be able to take on.

Villager tillers stir and pulverize the soil, either before planting, to aerate the soil and prepare a smooth, loose seedbed, or after the crop has begun growing, to kill weeds - controlled disturbance of the topsoil close to the crop plants kills the surrounding weeds by uprooting them, burying their leaves to disrupt their photosynthesis, or a combination of both. Tillers are designed to disturb the soil in careful patterns, sparing the crop plants but disrupting the weeds.



**VTB 8422 P  
TILLER**

No. 076154

Engine type: Villager, 212cm<sup>3</sup>; 5.0kW (3600rpm); Working width: 850mm; No. of blades: 6; Transmission type: direct gear transmission; Speeds (forward / back): 2/1; Weight: 86kg.

**Features:**  
transport wheels, adjustable handle, 6 standard blades, 2 discs, ridge

EAN 8605032633930

Pcs. per shipping box: 1  
Pcs. per pallet: 4



**VTB 853 PRIME  
TILLER**

No. 074632

Engine type: Villager 212cm<sup>3</sup>; 5.0kW (3600rpm); Working width: 1000mm; No. of blades: 6; Transmission type: direct gear transmission; Speeds (forward / back): 3/1; Weight: 98kg.

**Features:**  
transport wheels, adjustable handle, 6 standard blades, 2 discs

EAN 8605032633466

Pcs. per shipping box: 1  
Pcs. per pallet: 4



**VTB 852  
TILLER**

No. 037893

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW (3600rpm); Working width: 850mm; No. of blades: 6; Transmission type: belt and chain; Speeds (forward / back): 2/1; Weight: 61kg.

**Features:**  
transport wheels, adjustable handle, 6 standard blades, 2 discs

EAN 8605032602288

Pcs. per shipping box: 1  
Pcs. per pallet: 4



### VTB 375 CULTIVATOR

No. 060761

Engine type: Villager VGR 130, 120.7cm<sup>3</sup>; 1.9kW (2800rpm); Working width: 360mm; No. of blades: 4; Transmission type: worm drive; Speeds (forward / back): 1/0; Weight: 30kg.

**Features:**  
4 standard blades

EAN 8605032615721

Pcs. per shipping box: 1  
Pcs. per pallet: 4

NEW



### VTB 380 CULTIVATOR

No. 082499

Engine type: Villager VGR, 144cm<sup>3</sup>; 2.5kW (2800rpm); Working width: 400mm; No. of blades: 4; Transmission type: worm drive; Speeds (forward / back): 1/0; Weight: 30.2kg.

**Features:**  
4 standard blades

EAN 8605032635873

Pcs. per shipping box: 1  
Pcs. per pallet: 4



### VTB 1400 E ELECTRIC CULTIVATOR

No. 046670

Motor type: electric motor, 1400W, 230V~50Hz; Working width: 400mm; No. of blades: 4; Transmission type: direct drive; Speeds (forward / back): 1/0; Weight: 13kg.

**Features:**  
4 standard blades  
transport wheels

EAN 8605032605975

Pcs. per shipping box: 1  
Pcs. per pallet: 18



### VTB 8511 V TILLER

No. 060279

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW (3600rpm); Working width: 850mm; No. of blades: 6; Transmission type: belt and chain; Speeds (forward / back): 1/1; Weight: 53kg.

**Features:**  
adjustable handle,  
6 standard blades

EAN 8605032613758

Pcs. per shipping box: 1  
Pcs. per pallet: 6



### VTB 4811 V TILLER

No. 060124

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW (3600rpm); Working width: 480mm; No. of blades: 6; Transmission type: gear transmission; Speeds (forward / back): 2/1; Weight: 70kg.

**Features:**  
drive wheels,  
6 standard blades

EAN 8605032612867

Pcs. per shipping box: 1  
Pcs. per pallet: 2



### VTB 4310 V TILLER

No. 060280

Engine type: Villager 4-stroke, 79cm<sup>3</sup>; 1.6kW (3000rpm); Working width: 430mm; No. of blades: 4; Transmission type: belt and chain; Speeds (forward / back): 1/0; Weight: 35kg.

**Features:**  
adjustable handle,  
4 standard blades

EAN 8605032613765

Pcs. per shipping box: 1  
Pcs. per pallet: 6



**REAR BRACKET  
FOR VTB 8511 B / 8511 V**

No. 060281



**DOUBLE SIDE RIDGE  
FOR VTB 8511 B / 8511 V**

No. 060282



**SINGLE SIDE RIDGE  
FOR VTB 8511 B / 8511 V**

No. 060283



**POTATO EXTRACTION  
PLOW FOR VTB 8511 B /  
8511 V**

No. 060285




**TRANSPORT WHEELS  
FOR VTB 8511 B / 8511 V**

No. 060284



**METAL WHEELS  
FOR VTB 8511 B / 8511 V**

No. 060288



**SPRING SCARIFIER  
FOR VTB 8511 B / 8511 V**

No. 060287



**SNOW BLADE  
FOR VTB 8511 B / 8511 V**

No. 060286



**SET OF ACCESSORIES  
FOR VTB 370 / 375**

No. 046729



**TT 500  
TRAILER**

No. 82505

Size: 178 × 92 × 28 cm  
Max carry weight: 500 kg  
Wheel: 4.0-12"  
Brake: foot brake & hand brake  
Weight: 111.50 kg



**ADJUSTABLE PLOW  
FOR VTB 4811 V**

No. 060126



**METAL WHEELS  
FOR VTB 4811 V**

No. 060125



**METAL WHEELS  
FOR VTB 853**

No. 055372



**METAL WHEELS  
FOR VTB 852**

No. 041721



**POTATO EXTRACTION  
PLOW FOR VTB 852**

No. 041724



**SINGLE SIDE RIDGE  
FOR VTB 852**

No. 041722



**ADJUSTABLE SINGLE  
SIDE RIDGE FOR VTB 852**

No. 041723



**ROW CULTIVATOR  
FOR VTB 852 / 842**

No. 065901



# MULTI MACHINES



## VMM 2119 L MULTI MACHINE

No. 074857

Engine type: Loncin, 224cm<sup>3</sup>; 4.35kW (3000rpm); Transmission type: gears and endless screw in oil bath and belt; Front tools configuration transmission (speeds forward / back): 3/2; Back tools configuration transmission (speeds forward / back): 2/1; Weight: 58kg.

EAN 8605032633602

Pcs. per shipping box: 1  
Pcs. per pallet: 1



## VMM 2119 L TILTING ENGINE KIT

No. 074858

Slope max.: 45°;  
Balast: 11kg.

### Features:

With the aid of a ballast, the tilting engine kit adds a 25° rotation to the engine, enabling efficient use on steep ground.

EAN 8605032633619

Pcs. per shipping box: 1  
Pcs. per pallet: 1



## VMM 1919 L MULTI MACHINE

No. 074850

Engine type: Loncin, 196cm<sup>3</sup>; 3.8kW (3000rpm); Transmission type: gears and endless screw in oil bath and belt; Front tools configuration transmission (speeds forward / back): 1/1; Back tools configuration transmission (speeds forward / back): 1/1; Weight: 54kg.

EAN 8605032633534

Pcs. per shipping box: 1  
Pcs. per pallet: 1



## VMM 1919 L GRASSLAND MOWER

No. 074851

Operation: single rotor mono-blade; Working width: 53cm; Adjustments: cutting height trough skids, 5 to 7.5cm with fixed positions; Weight: 18kg.

EAN 8605032633541

Pcs. per shipping box: 1  
Pcs. per pallet: 1



## VMM 1919 L ROTARY SCYTHE

No. 074853

Operation: 4 pivoting blades cutting height 3.2cm; Working width: 57cm; Weight: 25kg.

EAN 8605032633565

Pcs. per shipping box: 1  
Pcs. per pallet: 1





**VMM 2119 L  
GRASSLAND MOWER**

No. 074859

Operation: 6 pivoting blades on vertical cross rotor; Working width: 63cm; Adjustments: cutting height trough skids, 5 to 8cm with fixed positions; Weight: 25kg.

EAN 8605032633626

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VMM 2119 L  
ROTARY SCYTHE**

No. 074861

Operation: 4 pivoting blades cutting height 3.6cm; Working width: 64cm; Weight: 27kg.

EAN 8605032633640

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VMM 2119 L  
CUTTING BAR**

No. 074860

Operation: double-blade movement; Working width: 102cm; Cutting height: 2 to 5cm; Weight: 23kg.

EAN 8605032633633

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VMM 1919 L  
CUTTING BAR**

No. 074852

Operation: double-blade movement; Working width: 87cm; Cutting height: 1.5 to 4.7cm; Weight: 16kg.

EAN 8605032633558

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VMM 1919 L  
TILLER**

No. 074854

Operation: rear connection 16 blades; Working width: 50cm, Ø 26cm; Working depth: up to 26cm; Weight: 19kg.

EAN 8605032633572

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VMM 1919 L  
SNOW BLADE**

No. 074856

Operation: front connection; Working width: 85cm; Adjustment: working height trough skids, by side, with lever ±30°. Weight: 18kg.

EAN 8605032633596

Pcs. per shipping box: 1  
Pcs. per pallet: 1



**VMM 1919 L  
RIDGING PLOUGH**

No. 074855

Operation: rear connection; Weight: 3.5kg.

EAN 8605032633589

Pcs. per shipping box: 1  
Pcs. per pallet: 1

Villager

A power earth auger is a handy tool to have, particularly for professionals, people who do a lot of DIY landscaping, or those who are looking for an easier alternative to a shovel or post hole digger. These are tools that anyone can use, from homeowners to professional landscapers and maintenance crews.



**VWG 17  
WORK GLOVES**

This general purpose work glove is designed with quick fit velcro closure. Fingers and palm are made of reinforced synthetic leather with non-slippery silicon print.



### **VPH 170 R EARTH AUGER POWERHEAD**

*Villager VPH 170 R is a robust two-man auger equipped with powerful 4-stroke Villager VGR 170 V engine. It is capable to do a large variety of tasks from drilling holes in the ground to taking samples of soil. Powerhead only supplied, auger drills and bits available seperately.*

No. 055377

Engine type: Villager VGR 170 V, 150cm<sup>3</sup>; 2.5kW (3600rpm); Drill length; 600mm; Drill diameter: 15 - 35cm; Fuel tank: 1200ml; Weight: 15kg.

EAN 8605032610818

Pcs. per shipping box: 1  
Pcs. per pallet: 12



### **VPH 43 E EARTH AUGER POWERHEAD**

*Villager VPH 43 E is a light one-man auger equipped with 2-stroke Villager engine. It is capable to do a large variety of tasks from drilling holes in the ground to taking samples of soil. Powerhead only supplied, auger drills and bits available seperately.*

No. 027949

Engine type: Villager 2-stroke, 42.7cm<sup>3</sup>; 1.1kW (7500rpm); Drill length; 600mm; Drill diameter: 10 - 25cm; Fuel tank: 1100ml; Weight: 7.2kg.

EAN 8606012805408

Pcs. per shipping box: 1  
Pcs. per pallet: 20



### **VPH 43 EARTH AUGER POWERHEAD**

*Villager VPH 43 is a light one-man auger equipped with 2-stroke Villager engine. It is capable to do a large variety of tasks from drilling holes in the ground to taking samples of soil. Powerhead only supplied, auger drills and bits available seperately.*

No. 018512

Engine type: Villager 2-stroke, 42.7cm<sup>3</sup>; 1.1kW (7500rpm); Drill length; 600mm; Drill diameter: 10 - 25cm; Fuel tank: 1100ml; Weight: 7.2kg.

EAN 8606012802555

Pcs. per shipping box: 1  
Pcs. per pallet: 20



### **14" EARTH AUGER DRILL**

No. 030194. EAN 8606012806634

Size: 600mm, Ø 14" (35cm); Weight: 17.2kg.  
With replaceable tip, blade and sprig



### **12" EARTH AUGER DRILL**

No. 030193. EAN 8606012806627

Size: 600mm, Ø 12" (30cm); Weight: 12.7kg.  
With replaceable tip, blade and sprig



### **18" EXTENSION**

No. 046615.  
EAN 8605032605869  
Size: 450mm, Ø 30mm



### **10" EARTH AUGER DRILL**

No. 021962. EAN 8606012804265

Size: 600mm, Ø 10" (25cm); Weight: 8.1kg.  
With replaceable tip, blade and sprig



### **8" EARTH AUGER DRILL**


No. 020243. EAN 8606012802605

Size: 600mm, Ø 8" (20cm); Weight: 6.8kg.  
With replaceable tip, blade and sprig



### **12" EXTENSION**


No. 046614.  
EAN 8605032605852  
Size: 300mm, Ø 30mm



### **6" EARTH AUGER DRILL**

No. 020242. EAN 8606012802599

Size: 600mm, Ø 6" (15cm); Weight: 5.5kg.  
With replaceable tip, blade and sprig



### **4" EARTH AUGER DRILL**

No. 018513. EAN 8606012802582

Size: 600mm, Ø 4" (10cm); Weight: 3.5kg.  
With replaceable tip and blade

# TIMELINES & EFFICIENCY

Villagers sprayers and mist dusters were conceived so as to provide easy and simple intervention, and to enable nutrition and protection from illnesses and vermin for your plants, by taking proper agrotechnical and agrochemical measures.



## DM 14 PE MIST DUSTER

No. 038107

Engine type: Villager 2-stroke, 51.7cm<sup>3</sup>, 1.5kW (6500rpm);  
Pump type: thrust pump;  
Range: 6 to 9m;  
Tank capacity: 14l;  
Weight: 11kg.

**Features:**  
extension pipe (40 cm)

EAN 8605032602448

Pcs. per shipping box: 1  
Pcs. per pallet: 8



## DM 14 P MIST DUSTER

No. 030112

Engine type: Villager 2-stroke, 42.7cm<sup>3</sup>, 1.25kW (7000rpm);  
Pump type: thrust pump;  
Range: 6 to 9m;  
Tank capacity: 14l;  
Weight: 9.2kg.

EAN 8606012806429

Pcs. per shipping box: 1  
Pcs. per pallet: 8



## PS 15 E BACKPACK SPRAYER

No. 041233

Engine type: Villager 2-stroke, 25.4cm<sup>3</sup>, 0.7kW (6500rpm);  
Working pressure: 0 - 25bar;  
Pump type: high pressure pump; Range: 9 to 12m; Tank capacity: 15l; Weight: 9kg.

**Features:**  
extension lances  
(54 + 60 + 71.4 cm)

EAN 8605032603537

Pcs. per shipping box: 1  
Pcs. per pallet: 8



## PS 20 BACKPACK SPRAYER

No. 030118

Engine type: Villager 2-stroke, 22.6cm<sup>3</sup>, 0.75kW (7500rpm);  
Working pressure: 0 - 25bar;  
Pump type: high pressure pump; Range: 9 to 12m; Tank capacity: 20l; Weight: 9.8kg.

**Features:**  
extension lances  
(54 + 60 + 71.4 cm)

EAN 8606012806436

Pcs. per shipping box: 1  
Pcs. per pallet: 8



NEW



**BS 1.5  
BATTERY SPRAYER**

No. 082501

3.7V2000MAH lithium battery, type C connect. Tank: 1.5L Range: 3 meters Pressure: 1.8 bars Working time: 120 min Charging time: 150 min

EAN 8605032636375

Pcs. per shipping box: 1  
Pcs. per pallet: 504

NEW



**BS 7  
BATTERY SPRAYER**

No. 082500

Battery type: Li-ion, 3.7V, 2.5Ah; Battery autonomy: 120 - 180min; Charging time: 3h; Working pressure: 2bar; Range: 4 m; Tank capacity: 7l

**Features:**  
telescopic lance (35-70 cm)

EAN 8605032636368

Pcs. per shipping box: 1  
Pcs. per pallet: 60



**VS 30  
WHEELED SPRAYER**

No. 027967

Engine type: Villager 2-stroke, 25.6cm<sup>3</sup>, 0.65kW (6000rpm); Working pressure: 10 - 40bar; Pump type: high pressure pump; Range: 9 to 12m; Tank capacity: 30l; Weight: 21kg.

**Features:**  
hose 10m

EAN 8606012805583

Pcs. per shipping box: 1  
Pcs. per pallet: 8

NEW



**BS 40  
BATTERY SPRAYER**

No. 082503

Battery type: Li-ion, 12V, 2Ah; Battery autonomy: 90 min; Charging time: 5 to 8h; Working pressure: 6bar; Range: 10m; Tank capacity: 40l; Weight: 5.9kg.

EAN 8605032636399

Pcs. per shipping box: 1  
Pcs. per pallet: 6

NEW



**VBS 16 LI  
BATTERY SPRAYER**

No. 051572

Battery type: Li-ion, 12V, 8Ah; Battery autonomy: 360 min; Charging time: 5 to 6h; Working pressure: 2.7 - 4bar; Range: 3m; Tank capacity: 16l; Weight: 5.9kg.

**Features:**  
telescopic lances: 120 cm, conical and double nozzle

EAN 8605032609775

Pcs. per shipping box: 1  
Pcs. per pallet: 40



**BS 8  
BATTERY SPRAYER**

No. 082502

Battery type: Li-ion, 12V, 2Ah; Working pressure: 6bar; Range: 35 - 70 cm; Tank capacity: 8l. Range: 5 meters Working time: 90-100 minutes Charging time: 240 - 270 min.

**Features:**  
telescopic lance: 35-70 cm

EAN 8605032636382

Pcs. per shipping box: 1  
Pcs. per pallet: 96

Durable and long-lasting, Villager sprayers are the right choice for every florist and gardener.



**TERRA 12  
BACK-PACK MANUAL  
SPRAYER**

No. 055435

Tank capacity: 12l;  
Maximum pressure: 3bar;  
Maximum temperature: 40°C;  
Range: 1.5m; Lance length: 60cm;  
Weight: 3.2kg.

**Features:**  
o-rings extra set,  
conical nozzle, double nozzle

EAN 8605032610863

Pcs. per shipping box: 1  
Pcs. per pallet: 60



**LELA 16  
BACK-PACK MANUAL  
SPRAYER**

No. 008443

Tank capacity: 16l;  
Maximum pressure: 3bar;  
Maximum temperature: 40°C;  
Range: 1.5m; Lance length: 60cm;  
Weight: 3.4kg.

**Features:**  
o-rings extra set,  
conical nozzle, double nozzle

EAN 8606104032040

Pcs. per shipping box: 1  
Pcs. per pallet: 60



**LELA 12  
BACK-PACK MANUAL  
SPRAYER**

No. 008442

Tank capacity: 12l;  
Maximum pressure: 3bar;  
Maximum temperature: 40°C;  
Range: 1.5m; Lance length: 60cm;  
Weight: 3.2kg.

**Features:**  
o-rings extra set,  
conical nozzle, double nozzle

EAN 8606104032033

Pcs. per shipping box: 1  
Pcs. per pallet: 60



**TERRA 5  
HAND-HELD MANUAL  
SPRAYER**

No. 055434

Tank capacity: 5l;  
Maximum pressure: 3bar;  
Maximum temperature: 40°C;  
Range: 1.5m; Lance length:  
56.5cm; Weight: 1.75kg.

**Features:**  
plastic lance extension

EAN 8605032610856

Pcs. per shipping box: 8  
Pcs. per pallet: 96



**VHS 10  
HAND-HELD SEEDER**

No. 020156

Tank capacity: 10l;  
Range: up to 7m;  
Possibility of adjustment  
according to granulation;  
Grain size: 3mm - 7mm;  
Weight: 2kg.

EAN 8606012802988

Pcs. per shipping box: 4  
Pcs. per pallet: 48

NEW



**HORTUS 1.5  
HAND-HELD MANUAL  
SPRAYER**

No. 082466

Capacity:2l  
Max. temperature of liquid 40 °C  
Weight (when empty):0,47 kg

EAN 8605032636184

Pcs. per shipping box: 12  
Pcs. per pallet: 504

NEW



**HORTUS 2  
HAND-HELD MANUAL  
SPRAYER**

No. 082467

Capacity:2l  
Max. temperature of liquid 40 °C  
Weight (when empty):0,54 kg

EAN 8605032636191

Pcs. per shipping box: 12  
Pcs. per pallet: 504

NEW



**HORTUS 5  
HAND-HELD MANUAL  
SPRAYER**

No. 082461

Capacity:5l  
Telesopic Lance with brass nozzle  
Lance length: 43 - 68 cm  
Range: 1.5 m

EAN 8605032636139

Pcs. per shipping box: 6  
Pcs. per pallet: 60

NEW



**HORTUS 16  
BACK-PACK MANUAL  
SPRAYER**

No. 082465

Capacity:16l  
Telesopic Lance with brass nozzle  
Lance length: 61-101 cm  
Range: 1.5 m  
Switch

**Features:**

Conical nozzle, double nozzle, 4  
hole nozzle

EAN 8605032636177

Pcs. per shipping box: 1  
Pcs. per pallet: 60

NEW



**HORTUS 12  
BACK-PACK MANUAL  
SPRAYER**

No. 082464

Capacity:12l  
Telesopic Lance with brass nozzle  
Lance length: 61-101 cm  
Range: 1.5 m  
Switch

**Features:**

Conical nozzle, double nozzle, 4  
hole nozzle

EAN 8605032636160

Pcs. per shipping box: 1  
Pcs. per pallet: 60

NEW



**HORTUS 10  
HAND-HELD MANUAL  
SPRAYER**

No. 082463

Capacity:10l  
Telesopic Lance with brass nozzle  
Lance length: 43 - 68 cm  
Range: 1.5 m

EAN 8605032636153

Pcs. per shipping box: 6  
Pcs. per pallet: 60

NEW



**HORTUS 8  
HAND-HELD MANUAL  
SPRAYER**

No. 082462

Capacity:8l  
Telesopic Lance with brass nozzle  
Lance length: 43 - 68 cm  
Range: 1.5 m

EAN 8605032636146

Pcs. per shipping box: 6  
Pcs. per pallet: 60

Villager has prepared for the summer of 2023, a wide range of motor pumps for irrigation. Maybe one of them can win a battle with drought: we present you pumps with different flows (8000 to 60000 liters per hour), pressures (2.1 to 6.5 bar) and the maximum ejection height of 50 m.



**HPWP 30 P  
HIGH PRESSURE  
MOTOR PUMP**

Working pressure 6.5 bar  
High capacity pump impeller  
Robust construction  
High flow rate



**WP 60 P  
MOTOR PUMP**

No. 051439

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW; Inlet / outlet diameter: 3" (75mm); Max. suction depth: 7m; Max. water column height: 28m; Max. flow rate: 60m<sup>3</sup>/h; Max. working pressure: 2.1bar; Weight: 25kg.

**Equipment:**  
suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8605032609584

Pcs. per shipping box: 1  
Pcs. per pallet: 18



**HPWP 30 P  
MOTOR PUMP**

No. 041408

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW; Inlet / outlet diameter: 2" (50mm); Max. suction depth: 7m; Max. water column height: 50m; Max. flow rate: 30m<sup>3</sup>/h; Max. working pressure: 6.5bar; Weight: 29kg.

**Equipment:**  
suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8605032603575

Pcs. per shipping box: 1  
Pcs. per pallet: 15





### WP 36 P MOTOR PUMP

No. 041407

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW; Inlet / outlet diameter: 2" (50mm); Max. suction depth: 8m; Max. water column height: 28m; Max. flow rate: 36m<sup>3</sup>/h; Max. working pressure: 2.2bar; Weight: 23.5kg.

**Equipment:**  
suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8605032603582

Pcs. per shipping box: 1  
Pcs. per pallet: 20



### WP 35 SE ECO MOTOR PUMP

No. 068171

Engine type: Villager VGR 245 H, 212cm<sup>3</sup>; 4.3kW; Inlet / outlet diameter: 2" (50mm); Max. suction depth: 8m; Max. water column height: 28m; Max. flow rate: 36m<sup>3</sup>/h; Max. working pressure: 2.2bar; Weight: 23.5kg.

**Equipment:**  
suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8605032618517

Pcs. per shipping box: 1  
Pcs. per pallet: 20



### WP 10 E MOTOR PUMP

No. 065854


Engine type: Villager 2-stroke, 42.7cm<sup>3</sup>, 1.2kW; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 8m; Max. water column height: 30m; Max. flow rate: 8m<sup>3</sup>/h; Weight: 7kg.

**Equipment:**  
suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8605032616179

Pcs. per shipping box: 1  
Pcs. per pallet: 36

Villager



### VGP 800 HYDROPACK PUMP

No. 023468

Motor type: electric motor, 800W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Tank volume: 19l; Max. suction depth: 8m; Max. water column height: 38m; Max. flow rate: 3.2m<sup>3</sup>/h; Max. working pressure: 3.0bar; Max. water temperature: 35°C; Weight: 12kg.

#### Equipment:

Inox housing, suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8606012803589

Pcs. per shipping box: 1  
Pcs. per pallet: 18

### WATER FILTER VF 1

No. 030154

Volume: 1l. Diameter (inlet/outlet): 1"

EAN 8606012806559

Pcs. per shipp. box: 24



### SUCTION HOSE VSH 1

No. 030155

length: 7m. Diameter: 1"

EAN 8606012806566

Pcs. per shipp. box: 8



### JGP 600 GARDEN PUMP

No. 033497

Motor type: electric motor, 600W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 8m; Max. water column height: 35m; Max. flow rate: 3m<sup>3</sup>/h; Max. working pressure: 3.5bar; Max. water temperature: 35°C; Weight: 7kg.

#### Equipment:

Inox housing, suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8606012807907

Pcs. per shipping box: 1  
Pcs. per pallet: 50



### JGP 800 GARDEN PUMP

No. 033498

Motor type: electric motor, 800W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 8m; Max. water column height: 38m; Max. flow rate: 3.2m<sup>3</sup>/h; Max. working pressure: 3.8bar; Max. water temperature: 35°C; Weight: 7.3kg.

#### Equipment:

Inox housing, suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8606012807914

Pcs. per shipping box: 1  
Pcs. per pallet: 50



### JGP 1000 GARDEN PUMP

No. 030027

Motor type: electric motor, 1000W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 8m; Max. water column height: 44m; Max. flow rate: 3.5m<sup>3</sup>/h; Max. working pressure: 4.4bar; Max. water temperature: 35°C; Weight: 7.8 kg.

#### Equipment:

Inox housing, suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8606012806269

Pcs. per shipping box: 1  
Pcs. per pallet: 50





### VGP 1100 F HYDROPACK PUMP

No. 055363

Motor type: electric motor, 1100W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Tank volume: 19l; Max. suction depth: 8m; Max. water column height: 45m; Max. flow rate: 4.2m<sup>3</sup>/h; Max. working pressure: 3.0bar; Max. water temperature: 35°C; Weight: 15.7kg.

**Equipment:**

Inox housing, suction hose (optional), irrigation hose (optional), water filter (integrated)

EAN 8605032610733

Pcs. per shipping box: 1  
Pcs. per pallet: 18



### VGP 1300 HYDROPACK PUMP

No. 047115

Motor type: electric motor, 1300W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Tank volume: 19l; Max. suction depth: 9m; Max. water column height: 47m; Max. flow rate: 5.4m<sup>3</sup>/h; Max. working pressure: 3.0bar; Max. water temperature: 35°C; Weight: 20.5kg.

**Equipment:**

cast iron housing, suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8605032606842

Pcs. per shipping box: 1  
Pcs. per pallet: 18



### VGP 1500 B HYDROPACK PUMP

No. 047116

Motor type: electric motor, 1500W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Tank volume: 19l; Max. suction depth: 9m; Max. water column height: 48m; Max. flow rate: 6.3m<sup>3</sup>/h; Max. working pressure: 3.0bar; Max. water temperature: 35°C; Weight: 20.5kg.

**Equipment:**

cast iron housing, suction hose (optional), inox impeller, irrigation hose (optional), water filter (optional)

EAN 8605032606859

Pcs. per shipping box: 1  
Pcs. per pallet: 18



### JGP 1100 F GARDEN PUMP

No. 055362

Motor type: electric motor, 1100W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 8m; Max. water column height: 45m; Max. flow rate: 4.6m<sup>3</sup>/h; Max. working pressure: 4.5bar; Max. water temperature: 35°C; Weight: 7.2kg.

**Equipment:**

Inox housing, suction hose (optional), irrigation hose (optional), water filter (integrated)

EAN 8605032610726

Pcs. per shipping box: 1  
Pcs. per pallet: 50



### JGP 1300 GARDEN PUMP

No. 047117

Motor type: electric motor, 1300W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 9m; Max. water column height: 47m; Max. flow rate: 5.4m<sup>3</sup>/h; Max. working pressure: 4.7bar; Max. water temperature: 35°C; Weight: 14kg.

**Equipment:**

cast iron housing, suction hose (optional), irrigation hose (optional), water filter (optional)

EAN 8605032606866

Pcs. per shipping box: 1  
Pcs. per pallet: 50



### JGP 1500 B GARDEN PUMP

No. 047118

Motor type: electric motor, 1500W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 9m; Max. water column height: 48m; Max. flow rate: 6.3m<sup>3</sup>/h; Max. working pressure: 4.8bar; Max. water temperature: 35°C; Weight: 16kg.

**Equipment:**

cast iron housing, suction hose (optional), inox impeller, irrigation hose (optional), water filter (optional)

EAN 8605032606873

Pcs. per shipping box: 1  
Pcs. per pallet: 50

Villager submersible pumps are convenient for hydro-melioration, for both clean or polluted water. Depending on the power, flow rates of these pumps are from 6 to 18m<sup>3</sup>/h. Clean water pumps can absorb dirt particles up to 5 mm in diameter, while dirty water pumps can absorb particles up to 15mm in diameter.



**VSP 6000 C  
SUBMERSIBLE PUMP**

No. 033496

Motor: electric motor, 250W, 230V~50Hz; Outlet diameter: 1" (25mm); Max. suction depth: 7m; Max. water column: 6m; Max. flow rate: 6m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 5kg.

**Equipment:**  
plastic housing, outlet hose (optional)

EAN 8606012807891

Pcs. per shipping box: 4  
Pcs. per pallet: 80



**VSP 7000 C  
SUBMERSIBLE PUMP**

No. 030026

Motor: electric motor, 400W, 230V~50Hz; Outlet diameter: 1" (25mm); Max. suction depth: 7m; Max. water column: 8m; Max. flow rate: 7m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 5kg.

**Equipment:**  
plastic housing, outlet hose (optional)

EAN 8606012806238

Pcs. per shipping box: 4  
Pcs. per pallet: 80



**VSP 8000  
SUBMERSIBLE PUMP**

No. 033495

Motor: electric motor, 400W, 230V~50Hz; Outlet diameter: 1" (25mm); Max. suction depth: 7m; Max. water column: 5m; Max. flow rate: 8m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 4.5kg.

**Equipment:**  
plastic housing, outlet hose (optional)

EAN 8606012807884

Pcs. per shipping box: 4  
Pcs. per pallet: 80



**VSP 10000  
SUBMERSIBLE PUMP**

No. 027946

Motor: electric motor, 550W, 230V~50Hz; Outlet diameter: 1" (25mm); Max. suction depth: 8m; Max. water column: 7m; Max. flow rate: 10m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 5.2kg.

**Equipment:**  
plastic housing, outlet hose (optional)

EAN 8606012805385

Pcs. per shipping box: 4  
Pcs. per pallet: 80



**VSP 13000  
SUBMERSIBLE PUMP**

No. 027947

Motor: electric motor, 750W, 230V~50Hz; Outlet diameter: 1" (25mm); Max. suction depth: 8m; Max. water column: 8m; Max. flow rate: 13m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 5.6kg.

**Equipment:**  
plastic housing, outlet hose (optional)

EAN 8606012805392

Pcs. per shipping box: 4  
Pcs. per pallet: 80



**VSP 18000 I  
SUBMERSIBLE PUMP**

No. 041340

Motor: electric motor, 1100W, 230V~50Hz; Outlet diameter: 1" (25mm); Max. suction depth: 8m; Max. water column: 8m; Max. flow rate: 18m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 14kg.

**Equipment:**  
inox housing, outlet hose (optional)

EAN 8605032603513

Pcs. per shipping box: 4  
Pcs. per pallet: 48



**VSP 6500 M  
SUBMERSIBLE PUMP**

No. 055364


Motor: electric motor, 800W, 230V~50Hz; Outlet diameter: 1" (25mm); Max. suction depth: 7m; Max. water column: 30m; Max. flow rate: 6.5m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 15kg.


**Equipment:**  
inox housing, multi-stage impeller, outlet hose (optional)

EAN 8605032610740


Pcs. per shipping box: 4  
Pcs. per pallet: 48

# WATER PUMP GRAPH





Villager has expanded the offer of electric pumps for specific purposes. We have also included, aside from electro vibrating, well pumps, pool pumps, fountain pumps and rainwater pumps into our offer.



**VSP 15000  
POOL PUMP**

No. 055367

Motor type: electric motor, 800W, 230V~50Hz; Inlet / outlet diameter: 2" (50mm); Max. suction depth: 3m; Max. water column height: 16.5m; Max. flow rate: 15m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 11kg.

**Equipment:**  
plastic housing,  
suction hose (optional),  
water filter

EAN 8605032610771

Pcs. per shipping box: 1  
Pcs. per pallet: 40



**VFP 2300  
FOUNTAIN PUMP**

No. 055366

Motor type: electric motor, 58W, 230V~50Hz; Inlet / outlet diameter: 1/2" (12.5mm); Max. suction depth: 3m; Max. water column height: 5.7m; Max. flow rate: 2.3m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 2.1kg.

**Equipment:**  
plastic housing,

EAN 8605032610764

Pcs. per shipping box: 1  
Pcs. per pallet: 120



**VRP 4000 C  
RAINWATER PUMP**

No. 055365

Motor type: electric motor, 400W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 7m; Max. water column height: 18m; Max. flow rate: 4m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 3.2kg.

**Equipment:**  
irrigation hose (optional)

EAN 8605032610757

Pcs. per shipping box: 1  
Pcs. per pallet: 60





**VVP 300  
ELECTRO-VIBRATING PUMP**

No. 030159

Motor type: electric motor, 300W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 7m; Max. water column height: 55m; Max. flow rate: 1.4m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 5.1kg.

**Equipment:**  
Cast iron housing

EAN 8606012806573

Pcs. per shipping box: 4  
Pcs. per pallet: 128

**VDWP 4500  
WELL PUMP**

No. 055368

Motor type: electric motor, 900W, 230V~50Hz; Inlet / outlet diameter: 1" (25mm); Max. suction depth: 16m; Max. water column height: 76m; Max. flow rate: 4.5m<sup>3</sup>/h; Max. water temperature: 35°C; Weight: 13kg.

**Equipment:**  
Inox housing, outlet hose (optional), Irrigation hose (optional), multi-stage impeller

EAN 8605032610788

Pcs. per shipping box: 1  
Pcs. per pallet: 40



# Villager®

VillyDumper is excellent for moving bulk materials. This versatile machine feature dumping from the front and can maneuver across rough terrain as well as provide excellent traction on any surface.

## *Manual transmission*

3 speeds forward and 1 speed back is a must on slope terrains and rough construction sites.



### **Heavy-duty container**

Made of professional grade thick steel plates, professionally welded. Specially designed for hard work conditions.



### **VILLY DUMPER 400 WD WHEEL DUMPER**

No. 067078

Engine type: Loncin, 4-stroke, 196cm<sup>3</sup>, 4.1kW (3600rpm);  
Payload capacity: 400kg;  
Container size (mm): 940 × 635 × 330;  
Handle height: 890mm;  
Transmission type: gear transmission;  
Speeds (forward / back): 3/1; Weight: 147 kg.

#### **Features:**

dumping from the front

EAN 8605032617534

Pcs. per shipping box: 1

Pcs. per pallet: 1

### **All-wheel drive**

All wheel drive provides better traction on loose and rough surfaces and great maneuverability in tight spaces.

# ALL YOU NEED TO KNOW ABOUT



It has been said that firewood warms you twice: once when you chop it and again when it goes up in flames. But if you're the type of person that only needs to enjoy the flame portion, you may be interested in a log splitter. These handy devices make short work of bite-sized tree chunks into something your stove or fireplace can easily digest without having to work up too much of a sweat. There's a number of log splitters to choose from, so here are a few things to consider.

## ***How much wood could a log splitter split***

How much wood you'll be putting up each year is one of the biggest factors you'll need to consider when looking at log splitters. If you're just going to split a few cords a year at a leisurely pace, you can use a light-duty model designed for occasional use. But if you're going to be splitting significant quantities, you should look for a model with a higher duty cycle.

## ***Log splitter capacity and splitting diameter***

The force needed to split and quarter logs depends largely on the log's thickness. If the average log you encounter is less than 30 cm in diameter, you can get away with a splitter that produces 8 tons of pressure for green wood, or 7 tons if you took the time to dry the wood. But if you're going to be working with larger green logs you'll be best suited with a unit that produces 10 tons of force or more.

## ***Electric-powered or petrol-powered***

A splitter's hydraulic ram does all work, but it is the pump that sends him the fluid necessary for work. In this case, the obvious advantage of an electric motor is they run silent and can produce an incredible amount of torque in a small size. Unfortunately, they need to be plugged in, which means working next to your house or in conjunction with a generator. You can operate petrol-powered models anywhere, but also have the added upkeep and noise associated with an internal combustion engine.



**HLS 44 T  
HORIZONTAL LOG SPLITTER**

No. 077355

Motor type: single-phase electric motor, 1500W, 230V~50Hz; Splitting force: 4t; Splitter capacity: 13 - 37cm; Log diameter: 5 - 25cm; Oil tank volume: 3.5l; Blade type: flat; Weight: 45kg.

**Equipment:**  
wire cage, adjustable stand (optional), flat blade.

EAN 8605032634296

Pcs. per shipping box: 1  
Pcs. per pallet: 12



**HLS 55 T  
HORIZONTAL LOG SPLITTER**

No. 059226

Motor type: single-phase electric motor, 2200W, 230V~50Hz; Splitting force: 5t; Splitter capacity: 20 - 52cm; Log diameter: 5 - 25cm; Oil tank volume: 3.5l; Blade type: flat; Weight: 50kg.

**Equipment:**  
wire cage, adjustable stand (optional), flat blade.

EAN 8605032612072

Pcs. per shipping box: 1  
Pcs. per pallet: 12



**ADJUSTABLE STAND FOR HLS 44 T  
HORIZONTAL LOG SPLITTER**

No. 077356



**ADJUSTABLE STAND FOR HLS 55 T  
HORIZONTAL LOG SPLITTER**

No. 059227

The biggest advantage of being able to use a log splitter in the vertical position is that you can split massive logs without lifting them onto the splitter.



**Splitting length**  
68 - 107 cm

**Wood diameter**  
8 - 35 cm

**VLS 8T-107  
VERTICAL LOG SPLITTER**

No. 079895

Motor type: single-phase electric motor, 3150W, 230V~50Hz; Splitting force: 7.95t; Splitter capacity: 107cm; Log diameter: 8 - 35cm; Oil tank volume: 4.8l; Blade type: flat; Weight: 125 kg.

**Equipment:**  
log length adjustment, tilting table, flat blade.

EAN 8605032634920

Pcs. per shipping box: 1  
Pcs. per pallet: 4

**HYDROVILL HD 46  
HYDRAULIC OIL**

Hydrovill HD 46 is industrial hydraulic oil, ideal for both factory and vehicle use. Hydrovill HD 46 is our recommendation for all Villager log splitters.





### PLS 10 T PETROL-POWERED LOG SPLITTER

No. 053960

Engine type: Villager VGR 250 H, 212cm<sup>3</sup>; 4.1kW; Splitting force: 10t; Splitter capacity: 105cm; Log diameter: 7 - 35cm; Oil tank volume: 5l; Blade type: flat; Weight: 130 kg.

#### Equipment:

log lift, pulling handle, flat blade

EAN 8605032610009

Pcs. per shipping box: 1

Pcs. per pallet: 1



### LSP 12 T VERTICAL LOG SPLITTER

No. 059537

Motor type: three-phase electric motor, 3300W, 400V~50Hz; Splitting force: 12t; Splitter capacity: 104cm; Log diameter: 10 - 30cm; Oil tank volume: 7l; Blade type: flat; Weight: 178.4 kg.

#### Equipment:

log lift, pulling handle, flat blade.

EAN 8605032612232

Pcs. per shipping box: 1

Pcs. per pallet: 1



### LSP 16 T VERTICAL LOG SPLITTER

No. 064571

Motor type: three-phase electric motor, 4500W, 400V~50Hz; Splitting force: 16t; Splitter capacity: 110cm; Log diameter: 8 - 30cm; Oil tank volume: 18l; Blade type: flat; Weight: 257.8 kg.

#### Equipment:

log lift, pulling handle, flat blade.

EAN 8605032615554

Pcs. per shipping box: 1

Pcs. per pallet: 1



### LS 7 T VERTICAL LOG SPLITTER

No. 059536

Motor type: single-phase electric motor, 3000W, 230V~50Hz; Splitting force: 7t; Splitter capacity: 55cm; Log diameter: 8 - 30cm; Oil tank volume: 3.5l; Blade type: flat; Weight: 98.2 kg.

#### Equipment:

log length adjustment, pulling handle, flat blade.

EAN 8605032612249

Pcs. per shipping box: 1

Pcs. per pallet: 4



### VLS 8 T - 55 VERTICAL LOG SPLITTER

No. 056682

Motor type: single-phase electric motor, 3000W, 230V~50Hz; Splitting force: 8t; Splitter capacity: 55cm; Log diameter: 7 - 40cm; Oil tank volume: 6l; Blade type: flat; Weight: 112 kg.

#### Equipment:

log length adjustment, pulling handle, flat blade.

EAN 8605032611853

Pcs. per shipping box: 1

Pcs. per pallet: 4



### VLS 88 T VERTICAL LOG SPLITTER

No. 077357

Motor type: single-phase electric motor, 3000W, 230V~50Hz; Splitting force: 8t; Splitter capacity: 10 - 55cm; Log diameter: 8 - 30cm; Oil tank volume: 6l; Blade type: flat; Weight: 110 kg.

#### Equipment:

log length adjustment, pulling handle, flat blade.

EAN 8605032634289

Pcs. per shipping box: 1

Pcs. per pallet: 4

Villager

**YOU ASKED FOR A  
MACHINE  
WE GAVE YOU A  
FRIEND**







# FIX12V

Few power tools are as versatile as a small and light FIX12V handheld drills and drivers.

Drill/drivers make holes in wood, steel, non-ferrous metals, concrete, drywall, plastics and many other materials. It makes threaded holes to accept a machine screw. It drives any number of threaded fasteners from wood screws, to drywall screws to, concrete screws. It not only drills specialized holes for pocket screws, it drives the screws themselves, and you're one step closer to be a furniture maker. Use a nut driver bit or a socket to zoom through assembly work, tightening a bolt head, or a nut.

Unlike cordless drill/drivers and impact drivers, which excel at drilling holes and driving screws, the impact wrenches and drivers are specially designed for tightening and loosening various hex-head bolts, nuts, and screws. They employ both rotational force (torque) and short-burst concussive blows (impacts) to deliver an unparalleled amount of power.





### VLN 3112 DRILL / DRIVER

VLN 3112 is an entry level compact cordless drill/driver. Built-in LED light illuminates the work surface and a contoured soft grip gives you ultimate comfort during the long use.

Electric motor with brushes;  
Torque: 22Nm  
Chuck: 0.8mm - 10mm  
No load speed:  
0 - 400rpm / 0 - 1500rpm  
Weight: 1.05kg



### VLN 3412 IMPACT DRIVER

Fuse VLN 3412 is a basic cordless impact driver. It is more compact and lightweight than a standard drill/driver and has more torque.

Electric motor with brushes;  
Torque: 110Nm  
Tool mount: Drive: 1/4" Hex  
No load speed: 0 - 2100rpm  
Impact rate: 0 - 3000ipm  
Weight: 0.91kg



### FIX 12V 2Ah BATTERY

Medium capacity batteries based on Li-ion technology. Light and handy in use for longer run times.

Battery type: Li-ion, 12V  
Battery capacity: 2Ah



### FIX 12V CHARGER 1.7A

Basic battery charger for FIX12V batteries.

Power input: 50W  
Output: 1.7A

### VLN 3112 1BCB

Item No. 066163

**Content:**  
VLN 3112  
Battery 12V 2Ah  
Charger 1.7A  
Weight: 1.55kg




EAN 8605032616308

Shipp. package (cm): 39.5 x 31.5 x 26  
No. of items in shipp. package: 5

### VLN 3412 2BSC

Item No. 066164

**Content:**  
VLN 3412  
2 x Battery 12V 2Ah  
Charger 1.7A  
Plastic case  
Weight: 2.7kg



EAN 8605032616315

Shipp. package (cm): 46.5 x 31.5 x 27  
No. of items in shipp. package: 5

### VLN 3112 2BSC

Item No. 066162

**Content:**  
VLN 3112  
2 x Battery 12V 2Ah  
Charger 1.7A  
Set of bits and drills  
Plastic case  
Weight: 2.5kg



EAN 8605032616292

Shipp. package (cm): 46.5 x 31.5 x 27  
No. of items in shipp. package: 5



Villager drills and drivers are multifunctional tools designed for multiple craftworks. Their keyless chucks are compatible with a wide range of drills and driver bits with round and hexagonal heads and other accessories.





### **VLN 240 DRILL/DRIVER**

No. 041470

Motor type: electric motor, 240W, 230V~50Hz; Chuck: 0.8 - 10mm; Torque: 12Nm; Drilling capacity: 20mm (wood), 10mm (steel); No load speed: 0 - 750rpm; Weight: 1.23kg.

EAN 8605032603704

Shipp. package (cm): 39 × 27 × 47  
No. of Items in shipp. package: 10



### **VLN 1943 ELECTRIC IMPACT WRENCH**

No. 072497

Motor type: electric motor, 450W, 230V~50Hz; Chuck: 1/2" square; Torque: 300Nm; No load speed: 2600rpm; Impact rate: 5200 ipm; Weight: 2.25kg.

**Equipment:**  
sockets (17,19,21,22),  
case

EAN 8605032620459

Shipp. package (cm): 56 × 36 × 28.5  
No. of Items in shipp. package: 5



### **VLN SDL 4.0V SET SCREWDRIVER**

No. 060105

Battery: Li-ion, 3.6V, 1.5Ah; Chuck: Drive: 1/4" Hex; Torque: 3.5Nm; No load speed: 200rpm; Weight: 0.45kg.

**Equipment:**  
battery charger,  
bit set (27 pcs),  
case

EAN 8605032613048

Shipp. package (cm): 39 × 26 × 24  
No. of Items in shipp. package: 5



### **VLN SDL 5.0V SET SCREWDRIVER**

No. 067787

Battery: Li-ion, 3.6V, 2Ah; Chuck: Drive: 1/4" Hex; Torque: 5Nm; No load speed: 290rpm; Weight: 0.5kg.

**Equipment:**  
battery charger,  
bit set (24 pcs),  
USB type C cable  
case

EAN 8605032618333

Shipp. package (cm): 39 × 26 × 24  
No. of Items in shipp. package: 5

Villager impact drills have two work modes for drilling and impact drilling so they are suitable for drilling of the wood, concrete and steel. Whether you use quick chuck or metal chuck, all vibration drills are equipped with the depth gauge and the additional handle for more precise and more pleasant work.



**VLN 253 SC**

No. 072617

EAN 8605032620510



**VLN 253  
IMPACT DRILL**

No. 058484

Motor type: electric motor, 500W, 230V~50Hz; Chuck: 0.8 - 13mm; No load speed: 0 - 2800rpm; Impact rate: 0 - 44800ipm; Drilling capacity: 20mm (wood), 10mm (steel), 13mm (concrete);- Weight: 2.1kg.


**Equipment:**  
adjustable handle,  
depth gauge,  
chuck wrench

EAN 8605032612331

Shipp. package (cm): 27.5 × 38.5 × 57  
No. of items in shipp. package: 10

**VILLAGER  
DRILL BITS SETS**

A drill bit is an essential accessory for any drill, used for creating holes in various materials with a circular cutting motion that removes the material leaving you with a clean hole. Villager drill bits are available in various types and diameters depending on the type of material you are drilling or the size hole required.





### **VLN 255 IMPACT DRILL**

No. 058485

Motor type: electric motor, 550W, 230V~50Hz; Chuck: 0.8 - 13mm; No load speed: 0 - 2800rpm; Impact rate: 0 - 44800ipm; Drilling capacity: 20mm (wood), 10mm (steel), 13mm (concrete);- Weight: 2.15kg.

**Equipment:**  
adjustable handle,  
depth gauge

EAN 8605032612348

**Shipp. package (cm):** 27.5 × 38.5 × 57  
**No. of Items in shipp. package:** 10



### **VLN 257 IMPACT DRILL**

No. 058486

Motor type: electric motor, 710W, 230V~50Hz; Chuck: 0.8 - 13mm; No load speed: 0 - 2800rpm; Impact rate: 0 - 44800ipm; Drilling capacity: 25mm (wood), 10mm (steel), 13mm (concrete);- Weight: 2.3kg.

**Equipment:**  
adjustable handle,  
depth gauge

EAN 8605032612355

**Shipp. package (cm):** 27.5 × 39 × 59.4  
**No. of Items in shipp. package:** 10



### **VLN 260 IMPACT DRILL**

No. 071741

Motor type: electric motor, 1010W, 230V~50Hz; Chuck: 0.8 - 13mm; No load speed: 0 - 2700rpm; Impact rate: 0 - 43200ipm; Drilling capacity: 35mm (wood), 13mm (steel), 16mm (concrete);- Weight: 2kg.

**Equipment:**  
adjustable handle,  
depth gauge

EAN 8605032619767

**Shipp. package (cm):** 28.5 × 35.8 × 50.8  
**No. of Items in shipp. package:** 6



### **VLP 205 IMPACT DRILL**

No. 071742

Motor type: electric motor, 500W, 230V~50Hz; Chuck: 0.8 - 13mm; No load speed: 0 - 2900rpm; Impact rate: 0 - 44800ipm; Drilling capacity: 20mm (wood), 10mm (steel), 13mm (concrete);- Weight: 2.7kg.

**Equipment:**  
adjustable handle,  
depth gauge

EAN 8605032619774

**Shipp. package (cm):** 29.3 × 31.3 × 47.5  
**No. of Items in shipp. package:** 6



### **VLP 207 IMPACT DRILL**

No. 071743

Motor type: electric motor, 710W, 230V~50Hz; Chuck: 0.8 - 13mm; No load speed: 0 - 2900rpm; Impact rate: 0 - 44800ipm; Drilling capacity: 25mm (wood), 10mm (steel), 13mm (concrete);- Weight: 2.7kg.

**Equipment:**  
adjustable handle,  
depth gauge

EAN 8605032619781

**Shipp. package (cm):** 29.3 × 31.3 × 47.5  
**No. of Items in shipp. package:** 6



### **VLP 212 IMPACT DRILL**

No. 071744

Motor type: electric motor, 1200W, 230V~50Hz; Chuck: 0.8 - 13mm; No load speed: 0 - 1200 / 0 - 3200rpm; Impact rate: 0 - 19200 / 0-51200 ipm; Drilling capacity: 40/25mm (wood), 13/8mm (steel), 20/13mm (concrete); Weight: 2.92kg.

**Equipment:**  
adjustable handle,  
depth gauge

EAN 8605032619798

**Shipp. package (cm):** 28.8 × 35.6 × 47  
**No. of Items in shipp. package:** 5



Villager offers numerous electric hammers with SDS plus, SDS max and HEX chucks for your hobby, semi-professional and professional use for drilling and chiselling. Reliable and easy to use, they will turn even the most difficult of jobs into pleasure.



**VLN 0805  
HAMMER DRILL**

No. 046495

Motor type: electric motor, 800W, 230V~50Hz; Chuck: SDS plus; No load speed: 0 - 900rpm; Impact rate: 0 - 3900ipm; Impact power: 4J; Drilling capacity: 42mm (wood), 13mm (steel), 26mm (concrete); Weight: 3.78kg.

**Equipment:**  
adjustable handle,  
depth gauge,  
drill and chisel set, case

EAN 8605032605609

Shipp. package (cm): 51 × 40 × 30.5  
No. of items in shipp. package: 4



**VLN 1506  
HAMMER DRILL**

No. 046496

Motor type: electric motor, 1500W, 230V~50Hz; Chuck: SDS plus; No load speed: 0 - 860rpm; Impact rate: 0 - 4250ipm; Impact power: 6J; Drilling capacity: 42mm (wood), 13mm (steel), 32mm (concrete); Weight: 5.2kg.

**Equipment:**  
adjustable handle,  
depth gauge,  
drill and chisel set, case

EAN 8605032605616

Shipp. package (cm): 45 × 25 × 35.5  
No. of items in shipp. package: 2



**VLN 1609  
HAMMER DRILL**

No. 046497

Motor type: electric motor, 1600W, 230V~50Hz; Chuck: SDS max; No load speed: 0 - 560rpm; Impact rate: 0 - 3530ipm; Impact power: 9J; Drilling capacity: 60mm (wood), 40mm (concrete); Weight: 7.3kg.

**Equipment:**  
adjustable handle,  
depth gauge,  
drill and chisel set, case

EAN 8605032605623

Shipp. package (cm): 51.5 × 31 × 40  
No. of items in shipp. package: 4



**VLP 311  
HAMMER DRILL**

No. 066389

Motor type: electric motor, 1050W, 230V~50Hz; Chuck: SDS plus; No load speed: 0 - 1100rpm; Impact rate: 0 - 4600ipm; Impact power: 4J; Drilling capacity: 42mm (wood), 13mm (steel), 26mm (concrete); Weight: 4.15kg.

**Equipment:**  
adjustable handle,  
depth gauge,  
drill and chisel set, case

EAN 8605032616544

Shipp. package (cm): 31 × 40 × 51.5  
No. of items in shipp. package: 4





**VLN 1003  
HAMMER DRILL**

No. 067018

Motor type: electric motor, 1050W, 230V~50Hz; Chuck: SDS plus; No load speed: 0 - 1050rpm; Impact rate: 0 - 5200ipm; Impact power: 2.5J; Drilling capacity: 42mm (wood), 13mm (steel), 26mm (concrete);Weight: 3.2kg.

**Equipment:**  
adjustable handle,  
depth gauge,  
drill and chisel set, case

EAN 8605032617312

Shipp. package (cm): 42 x 48 x 28  
No. of items in shipp. package: 4



**VLN 1105  
HAMMER DRILL**

No. 051245

Motor type: electric motor, 1100W, 230V~50Hz; Chuck: SDS plus; No load speed: 0 - 900rpm; Impact rate: 0 - 4300ipm; Impact power: 5J; Drilling capacity: 42mm (wood), 13mm (steel), 28mm (concrete);Weight: 4.7kg.

**Equipment:**  
adjustable handle,  
depth gauge,  
drill and chisel set, case

EAN 8605032609348

Shipp. package (cm): 44.5 x 38 x 35  
No. of items in shipp. package: 3



**VLN 1315  
DEMOLITION HAMMER**

No. 055685

Motor type: electric motor, 1300W, 230V~50Hz; Chuck: SDS max; Impact rate: 0 - 3600ipm; Impact power: 15J; Weight: 6kg.

**Equipment:**  
adjustable handle,  
chisel set,  
case

EAN 8605032610979

Shipp. package (cm): 55 x 30 x 37  
No. of items in shipp. package: 2



**VLP 315  
HAMMER DRILL**

No. 066390

Motor type: electric motor, 1500W, 230V~50Hz; Chuck: SDS plus; No load speed: 0 - 860rpm; Impact rate: 0 - 4250ipm; Impact power: 6J; Drilling capacity: 42mm (wood), 13mm (steel), 32mm (concrete); Weight: 5.5kg.

**Equipment:**  
adjustable handle,  
depth gauge,  
drill and chisel set, case

EAN 8605032616551

Shipp. package (cm): 35.5 x 28 x 44  
No. of items in shipp. package: 2



**VLP 1610  
HAMMER DRILL**

No. 067019

Motor type: electric motor, 1600W, 230V~50Hz; Chuck: SDS max; No load speed: 0 - 630rpm; Impact rate: 0 - 3800ipm; Impact power: 10J; Drilling capacity: 42mm (wood), 13mm (steel), 40mm (concrete); Weight: 7.3kg.

**Equipment:**  
adjustable handle,  
depth gauge,  
drill and chisel set, case

EAN 8605032617329

Shipp. package (cm): 29 x 51.5 x 41.5  
No. of items in shipp. package: 2



**VLN 1760  
DEMOLITION HAMMER**

No. 046498

Motor type: electric motor, 1700W, 230V~50Hz; Chuck: HEX; Impact rate: 0 - 1850ipm; Impact power: 60J; Weight: 16kg.

**Equipment:**  
adjustable handle,  
chisel set, set of brushes  
case

EAN 8605032605630

Shipp. package (cm): 80 x 35 x 18  
No. of items in shipp. package: 1

Villager offers a wide range of angle grinders for your hobby, and semiprofessional use. Grinders have a light housing whose structure enables you to handle these tools with safety and feel comfortable.



**VLN 469 + VLN 453  
ANGLE GRINDERS SET**

No. 072618  
EAN 8605032620503



**VLN 453  
ANGLE GRINDER**

No. 051119

Motor type: electric motor,  
600W, 230V~50Hz;  
Disc outer diameter: 115mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 12000rpm;  
Weight: 1.5kg.

**Equipment:**  
side handle,  
disc assembly wrench

EAN 8605032609188

Shipp. package (cm): 41.5 × 31 × 25  
No. of Items in shipp. package: 6



**VLN 431  
ANGLE GRINDER**

No. 071536

Motor type: electric motor,  
750W, 230V~50Hz;  
Disc outer diameter: 115mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 12000rpm;  
Weight: 1.93kg.

**Equipment:**  
side handle,  
disc assembly wrench

EAN 8605032619521

Shipp. package (cm): 43.5 × 33 × 26  
No. of Items in shipp. package: 6



**VLN 455  
ANGLE GRINDER**

No. 051120

Motor type: electric motor,  
820W, 230V~50Hz;  
Disc outer diameter: 125mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 12000rpm;  
Weight: 1.68kg.

**Equipment:**  
side handle,  
disc assembly wrench

EAN 8605032609195

Shipp. package (cm): 43.5 × 33 × 26  
No. of Items in shipp. package: 6



**VLN 433  
ANGLE GRINDER**

No. 051121

Motor type: electric motor,  
900W, 230V~50Hz;  
Disc outer diameter: 125mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 12000rpm;  
Weight: 1.73kg.

**Equipment:**  
side handle,  
disc assembly wrench

EAN 8605032603201

Shipp. package (cm): 43.5 × 33 × 26  
No. of Items in shipp. package: 6



### VLP 407 ANGLE GRINDER

No. 060772

Motor type: electric motor,  
750W, 230V~50Hz;  
Disc outer diameter: 115mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 12000rpm;  
Weight: 2.17kg.

**Equipment:**  
side handle,  
disc assembly wrench

EAN 8605032614885

Shipp. package (cm): 50 × 34.5 × 26.3  
No. of items in shipp. package: 8



### VLP 409 ANGLE GRINDER

No. 060773

Motor type: electric motor,  
950W, 230V~50Hz;  
Disc outer diameter: 125mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 12000rpm;  
Weight: 2.43kg.

**Equipment:**  
side handle,  
disc assembly wrench

EAN 8605032614892

Shipp. package (cm): 54.8 × 33.8 × 23  
No. of items in shipp. package: 8



### VLP 411 ANGLE GRINDER

No. 066391

Motor type: electric motor,  
1100W, 230V~50Hz;  
Disc outer diameter: 125mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 4500 -12000rpm;  
Weight: 2.5kg.

**Equipment:**  
speed regulator, side handle,  
disc assembly wrench

EAN 8605032616568

Shipp. package (cm): 42 × 35.5 × 26  
No. of items in shipp. package: 6



### VLN 467 ANGLE GRINDER

No. 055022

Motor type: electric motor,  
1200W, 230V~50Hz;  
Disc outer diameter: 125mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 12000rpm;  
Weight: 2.4kg.

**Equipment:**  
side handle,  
disc assembly wrench

EAN 8605032610481

Shipp. package (cm): 44.5 × 43.5 × 26  
No. of items in shipp. package: 6



### VLN 469 ANGLE GRINDER

No.

Motor type: electric motor,  
2000W, 230V~50Hz;  
Disc outer diameter: 230mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 6500rpm;  
Weight: 4.3kg.

**Equipment:**  
side handle,  
disc assembly wrench

EAN



### VLN 470 ANGLE GRINDER

No. 055023

Motor type: electric motor,  
2350W, 230V~50Hz;  
Disc outer diameter: 230mm;  
Disc inner diameter: 22.23mm;  
Spindle thread: M14; No load  
speed: 6500rpm;  
Weight: 4.3kg.

**Equipment:**  
side handle,  
disc assembly wrench

EAN 8605032610498

Shipp. package (cm): 56 × 29.5 × 18  
No. of items in shipp. package: 2



### VLN 120 POLISHER

No. 032434


Motor type: electric motor,  
1200W, 230V~50Hz;  
Disc outer diameter: 180mm;  
Spindle thread: M14; No load  
speed: 0 - 3300rpm;  
Weight: 2.9kg.

**Equipment:**  
front handle, polishing pad  
mount, polishing pad

EAN 8606012807624

Shipp. package (cm): 48 × 42.5 × 29  
No. of items in shipp. package: 4

Villager electric sanders are designed for leveling and obtaining perfectly flat surfaces. They represent the essential tool in every workshop for the preparation of wood painting and other materials.



### VILLAGER SAND PAPERS

Sandpaper is a coated abrasive sheet used for smoothing down rough surfaces or removing a layer of material such as paint. The grit number refers to the size of particles embedded in the sandpaper, the lower the number, the larger the particles which will remove more material leaving a rougher finish. The larger the number, the smaller the particles which will remove less material but leave a finer, cleaner finish.



### VLN 320 VIBRATIONAL SANDER

No. 051061

Motor type: electric motor, 320W, 230V~50Hz; No load speed: 6000 - 12000rpm; Operating surface: 115mm x 230mm; Weight: 2.02kg.

**Equipment:**  
sand paper,  
dust collector,  
speed regulator

EAN 8605032609065

Shipp. package (cm): 38.4 x 34 x 39.3  
No. of items in shipp. package: 6



**VLP 150  
VIBRATIONAL DELTA SANDER**

No. 071539

Motor type: electric motor, 200W, 230V~50Hz; No load speed: 12500rpm; Operating surface: 150mm x 150mm x 100mm; Weight: 1.3kg.

**Equipment:**  
sand paper,  
dust collector

EAN 8605032619569

Shipp. package (cm): 48.1 x 25.7 x 35.7  
No. of items in shipp. package: 8



**VLP 345  
ORBITAL SANDER**

No. 071537

Motor type: electric motor, 450W, 230V~50Hz; No load speed: 6000 - 13000rpm; Operating surface: Ø 125mm; Weight: 2kg.

**Equipment:**  
sand paper,  
dust collector,  
speed regulator

EAN 8605032619545

Shipp. package (cm): 51.9 x 28.6 x 37.3  
No. of items in shipp. package: 8



**VLP 324  
VIBRATIONAL SANDER**

No. 071538

Motor type: electric motor, 240W, 230V~50Hz; No load speed: 6000 - 12000rpm; Operating surface: 90mm x 182mm; Weight: 1.55kg.

**Equipment:**  
sand paper,  
dust collector,  
speed regulator

EAN 8605032619552

Shipp. package (cm): 43.9 x 30.1 x 36.7  
No. of items in shipp. package: 8



**VLN 125  
VIBRATIONAL DELTA SANDER**

No. 051060

Motor type: electric motor, 125W, 230V~50Hz; No load speed: 13500rpm; Operating surface: 140mm x 140mm x 80mm; Weight: 1.01kg.

**Equipment:**  
sand paper,  
vacuum attachment pipe

EAN 8605032609058

Shipp. package (cm): 44 x 40.7 x 31  
No. of items in shipp. package: 16



**VLN 382  
ORBITAL SANDER**

No. 055687

Motor type: electric motor, 380W, 230V~50Hz; No load speed: 6000 - 13000rpm; Operating surface: Ø 125mm; Weight: 1.9kg.

**Equipment:**  
sand paper,  
dust collector,  
speed regulator

EAN 8605032610993

Shipp. package (cm): 51.9 x 28.6 x 37.3  
No. of items in shipp. package: 8



**VLN 385  
ORBITAL SANDER**

No. 055689

Motor type: electric motor, 380W, 230V~50Hz; No load speed: 6000 - 13000rpm; Operating surface: Ø 150mm; Weight: 2kg.

**Equipment:**  
sand paper,  
dust collector,  
speed regulator

EAN 8605032611006

Shipp. package (cm): 62.3 x 29.1 x 39  
No. of items in shipp. package: 16

Villager products include a wide selection of electric saws which are perfect for cutting wood, laminate, aluminum and plastic.

### VILLAGER SAW BLADES

Within the wide cutting and blades range we offer products from circular saw blades to reciprocating saw blades. Whether you are after a replacement blade or adding a spare blade to your tool kit we have quality you know and trust.



#### VLN 1140 JIG SAW

No. 060191

Motor type: electric motor, 400W, 230V~50Hz;  
No load speed: 3000rpm;  
Stroke length: 18mm; Cutting capacity: 55mm (wood), 6mm (steel); Weight: 1.7kg.

**Equipment:**  
parallel guide,  
vacuum attachment pipe

EAN 8605032613567

Shipp. package (cm): 44 × 39 × 27.8  
No. of Items in shipp. package: 10



#### VLN 1155 JIG SAW

No. 060192

Motor type: electric motor, 550W, 230V~50Hz;  
No load speed: 1000 - 3000rpm;  
Stroke length: 20mm; Cutting capacity: 65mm (wood), 6mm (steel); Weight: 2.5kg.

**Equipment:**  
quick release chuck,  
parallel guide, vacuum attachment pipe, speed control

EAN 8605032613574

Shipp. package (cm): 43 × 41 × 28.6  
No. of Items in shipp. package: 10



#### VLN 1108 JIG SAW

No. 054496

Motor type: electric motor, 750W, 230V~50Hz;  
No load speed: 800 - 3000rpm;  
Stroke length: 18mm; Cutting capacity: 100mm (wood), 10mm (steel); Weight: 2.75kg.

**Equipment:**  
laser guide, saw blade, parallel guide, vacuum attachment pipe, speed control

EAN 8605032610139

Shipp. package (cm): 49.5 × 30.6 × 23.1  
No. of Items in shipp. package: 6



#### VLP 1115 JIG SAW

No. 071745

Motor type: electric motor, 550W, 230V~50Hz;  
No load speed: 1000 - 3000rpm;  
Stroke length: 19mm; Cutting capacity: 55mm (wood), 6mm (steel); Weight: 2.1kg.

**Equipment:**  
quick release chuck, keyless angle adjustment, parallel guide, vacuum attachment pipe, plastic slider, speed control

EAN 8605032619804

Shipp. package (cm): 27.6 × 26 × 44.6  
No. of Items in shipp. package: 6



### **VLN 165 CIRCULAR SAW**

No. 051574

Motor type: electric motor, 1200W, 230V~50Hz; No load speed: 5500rpm; Blade diameter: 165mm / 16mm; Cutting depth: 35mm (90°), 36mm (45°); Weight: 3.56kg.

**Equipment:**  
saw blade for wood cutting, saw blade assembly wrench, parallel guide

EAN 8605032609799

Shipp. package (cm): 49.5 × 37.5 × 49  
No. of Items in shipp. package: 4



### **VLN 185 CIRCULAR SAW**

No. 054234

Motor type: electric motor, 1500W, 230V~50Hz; No load speed: 5800rpm; Blade diameter: 185mm / 16mm; Cutting depth: 65mm (90°), 43mm (45°); Weight: 4.3kg.

**Equipment:**  
laser guide, saw blade for wood cutting, saw blade assembly wrench, parallel guide

EAN 8605032610092

Shipp. package (cm): 51 × 37.5 × 55  
No. of Items in shipp. package: 4



### **VLP 1613 CIRCULAR SAW**

No. 071545

Motor type: electric motor, 1300W, 230V~50Hz; No load speed: 6000rpm; Blade diameter: 165mm / 16mm; Cutting depth: 55mm (90°), 34mm (45°); Weight: 3.9kg.

**Equipment:**  
saw blade for wood cutting, saw blade assembly wrench, parallel guide

EAN 8605032619576

Shipp. package (cm): 53.5 × 36.5 × 50  
No. of Items in shipp. package: 4



### **VLP 1815 CIRCULAR SAW**

No. 071546

Motor type: electric motor, 1500W, 230V~50Hz; No load speed: 6000rpm; Blade diameter: 185mm / 16mm; Cutting depth: 64mm (90°), 48mm (45°); Weight: 4.4kg.

**Equipment:**  
saw blade for wood cutting, saw blade assembly wrench, parallel guide

EAN 8605032619583

Shipp. package (cm): 51 × 38 × 55  
No. of Items in shipp. package: 4



### **VLP 1117 JIG SAW**

No. 066392

Motor type: electric motor, 710W, 230V~50Hz; No load speed: 1000 - 3100rpm; Stroke length: 23mm; Cutting capacity: 105mm (wood), 10mm (steel); Weight: 2.37kg.

**Equipment:**  
quick release chuck, keyless angle adjustment, parallel guide, vacuum attachment pipe, plastic slider, speed control

EAN 8605032616575

Shipp. package (cm): 44.6 × 27.2 × 29.6  
No. of Items in shipp. package: 6



### **VLN 2610 RECIPROCATING SAW**

No. 071547

Motor type: electric motor, 710W, 230V~50Hz; No load speed: 0 - 2500rpm; Stroke length: 20mm; Cutting capacity: 115mm; Weight: 2.6kg.

**Equipment:**  
saw blade for wood cutting, saw blade for metal cutting, hex wrench

EAN 8605032619590

Shipp. package (cm): 55 × 38 × 24  
No. of Items in shipp. package: 4



### **VLN 2620 RECIPROCATING SAW**

No. 054235

Motor type: electric motor, 1050W, 230V~50Hz; No load speed: 0 - 2500rpm; Stroke length: 28mm; Cutting capacity: 150mm; Weight: 3.82kg.

**Equipment:**  
saw blade for wood cutting, saw blade for metal cutting

EAN 8605032610108

Shipp. package (cm): 55 × 38 × 24  
No. of Items in shipp. package: 4



### **VLP 2628 RECIPROCATING SAW**

No. 066393

Motor type: electric motor, 1050W, 230V~50Hz; No load speed: 0 - 3000rpm; Stroke length: 28mm; Cutting capacity: 150mm; Weight: 3.9kg.

**Equipment:**  
saw blade for wood cutting, saw blade for metal cutting, hex wrench

EAN 8605032616582

Shipp. package (cm): 55 × 26 × 40.5  
No. of Items in shipp. package: 4

A planer is used to flatten and smooth a wood surface, skimming the top to remove thin layers until the desired thickness or finish has been reached. This can help to speed up the preparation process ahead of a decoration project though is also commonly used to simply reduce the thickness of a piece of wood.

Villager woodworking router will enable you to get the perfect finish on your workpiece every time. Whether shaping edges, creating joints or hollowing out.



**VLN 1076  
WOOD PLANER**

No. 067086

Motor type: electric motor, 750W, 230V~50Hz; No load speed: 17000rpm; Working width: 82mm; Groove depth: 18mm; Step setting: 3mm; Weight: 2.25kg.

**Equipment:**  
dust collector, blade assembly wrench, parallel guide, depth gauge

EAN 8605032617572

Shipp. package (cm): 36.3 × 36 × 40  
No. of items in shipp. package: 4



**VLN 1095  
WOOD PLANER**

No. 055690

Motor type: electric motor, 1000W, 230V~50Hz; No load speed: 16000rpm; Working width: 110mm; Groove depth: 18mm; Step setting: 0 - 3mm; Weight: 4.3kg.

**Equipment:**  
dust collector, blade assembly wrench, parallel guide, depth gauge

EAN 8605032611013

Shipp. package (cm): 42 × 37 × 41.5  
No. of items in shipp. package: 4



**VLN 1205  
ROUTER**

No. 072771

Motor type: electric motor, 1200W, 230V~50Hz; No load speed: 11000 - 30000rpm; Milling depth: 55mm; Shaft: 6mm, 8mm; Weight: 3.8kg.

**Equipment:**  
parallel guide, circle guide, template guide, dust tube, 6 mm collet adaptor, spanner, safety guard

EAN 8605032620657

Shipp. package (cm): 66 × 31 × 28  
No. of items in shipp. package: 4





**VLN 355  
BENCH GRINDER**

No. 058487

Motor type: electric motor, 400W,  
230V~50Hz; No load speed: 2980rpm;  
Grindstone diameter: 150mm / 12.7mm;  
Weight: 7kg.

**Equipment:**  
grindstone 36 grit,  
grindstone 60 grit.

EAN 8605032612362

Shipp. package (cm): 25 × 40 × 26  
No. of Items in shipp. package: 4



**VLN 375  
BENCH GRINDER**

No. 058488

Motor type: electric motor, 250W,  
230V~50Hz; No load speed: 2980rpm;  
Grindstone diameter: 150mm / 12.7mm;  
Belt size: 50mm × 686mm;  
Weight: 11kg.

**Equipment:**  
grindstone,  
grinding belt,  
work light.

EAN 8605032612379

Shipp. package (cm): 38 × 26.5 × 28  
No. of Items in shipp. package: 4



**VLN 5016  
BENCH DRILL**

No. 058489

Motor type: electric motor, 500W,  
230V~50Hz; No load speed: 550-2500rpm;  
Chuck mount: B16; Chuck: 13mm;  
Max drilling depth: 50mm;  
Drill table adjustment: 45° - 45°;  
Weight: 14.4kg.

**Equipment:**  
work table angle adjustment,  
safety drill bit guard,  
laser guide.

EAN 8605032612386

Shipp. package (cm): 25 × 47 × 38  
No. of Items in shipp. package: 2

Villager



### SSV 7050 RS SCROLL SAW

No. 065775

Motor type: electric motor, 125W, 230V~50Hz; Cutting speed: 550-1600rpm; Max. Cutting height: 50mm; Max. Cutting width: 405mm; Size of table surface: 415 × 255mm; No load speed of rotary shaft: 1650-4800rpm; Weight: 13.5kg.

#### Equipment:

adjustable angle of working table (0°-45°), working led light, built in dust blower, 64pcs kit for rotary shaft, foot switch.

EAN 8605032616162

Shipp. package (cm): 41 × 68 × 33  
No. of Items in shipp. package: 1



### BSV 2580 BAND SAW

No. 065774

Motor type: electric motor, 250W, 230V~50Hz; No load speed: 1400rpm; Throat: 80mm; Saw band: 1400 × 6.35mm; Saw band speed: 960 m/min; Size of table surface: 313 × 302mm; Weight: 17kg.

#### Equipment:

adjustable angle of working table (0°-45°), parallel guide, angle guide.

EAN 8605032616155

Shipp. package (cm): 43 × 76 × 35  
No. of Items in shipp. package: 1



### VLN 1308 METAL MITER SAW

No. 039635

Motor type: electric motor, 2000W, 230V~50Hz; No load speed: 3800rpm; Saw blade diameter: 355mm / 25.4mm; Cutting capacity(mm): 130 × 130 (0°/90°), 115 × 90 (0°/45°); Weight: 16.2kg.

#### Equipment:

cutting angle adjustment, spindle lock.

EAN 8605032603018

Shipp. package (cm): 41 × 55.5 × 36  
No. of Items in shipp. package: 16



### VMS 1100-210 MITER SAW

No. 062797

Motor type: electric motor, 1100W, 230V~50Hz; No load speed: 5500rpm; Saw blade diameter: 210mm / 30mm; Cutting capacity (mm): 60 × 120 (0°/90°), 60 × 80 (0°/45°), 33 × 120 (45°/90°), 33 × 80 (45°/45°); Weight: 6.1kg.

#### Equipment:

laser guide, cutting slope adjustment, cutting angle adjustment.

EAN 8605032615608

Shipp. package (cm): 48 × 31.5 × 28.5  
No. of Items in shipp. package: 24



### VMS 1500-210 S MITER SAW

No. 071627

Motor type: electric motor, 1500W, 230V~50Hz; No load speed: 4500rpm; Saw blade diameter: 215mm / 30mm; Cutting capacity (mm): 70 × 220 (0°/90°), 35 × 220 (0°/45°), 75 × 155 (45°/90°), 35 × 155 (45°/45°); Weight: 13kg.

#### Equipment:

laser guide, cutting slope adjustment, cutting angle adjustment.

EAN 8605032619644

Shipp. package (cm): 79 × 48 × 40  
No. of Items in shipp. package: 8



**VTS 1502  
TABLE CIRCULAR SAW**

No. 071626

Motor type: electric motor, 1500W, 230V~50Hz; No load speed: 5000rpm; Saw blade diameter: 210mm / 30m; Workbench dimensions: 500mm × 570mm; Cutting capacity (mm): 70 (0°/90°), 50 (0°/45°); Weight: 15.3kg.

**Equipment:**  
saw blade, cutting angle adjustment, cutting width adjustment.

EAN 8605032619637

Shipp. package (cm): 71 × 32 × 56  
No. of Items in shipp. package: 1



**VTS 1810  
TABLE CIRCULAR SAW**

No. 054233

Motor type: electric motor, 2000W, 230V~50Hz; No load speed: 5000rpm; Saw blade diameter: 250mm / 30m; Workbench dimensions: 487mm × 642mm; Cutting capacity (mm): 85 (0°/90°), 65 (0°/45°); Weight: 21kg.

**Equipment:**  
saw blade, cutting angle adjustment, cutting width adjustment.

EAN 8605032610085

Shipp. package (cm): 71 × 32 × 56  
No. of Items in shipp. package: 1



**VTS 2232  
TABLE CIRCULAR SAW**

No. 071572

Motor type: electric motor, 2200W, 230V~50Hz; No load speed: 2800rpm; Saw blade diameter: 315mm / 30m; Workbench dimensions: 800mm × 950mm; Cutting capacity (mm): 83 (0°/90°), 49 (0°/45°); Weight: 57.5kg.

**Equipment:**  
saw blade, cutting angle adjustment, carry handle, wheels, guide rail, cutting width adjustment.

EAN 8605032619613

Shipp. package (cm): 88 × 44.5 × 60  
No. of Items in shipp. package: 1



**VMS 2000-255 S  
MITER SAW**

No. 062796

Motor type: electric motor, 2000W, 230V~50Hz; No load speed: 5000rpm; Saw blade diameter: 255mm / 30mm; Cutting capacity (mm): 75 × 305 (0°/90°), 75 × 210 (0°/45°), 40 × 305 (45°/90°), 40 × 210 (45°/45°); Weight: 14kg.

**Equipment:**  
laser guide, cutting slope adjustment, cutting angle adjustment.

EAN 8605032615592

Shipp. package (cm): 79 × 48 × 40  
No. of Items in shipp. package: 8



**VLP 1509  
MITER SAW**

No. 016136

Motor type: electric motor, 1900W, 230V~50Hz; No load speed: 4700rpm; Saw blade diameter: 255mm / 25.4mm; Cutting capacity (mm): 85 × 300 (0°/90°), 85 × 210 (0°/45°), 45 × 300 (45°/90°), 45 × 210 (45°/45°); Weight: 19.5kg.

**Equipment:**  
laser guide, cutting angle adjustment.

EAN 8606012800113

Shipp. package (cm): 43 × 74 × 54  
No. of Items in shipp. package: 8



**VSTP 1525  
PLANER THICKNESSER**

No. 065773

Motor type: electric motor, 1500W, 230V~50Hz; No load speed: 9000rpm;

**Planer**  
Table size: 920 × 263mm; Max. planing width: 254mm; Max. material removal at surface planing: 2.5mm.

**Thicknesser**  
Table size: 270 × 303mm; Max. thickness width: 254mm; Max. thickness opening: 120mm; Max. material removal: 2mm; Weight: 27.6kg.

EAN 8605032616148

Shipp. package (cm): 51 × 102 × 43  
No. of Items in shipp. package: 1

Villager

Villager paint mixers are suitable for mixing paint, plaster and glue. Speed regulation enables adjusting to the user's needs, depending on the type of material.

#### VILLAGER MIXING PADDLES

Mixing paddle compatible with Villager mixers. Available in different types for liquid, solid materials and paints.





### VEM 1050 MIXER

No. 026826

Motor type: electric motor, 1050W,  
230V~50Hz; No load speed: 0 - 580rpm;  
Spindle thread: M 14;  
Paddle size: 120mm;  
Weight: 4.6kg.

**Equipment:**  
direction switch,  
speed regulator,  
side handle, paddle.

EAN 8606012804432

Shipp. package (cm): 62 × 55 × 29  
No. of Items in shipp. package: 4



### VEM 1605 MIXER

No. 057733

Motor type: electric motor, 1600W,  
230V~50Hz; No load speed: 180 - 460rpm  
/ 300 - 750rpm; Spindle thread: M 14;  
Paddle size: 160mm;  
Weight: 5.8kg.

**Equipment:**  
speed regulator,  
paddle.

EAN 8605032612171

Shipp. package (cm): 62 × 39.5 × 23  
No. of Items in shipp. package: 2



### VEM 1620 MIXER

No. 055695

Motor type: electric motor, 1600W,  
230V~50Hz; No load speed: 200 - 480rpm  
/ 250 - 680rpm; Spindle thread: HEX;  
Paddle size: 2×120mm (180mm);  
Weight: 6.75kg.

**Equipment:**  
speed regulator,  
paddle,  
easy start.

EAN 8605032611068

Shipp. package (cm): 62 × 57 × 21  
No. of Items in shipp. package: 2



### VDS 625 WALL SANDER

No. 057734

Motor type: electric motor, 600W,  
230V~50Hz; No load speed: 600 -  
1500rpm; Operating surface diameter:  
225mm; Length: 110 - 165cm; Weight:  
3.2kg.

**Equipment:**  
extension pool,  
speed regulator,  
vacuum cleaner adapter

EAN 8605032612188

Shipp. package (cm): 70 × 25 × 56  
No. of Items in shipp. package: 2



### VDS 1220 WALL SANDER


No. 029856

Motor type: electric motor, 1220W,  
230V~50Hz; No load speed: 1500 -  
2300rpm; Operating surface diameter:  
225mm; Weight: 2.7kg.

**Equipment:**  
dust bag,  
speed regulator.

EAN 8606012805699

Shipp. package (cm): 67 × 34 × 27.5  
No. of Items in shipp. package: 2



Villager products include a large number of tools for different types of welding - MMA, MAG and TIG welding. Inverter welding machines are small in weight and size and therefore, they are suitable for high-rise and outdoor work. Thanks to the inverter power supply, they achieve high frequency and good welding characteristics.





### **VIWM 120 MMA WELDING MACHINE**

No. 058658

Operating voltage: 230V~50Hz;  
Power: 4kW; No load voltage: 60V;  
Rated duty cycle: 120A-30% / 65A-100%;  
Welding current range: 20A -120A;  
Usable welding electrode: 1.6-3.2mm;  
Weight: 4.4kg.

**Equipment:**  
electrode holder,  
earth clamp,  
brush / hammer.

EAN 8605032612416

Shipp. package (cm): 32 × 23 × 25.5  
No of items on pallet: 50



### **VIWM 140 MMA WELDING MACHINE**

No. 058659

Operating voltage: 230V~50Hz;  
Power: 4.8kW; No load voltage: 60V;  
Rated duty cycle: 140A-25% / 70A-100%;  
Welding current range: 20A -140A;  
Usable welding electrode: 1.6-4.0mm;  
Weight: 4.5kg.

**Equipment:**  
electrode holder,  
earth clamp,  
brush / hammer.

EAN 8605032612423

Shipp. package (cm): 32 × 23 × 25.5  
No of items on pallet: 50



### **VIWM 175 MMA WELDING MACHINE**

No. 055697

Operating voltage: 230V~50Hz;  
Power: 6.3kW; No load voltage: 74V;  
Rated duty cycle: 160A-35% / 125A-100%;  
Welding current range: 20A -160A;  
Usable welding electrode: 1.6-4.0mm;  
Weight: 5.2kg.

**Equipment:**  
welding mask,  
electrode holder,  
earth clamp,  
brush / hammer.

EAN 8605032611075

Shipp. package (cm): 40 × 29 × 24  
No of items on pallet: 40



### **VIWM 205 MMA WELDING MACHINE**

No. 055698


Operating voltage: 230V~50Hz;  
Power: 7.3kW; No load voltage: 74V;  
Rated duty cycle: 200A-35% / 120A-100%;  
Welding current range: 20A -200A;  
Usable welding electrode: 1.6-5.0mm;  
Weight: 5.5kg.

**Equipment:**  
welding mask,  
electrode holder,  
earth clamp,  
brush / hammer.

EAN 8605032611082

Shipp. package (cm): 40 × 29 × 24  
No of items on pallet: 40

Villager







**VWM 160  
MMA WELDING MACHINE**

No. 010445

Operating voltage: 230V~50Hz;  
Power: 6.4kW; No load voltage: 48V;  
Rated duty cycle: 160A-10%;  
Welding current range: 55A -160A;  
Usable welding electrode: 2.0-3.25mm;  
Weight: 18.5kg.

**Equipment:**  
welding mask,  
electrode holder,  
earth clamp,  
brush / hammer.

EAN 8606104853584

Shipp. package (cm): 31.5 × 27 × 48  
No of items on pallet: 30



**VWM 200  
MMA WELDING MACHINE**

No. 010446

Operating voltage: 230V~50Hz;  
Power: 9kW; No load voltage: 48V;  
Rated duty cycle: 200A-10%;  
Welding current range: 60A-200A;  
Usable welding electrode: 2.0-4.0mm;  
Weight: 23kg.

**Equipment:**  
welding mask,  
electrode holder,  
earth clamp,  
brush / hammer.

EAN 8606104853591

Shipp. package (cm): 31 × 27.5 × 48  
No of items on pallet: 30



**COMBO 200  
MMA/MAG WELDING MACHINE**

No. 050759

Operating voltage: 230V~50Hz;  
Power: 7.3kW; No load voltage: 62V;  
Rated duty cycle: 180- 60% / 140-100%;  
Welding current range: 20A-180A (30  
A - 180A); Usable welding electrode:  
1.6-4mm; Usable welding wire: 0.6 - 1mm;  
Weight: 13.5kg.

**Equipment:**  
MIG torch, electrode holder,  
earth clamp,  
brush / hammer.

EAN 8605032608846

Shipp. package (cm): 50 × 27 × 34  
No of items on pallet: 26



**VWM 205 COMBO  
MMA/MAG WELDING MACHINE**

No. 081409

Operating voltage: 230V~50Hz;  
Power: 7.3kW; No load voltage: 62V;  
Rated duty cycle: 160- 60% / 140-100%;  
Welding current range: 30A-140A (50  
A - 160A); Usable welding electrode:  
1.6-4mm; Usable welding wire: 0.6 - 1mm;  
Weight: 8.6kg.

**Equipment:**  
cable wire with a gun, electrode holder,  
earth clamp, mask  
brush / hammer.

EAN 8605032635583

Shipp. package (cm): 48 × 31.5 × 31.5  
No of items on pallet: 26



**TIG 162 R  
MMA/TIG WELDING MACHINE**

No. 071740

Operating voltage: 230V~50Hz;  
Power: 2.8kW; No load voltage: 76V;  
Rated duty cycle: 160A-25% / 80A-100%;  
Welding current range: 25A-160A;  
Usable welding electrode: 1.6-4.0mm;  
Weight: 6kg.

**Equipment:**  
TIG torch, welding mask,  
electrode holder,  
earth clamp, brush / hammer.

EAN 8605032619750

Shipp. package (cm): 42 × 23 × 30  
No of items on pallet: 60



**MAG 170 R  
MAG WELDING MACHINE**

No. 030149

Operating voltage: 230V~50Hz /  
400V~50 Hz; Power: 6kW; No load voltage:  
35.5V; Rated duty cycle: 160A-10% / 32A-  
100%; Welding current range: 50A-160A;  
Usable welding wire: 0.8 - 1mm; Weight:  
36kg.

**Equipment:**  
cable with MAG torch,  
earth clamp,  
industrial socket,  
adapter from 400V to 230V.

EAN 8606012806504

Shipp. package (cm): 13 × 33.5 × 72  
No of items on pallet: 12

Villager offers a wide range of gasoline and diesel generators. The inverter generator is perfect for the home use and camping trips, for supplying power to delicate electric devices such as TVs, computers, charging batteries and mobile phones.



**VGP 2700 S  
GENERATOR**

No. 055115

Engine type: Villager 4-stroke, 208cm<sup>3</sup>; 4.2kW (3600 rpm); Starter type: reversible; Nominal power: 2kW; Maximum power: 2.2 kW; Electrical current: 9A; Nominal voltage: 230V; Sockets: 2 x 230V; Working time: ≈17h 30min; Fuel tank: 15l; Fuel: unleaded gasoline; Weight: 39kg.

**Features:**  
automatic voltage regulation.

EAN 8605032610528

Shipp. package (cm): 62.5 x 49.5 x 50.5  
No of items on pallet: 8



**VGP 3300 S  
GENERATOR**

No. 055116

Engine type: Villager 4-stroke, 208cm<sup>3</sup>; 4.2kW (3600 rpm); Starter type: reversible; Nominal power: 2.8kW; Maximum power: 3kW; Electrical current: 12A; Nominal voltage: 230V; Sockets: 2 x 230V; Working time: ≈15h; Fuel tank: 15l; Fuel: unleaded gasoline; Weight: 48kg.

**Features:**  
automatic voltage regulation.

EAN 8605032610535

Shipp. package (cm): 68.5 x 49 x 49.5  
No of items on pallet: 8



### VGI 1060 INVERTER GENERATOR

No. 077360

Engine type: Villager 4-stroke, 54cm<sup>3</sup>; 1.3kW (5500 rpm); Starter type: reversible; Nominal power: 0.9 kW; Maximum power: 1 kW; Electrical current: 3.9A; Nominal voltage: 230V/ 12V/ 5V; Sockets: 230V/ 12V/ 5V; Working time: ≈5h 30min; Fuel tank: 3l; Fuel: unleaded gasoline; Weight: 14kg.

**Features:**  
automatic voltage regulation.

EAN 8605032634302

Shipp. package (cm): 55.5 × 33.5 × 49  
No of items on pallet: 12



### VGI 2400 INVERTER GENERATOR

No. 051466

Engine type: Villager 4-stroke, 98cm<sup>3</sup>; 3.7kW (5000 rpm); Starter type: reversible; Nominal power: 2 kW; Maximum power: 2.2 kW; Electrical current: 8.7A; Nominal voltage: 230V/ 12V/ 5V; Sockets: 230V/ 12V/ 5V; Working time: ≈4h 30min; Fuel tank: 4.5l; Fuel: unleaded gasoline; Weight: 22kg.

**Features:**  
automatic voltage regulation.

EAN 8605032609713

Shipp. package (cm): 55.5 × 33.5 × 49  
No of items on pallet: 12



### VGI 3500 O INVERTER GENERATOR

No. 077361

Engine type: Villager 4-stroke, 212cm<sup>3</sup>; 4.3kW (3600 rpm); Starter type: reversible; Nominal power: 3.2 kW; Maximum power: 3.3 kW; Electrical current: 14A; Nominal voltage: 230V/ 12V/ 5V; Sockets: 2 × 230V/ 12V/ 5V; Working time: ≈8h; Fuel tank: 7l; Fuel: unleaded gasoline; Weight: 28kg.

**Features:**  
automatic voltage regulation.

EAN 8605032634319

Shipp. package (cm): 62.5 × 49.5 × 50.5  
No of items on pallet: 8



### VGP 5900 S GENERATOR

No. 055117

Engine type: Villager 4-stroke, 420cm<sup>3</sup>; 9kW (3600 rpm); Starter type: reversible, electric; Nominal power: 5kW; Maximum power: 5.4kW; Electrical current: 22A; Nominal voltage: 230V; Sockets: 3 × 230V; Working time: ≈11h 30min; Fuel tank: 25l; Fuel: unleaded gasoline; Weight: 79kg.

**Features:**  
automatic voltage regulation.

EAN 8605032610542

Shipp. package (cm): 79 × 59.5 × 59.5  
No of items on pallet: 4



### VGP 6700 S GENERATOR

No. 055118

Engine type: Villager 4-stroke, 420cm<sup>3</sup>; 9kW (3600 rpm); Starter type: reversible, electric; Nominal power: 6kW; Maximum power: 6.5kW; Electrical current: 10.8A; Nominal voltage: 230V/400V; Sockets: 1 × 230V / 1 × 400V; Working time: ≈10h 30min; Fuel tank: 25l; Fuel: unleaded gasoline; Weight: 85kg.

**Features:**  
automatic voltage regulation.

EAN 8605032610559

Shipp. package (cm): 79 × 59.5 × 59.5  
No of items on pallet: 4



### VGP 7900 S GENERATOR

No. 060175

Engine type: Villager 4-stroke, 457cm<sup>3</sup>; 9.6kW (3600 rpm); Starter type: reversible, electric; Nominal power: 7.5kW, 9.38kVA; Maximum power: 7.8kW, 9.375kVA; Electrical current: 14A; Nominal voltage: 230V/400V; Sockets: 2 × 230V / 1 × 400V; Working time: ≈9h 30min; Fuel tank: 25l; Fuel: unleaded gasoline; Weight: 94kg.

**Features:**  
automatic voltage regulation.

EAN 8605032613512

Shipp. package (cm): 79 × 59.5 × 59.5  
No of items on pallet: 4

Villager battery chargers are designed for charging batteries for cars and trucks. Am-meter in chargers is used for monitoring the charging current.



**VJS 2500  
JUMP STARTER**

No. 056226

Battery: Li-ion, 6000mAh;  
Starting voltage: 12V; Nominal starting current: 150A; Maximum starting current: 300A; USB port: 5V/2A; LED torch: 0.5W; Operating temperature: -10°C ~ +50°C; Weight: 0.25kg.

**Features:**  
starting clamps, usb cable.

EAN 8605032611228

Shipp. package (cm): 38.5 × 28.5 × 19  
No. of Items in shipp. package: 10



**VJS 3500  
JUMP STARTER**

No. 056227

Battery: Li-ion, 12000mAh;  
Starting voltage: 12V; Nominal starting current: 220A; Maximum starting current: 450A; USB port: 5V/1A, 5V/2A; LED torch: 3W; Operating temperature: -10°C ~ +50°C; Weight: 0.4kg.

**Features:**  
"smart" starting clamps, usb cable, zip bag.

EAN 8605032611235

Shipp. package (cm): 43 × 20.5 × 46.5  
No. of Items in shipp. package: 10



**VCBM 4.0  
BATTERY CHARGER WITH  
MICROPROCESSOR**

No. 071737

Operating voltage: 230V~50Hz;  
Charging voltage: 6V/12V;  
Power input: 70W;  
Nominal output current: 2A/4A;  
Charging capacity: 14 - 140 Ah;  
Weight: 0.4kg.

**Features:**  
8 charging steps, LCD display, wrong polarity protection, O-ring connector.

EAN 8605032619729

Shipp. package (cm): 30.5 × 30 × 53.4  
No. of Items in shipp. package: 20



**VCBM 8.0  
BATTERY CHARGER WITH  
MICROPROCESSOR**

No. 071738

Operating voltage: 230V~50Hz;  
Charging voltage: 12V/24V;  
Power input: 135W;  
Nominal output current: 8A/4A;  
Charging capacity: 14 - 220 Ah;  
Weight: 0.6kg.

**Features:**  
8 charging steps, LCD display, wrong polarity protection, O-ring connector.

EAN 8605032619736

Shipp. package (cm): 37 × 36 × 62  
No. of Items in shipp. package: 20

Villager electric hoists are suitable for safe load lifting in your household or workshop.



**VEH 250  
HOIST**

No. 011631

Motor type: electric motor, 500W, 230V~50Hz; Nominal load: 250kg (6m), 125kg (12m); Lifting height: 6m, 12m; Lifting speed: 4 m/min, 8 m/min; Cable diameter: 3mm; Weight: 14kg.

EAN 8606104032507

Shipp. package (cm): 48.5 × 37.2 × 16  
No. of Items in shipp. package: 2



**VEH 500  
HOIST**

No. 011632

Motor type: electric motor, 900W, 230V~50Hz; Nominal load: 500kg (6m), 250kg (12m); Lifting height: 6m, 12m; Lifting speed: 4 m/min, 8 m/min; Cable diameter: 4.2mm; Weight: 16.5kg.

EAN 8606012804340

Shipp. package (cm): 51.8 × 39 × 17  
No. of Items in shipp. package: 2



**VEH 800  
HOIST**

No. 020237

Motor type: electric motor, 1350W, 230V~50Hz; Nominal load: 800kg (6m), 400kg (12m); Lifting height: 6m, 12m; Lifting speed: 4 m/min, 8 m/min; Cable diameter: 5.1mm; Weight: 20kg.

EAN 8606012802681

Shipp. package (cm): 44 × 17 × 25  
No. of Items in shipp. package: 2



**VCB 6E  
BATTERY CHARGER**

No. 017030

Operating voltage: 230V~50Hz; Charging voltage: 6V/12V; Load: 110W; Charging program: 2; Maximum charging current: 5A; Continuous charging current: 5A; Charging capacity: 20Ah - 75Ah; Weight: 3.5kg.

**Features:**  
charging clamps,  
spare fuse.

EAN 8606012800328

Shipp. package (cm): 37.5 × 28 × 29  
No. of Items in shipp. package: 4



**VCB 18S  
BATTERY CHARGER**

No. 016432

Operating voltage: 230V~50Hz; Charging voltage: 12V/24V; Load: 180W/310W; Charging program: 2; Maximum charging current: 14A; Continuous charging current: 10A; Charging capacity: 60Ah - 150Ah; Weight: 8.5kg.

**Features:**  
charging clamps,  
spare fuse.

EAN 8606012800335

Shipp. package (cm): 35 × 24 × 44.5  
No. of Items in shipp. package: 2



**VCSB 12S  
BATTERY CHARGER &  
STARTER**

No. 055699

Operating voltage: 230V~50Hz; Charging voltage: 6V/12V; Starting voltage: 12V; Load: 350W; Charging program: 2; Maximum charging current: 12A; Continuous charging current: 2A; Maximum starting current: 75A; Charging capacity: 20Ah-120Ah/4Ah-30Ah; Weight: 7.5kg.

**Features:**  
charging and starting clamps.

EAN 8605032611099

Shipp. package (cm): 30.5 × 29 × 17.5  
No. of Items in shipp. package: 1



**VCSB 24S  
BATTERY CHARGER &  
STARTER**

No. 071739

Operating voltage: 230V~50Hz; Charging voltage: 12V/24V; Starting voltage: 12V/24V; Load: 550W; Charging program: 2; Maximum charging current: 8A/16A; Continuous charging current: 2A; Maximum starting current: 75A; Charging capacity: 8Ah-225Ah; Weight: 8.1kg.

**Features:**  
charging and starting clamps.

EAN 8605032619743

Shipp. package (cm): 32.5 × 31 × 17  
No. of Items in shipp. package: 1

Villager



### VAT 50 L AIR COMPRESSOR

No. 007585

Input power: 1500W; Operating voltage: 230V~50Hz; Tank volume: 50l; Engine type: line engine; Air flow: 206l/min; Working pressure: 8bar; No. of sockets; 2; Weight: 30kg.

**Features:**  
oil lubrication,  
safety switch.

EAN 8606102570780

Shipp. package (cm): 61 × 34 × 75  
No of items on pallet: 8



### VAT VE 50 L AIR COMPRESSOR

No. 042317

Input power: 2200W; Operating voltage: 230V~50Hz; Tank volume: 50l; Engine type: V engine; Air flow: 316l/min; Working pressure: 8bar; No. of sockets; 2; Weight: 40kg.

**Features:**  
oil lubrication,  
safety switch.

EAN 8605032605098

Shipp. package (cm): 68 × 41.5 × 76  
No of items on pallet: 6



**VAT 24 L  
AIR COMPRESSOR**

No. 007584

Input power: 1500W; Operating voltage: 230V~50Hz; Tank volume: 24l; Engine type: line engine; Air flow: 206l/min; Working pressure: 8bar; No. of sockets; 2; Weight: 22kg.

**Features:**  
oil lubrication,  
safety switch.

EAN 8606102570773

Shipp. package (cm): 63 × 28 × 58.5  
No of items on pallet: 12



**VAT 24 LS  
SILENT AIR COMPRESSOR**

No. 067187

Input power: 750W; Operating voltage: 230V~50Hz; Tank volume: 24l; Engine type: line engine; Air flow: 125l/min; Working pressure: 8bar; No. of sockets; 2; Weight: 22kg.

**Features:**  
without oil lubrication,  
safety switch.

EAN 8605032617923

Shipp. package (cm): 60 × 28 × 58.5  
No of items on pallet: 8



**VAT 50 LS  
SILENT AIR COMPRESSOR**

No. 049300

Input power: 750W; Operating voltage: 230V~50Hz; Tank volume: 50l; Engine type: line engine; Air flow: 125l/min; Working pressure: 8bar; No. of sockets; 2; Weight: 27.5kg.

**Features:**  
without oil lubrication,  
safety switch.

EAN 8605032607535

Shipp. package (cm): 69 × 32 × 76.5  
No of items on pallet: 8



**SILENT FORCE VAT 264/50  
SILENT AIR COMPRESSOR**

No. 067195

Input power: 1500W; Operating voltage: 230V~50Hz; Tank volume: 50l; Engine type: line engine; Air flow: 264l/min; Working pressure: 8bar; No. of sockets; 2; Weight: 32kg.

**Features:**  
without oil lubrication,  
safety switch.

EAN 8605032617961

Shipp. package (cm): 64 × 33 × 76  
No of items on pallet: 8



**SILENT FORCE VAT 528/50  
SILENT AIR COMPRESSOR**

No. 067194

Input power: 3000W; Operating voltage: 230V~50Hz; Tank volume: 50l; Engine type: line engine; Air flow: 528l/min; Working pressure: 8bar; No. of sockets; 2; Weight: 42kg.

**Features:**  
without oil lubrication,  
safety switch.

EAN 8605032617954

Shipp. package (cm): 63 × 37 × 76  
No of items on pallet: 8

Villager







**VAT VE 100 D  
AIR COMPRESSOR**

No. 054057

Input power: 2200W; Operating voltage: 230V~50Hz; Tank volume: 100l; Engine type: V engine; Air flow: 316l/min; Working pressure: 8bar; No. of sockets; 2; Weight: 65kg.

**Features:**  
oil lubrication,  
safety switch.

EAN 8605032610047

Shipp. package (cm): 78 × 110 × 42  
No of items on pallet: 4

**VILLAGER  
AIR TOOLS**

Air tools are generally lighter and more compact than their equivalent electrical versions, making them easier to use.



**AB 200/4  
PROFESSIONAL AIR COMPRESSOR**

No. 023573

Input power: 3000W; Operating voltage: 400V~50Hz; Tank volume: 200l; Engine type: line engine; Air flow: 400l/min; Working pressure: 10bar; No. of sockets; 1; Weight: 108kg.

**Features:**  
safety switch "condor", 2 gauge pressure regulator, universal fast coupling, fast coupling on tank.

EAN 8020119083628

Shipp. package (cm): 94.5 × 49 × 156  
No of items on pallet: 2



**AB 300/5.5  
PROFESSIONAL AIR COMPRESSOR**

No. 023575

Input power: 4000W; Operating voltage: 400V~50Hz; Tank volume: 300l; Engine type: line engine; Air flow: 600l/min; Working pressure: 10bar; No. of sockets; 1; Weight: 175kg.

**Features:**  
safety switch "condor", 2 gauge pressure regulator, universal fast coupling, fast coupling on tank, 10.5 bar safety valve, filter 3/8.

EAN 8020119083611

Shipp. package (cm): 186 × 60 × 115  
No of items on pallet: 1



**AB 500/7.5  
PROFESSIONAL AIR COMPRESSOR**

No. 023577

Input power: 5500W; Operating voltage: 400V~50Hz; Tank volume: 500l; Engine type: line engine; Air flow: 750l/min; Working pressure: 10bar; No. of sockets; 1; Weight: 245kg.

**Features:**  
safety switch "condor", fast coupling on tank, 10.5 bar safety valve.

EAN 8020119083635

Shipp. package (cm): 208 × 71 × 130  
No. of Items in shipp. package: 1



NEW



**VLN SC 350  
SHEEP CLIPPERS**

No. 067391

Operating voltage:  
230V~50Hz; Input power:  
350W; No load speed:  
0-2600rpm; Blade width:  
78mm; Weight: 1.88kg.

**Equipment:**  
plastic box, lubrication oil,  
cleaning brush, speed adjust-  
ment

EAN 8605032618111

Shipp. package (cm): 55.5 × 44.5 × 22.5  
No. of Items in shipp. package: 5



**VLN SC 500  
SHEEP CLIPPERS**

No. 077398

Operating voltage:  
230V~50Hz; Input power:  
500W; No load speed:  
0-2500rpm; Blade width:  
78mm; Weight: 1.92kg.

**Equipment:**  
plastic box, lubrication oil,  
cleaning brush, speed adjust-  
ment

EAN 8605032634333

Shipp. package (cm): 55.5 × 44.5 × 22.5  
No. of Items in shipp. package: 5



**VLN 200  
HEAT GUN**

No. 055694

Operating voltage:  
230V~50Hz; Input power:  
1800W; Number of operating  
modes: 3; Air flow: 150 / 300  
/ 500 l/min; Heating tempera-  
ture: 380-580°C; Weight: 2kg.

**Equipment:**  
diffuser × 2, attachable scrap-  
er × 2, handheld scraper

EAN 8605032611051

Shipp. package (cm): 54 × 39 × 29  
No. of Items in shipp. package: 8

**VLN PW 1500  
ELECTRIC PIPE WELDER**

No. 033856

Operating voltage:  
230V~50Hz; Input power:  
1500W; Heating temperature:  
300°C; Heating time: ≤ 15min;  
Weight: 1.3kg.

**Equipment:**  
adapter set  
(20mm, 25mm, 32mm,  
40mm, 50mm, 63mm)

EAN 8606012807563

Shipp. package (cm): 47 × 30 × 32.5  
No. of Items in shipp. package: 3

Air tools are generally lighter and more compact than their equivalent electrical versions, making them easier to use. We have a great selection of air tools to choose from, including: air drills, air impact wrenches, tire inflators, spray guns, as well as compressor parts such as air hoses, connectors, air filters and so on.



**WF 002 A  
PNEUMATIC IMPACT  
WRENCH SET**

No. 007994

Torque: 312Nm;  
Inlet: 1/2".

**Equipment:** 1 × wrench 4 mm;  
1 × attachment 125 mm (1/2");  
10 × socket wrench (9 - 27  
mm) 1 × double fitting; 1 ×  
lubrication oil

EAN 8606104032255

**Shipp. package (cm):** 31 × 28 × 54  
**No. of Items in shipp. package:** 6



**WF 005  
PNEUMATIC GRINDER  
SET**

No. 007995

No load speed: 22000rpm;  
Inlet: 1/4".

**Equipment:**  
2 × handheld wrench; 5 ×  
grinder 5 mm; 5 × grinder 6  
mm; 1 × double fitting; 1 × 1/8"  
chuck

EAN 8606104032248

**Shipp. package (cm):** 29.5 × 24.5 × 42.5  
**No. of Items in shipp. package:** 10



**VAT WF 030  
PNEUMATIC IMPACT  
WRENCH SET**

No. 009908

Torque: 2500Nm;  
Inlet: 1".

**Equipment:**  
1 × HEX wrench;  
1 × handle bar;  
2 × socket wrench (32, 33)

EAN 8606104032989

**Shipp. package (cm):** 18.5 × 31 × 68  
**No. of Items in shipp. package:** 1



**WF 007  
PNEUMATIC HAMMER  
SET**

No. 007996

No load speed: 4500rpm;  
Inlet: 1/4".

**Equipment:**  
4 × 120 mm chisel;  
1 × double fitting;  
1 × lubrication oil.

EAN 8606104032231

**Shipp. package (cm):** 29 × 32 × 46  
**No. of Items in shipp. package:** 8



**VAT 50/9040  
NAIL GUN**

No. 019015

Inlet: 1/4";  
Working pressure: 6 - 12bar;  
Staple width: 1.06mm;  
Nail width: 5.7mm;  
Depth: 16 - 40mm.

EAN 8606012801318

Shipp. package (cm): 27 × 32 × 56  
No. of Items in shipp. package: 10



**VAT 8016  
STAPLER**

No. 019016

Inlet: 1/4";  
Working pressure: 6 - 10bar;  
Staple width: 0.66mm;  
Depth: 6 - 16mm.

EAN 8606012801301

Shipp. package (cm): 20 × 30 × 53  
No. of Items in shipp. package: 10



**WFD 1050  
PNEUMATIC DRILL**

No. 007993

Inlet: 1/4";  
Chuck diameter: 10 mm;  
No load speed: 1800rpm.

EAN 8606104032224

Shipp. package (cm): 27 × 34 × 44  
No. of Items in shipp. package: 20



**VAT DG 10 AB  
AIR GUN**

No. 009904

Inlet: 1/4";

EAN 8606104032996

Shipp. package (cm): 48 × 32 × 59  
No. of Items in shipp. package: 60



**VAT S3 3/1  
SET OF PNEUMATIC TOOLS**

No. 067020

Inlet: 1/4".

**Content:**  
inflation gun;  
air gun;  
pneumatic hose 5m.

EAN 8605032617336



**VAT S5 5/1  
SET OF PNEUMATIC TOOLS**

No. 067021

Inlet: 1/4".

**Content:**  
spray gun; grease gun;  
inflation gun; air gun;  
pneumatic hose 5m.

EAN 8605032617343



**VAT S10 10/1  
SET OF PNEUMATIC TOOLS**

No. 067022

Inlet: 1/2".

**Content:**  
impact wrench; 6 × socket wrench;  
air gun; inflation gun;  
pneumatic hose 5m.

EAN 8605032617350





### VAT 602 A SPRAY GUN

No. 011656

Inlet: 1/4";  
Volume: 100 ml;  
Nozzle diameter: 0.8mm;  
Max flow: 65 - 100ml/min.

EAN 8606012804197

Shipp. package (cm): 22.5 × 36 × 50  
No. of Items in shipp. package: 20



### VAT 970 A SPRAY GUN

No. 007997

Inlet: 1/4";  
Volume: 600 ml;  
Nozzle diameter: 1.4mm;  
Max flow: 160 - 220ml/min.

EAN 8606104032286

Shipp. package (cm): 26 × 47 × 68  
No. of Items in shipp. package: 20



### VAT 601 A SPRAY GUN

No. 011657

Inlet: 1/4";  
Volume: 600 ml;  
Nozzle diameter: 1.4mm;  
Max flow: 100 - 250ml/min.

EAN 8606012801363

Shipp. package (cm): 47 × 41.5 × 80  
No. of Items in shipp. package: 20



### VAT 801 AG SPRAY GUN

No. 036817

Inlet: 1/4";  
Volume: 600 ml;  
Nozzle diameter: 1.3mm;  
Max flow: 60 - 110ml/min.

EAN 8605032601663

Shipp. package (cm): 48 × 34 × 68  
No. of Items in shipp. package: 20



### H 2000 G2 SPRAY GUN

No. 007998

Inlet: 1/4";  
Volume: 100 ml;  
Nozzle diameter: 0.8mm;  
Max flow: 70 - 100ml/min.

EAN 8606104032279

Shipp. package (cm): 20 × 36 × 50  
No. of Items in shipp. package: 20



### VAT TG 18 INFLATION GUN

No. 036814

Inlet: 1/4";  
Working pressure: 0 - 8bar;  
Manometer range: 0 - 12bar,

EAN 8605032601656

Shipp. package (cm): 31.5 × 30 × 62  
No. of Items in shipp. package: 20



### VAT TG 5 INFLATION GUN

No. 007999

Inlet: 1/4";  
Working pressure: 0 - 8bar;  
Manometer range: 0 - 10bar,

EAN 8606104032262

Shipp. package (cm): 31 × 35 × 65  
No. of Items in shipp. package: 40



### VAT PS 7 GREASE GUN

No. 011653

Inlet: 1/4";  
Volume: 400ml.

EAN 8606012801370

Shipp. package (cm): 37 × 37 × 40  
No. of Items in shipp. package: 10



### VAT DS 8 GREASE GUN

No. 011652

Inlet: 1/4"

EAN 8606012801400

Shipp. package (cm): 36 × 36 × 65  
No. of Items in shipp. package: 24



Villager



**VAT MF 9  
COMPRESSOR AIR FILTER**

No. 011654

Inlet: 1/4";  
Max pressure: 10 bar.

EAN 8606012801356

Shipp. package (cm): 30 × 38 × 52  
No. of Items in shipp. package: 50



**VAT MF 10  
COMPRESSOR AIR FILTER**

No. 019013

Inlet: 1/4";  
Max pressure: 10 bar.

EAN 8606012801349

Shipp. package (cm): 24 × 38 × 40  
No. of Items in shipp. package: 10



**VAT MF 5  
PRESSURE REGULATOR**

No. 019014

Inlet: 1/4";  
Max pressure: 8 bar.

EAN 8606012801332

Shipp. package (cm): 13 × 28 × 32  
No. of Items in shipp. package: 50



**VAT UQ 1  
UNIVERSAL COUPLING**

No. 008000

Inlet: 1/2";  
Max pressure: 10 bar.

EAN 8606012801417

Shipp. package (cm): 28 × 22 × 35  
No. of Items in shipp. package: 100



**VAT UQ 3 SET 2/1  
UNIVERSAL COUPLING**

No. 067081

Inlet: 3/8";  
Max pressure: 10 bar.

EAN 8606012801424

Shipp. package (cm): 18 × 22 × 32  
No. of Items in shipp. package: 100



**VAT UQ 4 SET 2/1  
UNIVERSAL COUPLING**

No. 062834

Inlet: 1/4";  
Max pressure: 10 bar.

EAN 8606012801431

Shipp. package (cm): 18 × 22 × 32  
No. of Items in shipp. package: 100



**VAT PU 007  
PNEUMATIC HOSE**

No. 009909

Inlet: 3/8", 1/4";  
Max pressure: 15 bar.  
Length: 10 m

EAN 8606012807433

Shipp. package (cm): 40 × 35 × 40  
No. of Items in shipp. package: 20



**VAT PU 001 5M  
PNEUMATIC HOSE**

No. 008002

Inlet: 3/8", 1/4";  
Max pressure: 8 bar.  
Length: 5 m

EAN 8606104032552

Shipp. package (cm): 43 × 35 × 43  
No. of Items in shipp. package: 50



**VAT PU 001 10M  
PNEUMATIC HOSE**

No. 009102

Inlet: 3/8", 1/4";  
Max pressure: 8 bar.  
Length: 10 m

EAN 8606012804203

Shipp. package (cm): 43 × 35 × 43  
No. of Items in shipp. package: 25



NEW



**BVS 8  
ELECTRIC CHAINSAW**

No. 077812

Brushless motor 350 W;  
Battery type: Li-ion, 4Ah, 21V;  
Max. Cutting diameter: 20 cm;  
Guide bar: 24.5cm, 1/4, 1.1 mm;  
Chain: 1/4, 1.1mm, 23.5 teeth;  
Chain speed: 12 m/s;  
Working time: 1 h; Weight: 2 kg.

**Features:**  
Automatic oil pump, Display,  
2 × 4Ah Li-ion battery,  
Charger 1.4A.

EAN 8605032634395

Shipp. package (cm): 54 × 30 × 14  
No. of Items in shipp. package: 5



**VBP 20  
ELECTRIC SHEARS**

No. 068244

Battery type: Li-ion, 2Ah, 14.4V;  
Max. Cutting diameter: 25 mm;  
Blade material: Steel SK 5 (Japanese);  
Working time: 3 h (25 mm branch);  
Weight: 0.9 kg.

**Features:**  
2 × 2Ah Li-ion battery,  
battery charger,  
plastic case.

EAN 8605032618531

Shipp. package (cm): 30.5 × 32 × 9.5  
No. of Items in shipp. package: 5



**VBP 7.0  
ELECTRIC SHEARS**

No. 077811

Battery type: Li-ion, 3Ah, 7.2V;  
Max. Cutting diameter: 22 mm;  
Blade material: SK5 Steel with Teflon paint;  
Working time: 30 -35 min (22 mm branch);  
Weight: 0.75 kg.

**Features:**  
Li-ion battery,  
Charger 1.4A.

EAN 8605032634388

Shipp. package (cm): 30 × 14.5 × 6  
No. of Items in shipp. package: 5



**VBP 4.0  
ELECTRIC SHEARS**

No. 072580

Battery type: Li-ion, 2Ah, 3.6V;  
Max. Cutting diameter: 12 mm;  
Blade material: SK5 Steel with Teflon paint;  
Working time: 30 min (12 mm branch);  
Weight: 0.92 kg.

**Features:**  
Integral Li-ion battery,  
Charging cabel.

EAN 8605032620466

Shipp. package (cm): 30 × 11 × 6.5  
No. of Items in shipp. package: 12

Pruning and looping shears are a type of scissors for use on plants. They are strong enough to prune hard branches of trees and shrubs, sometimes up to 3 centimeters thick. They are used in gardening, agriculture, plant nursery works, farming, flower arranging, and nature conservation, where fine-scale habitat management is required.



**PS 100 DOUBLE CUT PRUNING SHEAR**

No. 062633

Length: 200mm; Weight: 320g; Cutting diameter: 25mm; Blade material: C60 Steel; Grip: Classic; Grip material: Steel

EAN 8605032614915

Pcs. per shipp. box: 100



**PS 101 PRUNING SHEAR**

No. 011296

Length: 200mm; Weight: 345g; Cutting diameter: 12mm; Blade material: Steel 55; Grip: Classic; Grip material: Steel

EAN 8606104853546

Pcs. per shipp. box: 48



**PS 102 PRUNING SHEAR**

No. 020175

Length: 200mm; Weight: 232g; Cutting diameter: 5mm; Blade material: Steel 65 Mn; Grip: Classic; Grip material: Steel

EAN 8606012802568

Pcs. per shipp. box: 48



**PS 103 PRUNING SHEAR**

No. 023238

Length: 175mm; Weight: 250g; Cutting diameter: 6mm; Blade material: Steel 65 Mn; Grip: Classic; Grip material: Steel

EAN 86060212803350

Pcs. per shipp. box: 48



**PS 105 PRUNING SHEAR**

No. 023239

Length: 225mm; Weight: 310g; Cutting diameter: 12mm; Blade material: Steel 65 Mn; Grip: Classic; Grip material: Steel

EAN 8606012803343

Pcs. per shipp. box: 48



**PS 110 PRUNING SHEAR**

No. 073272

Length: 200mm; Weight: 311g; Cutting diameter: 12mm; Blade material: Steel 55; Grip: Classic; Grip material: Wooden

EAN 8605032620732

Pcs. per shipp. box: 48



**PS 107 PRUNING SHEAR**

No. 008023

Length: 200mm; Weight: 220g; Cutting diameter: 5mm; Blade material: Steel 55; Grip: Classic; Grip material: Steel

EAN 8606104032064

Pcs. per shipp. box: 48



**PS 123 PRUNING SHEAR**

No. 037901

Length: 210mm; Weight: 339g; Cutting diameter: 12mm; Blade material: Steel 65 Mn; Grip: Classic; Grip material: Steel

EAN 8605032601687

Pcs. per shipp. box: 48





**NEW**



**LS 206  
LOPPING SHEAR**

No. 082447

Blade: 65MN, teflon  
Handle: Aluminium tube+PP+TPR  
Cutting diameter: 35 mm

EAN 8605032636108

Pcs. per shipp. box: 6



**PS 104  
PRUNING SHEAR**

No. 008022

Length: 200mm; Weight:  
353g; Cutting diameter: 8mm;  
Blade material: Steel 65 Mn;  
Grip: Classic;  
Grip material: Steel

EAN 86060104032071

Pcs. per shipp. box: 48



**LS 127  
LOPPING SHEAR**

No. 050900

Length: 820mm; Weight: 1289g;  
Cutting diameter: 45mm;  
Blade material: Steel Cr-V;  
Grip: Classic;  
Grip material: Aluminium

EAN 8605032608853

Pcs. per shipp. box: 10



**LS 128  
LOPPING SHEAR**

No. 055319

Length: 820mm; Weight: 1680g;  
Cutting diameter: 30mm;  
Blade material: Steel Cr-V;  
Grip: Classic;  
Grip material: Aluminium

EAN 8605032610504

Pcs. per shipp. box: 10

**NEW**



**PS 200  
PRUNING SHEAR**

No. 082441

Blade: SK5, teflon  
Handle: PP  
Cutting diameter: 20 mm

EAN 8605032636054

Pcs. per shipp. box: 48

**NEW**



**PS 201  
PRUNING SHEAR**

No. 082442

Blade: SK5, teflon  
Handle: PP  
Cutting diameter: 20 mm

EAN 8605032636054

Pcs. per shipp. box: 48

**NEW**



**PS 202  
PRUNING SHEAR**

No. 082443

Blade: SK5, teflon  
Handle: Aluminium+PVC  
Cutting diameter: 20 mm

EAN 8605032636061

Pcs. per shipp. box: 48

**NEW**



**PS 203  
PRUNING SHEAR**

No. 082444

Blade: SK5, teflon  
Handle: Aluminium  
Cutting diameter: 20 mm

EAN 8605032636078

Pcs. per shipp. box: 48



**LS 111  
LOPPING SHEAR**

No. 008015

Length: 750mm; Weight: 1551g;  
Cutting diameter: 30mm;  
Blade material: Steel 65 Mn;  
Grip: Classic;  
Grip material: Steel

EAN 8606104032132

Pcs. per shipp. box: 10




**LS 108  
LOPPING SHEAR**

No. 008016

Length: 725mm; Weight: 1554g;  
Cutting diameter: 30mm;  
Blade material: Steel 65 Mn;  
Grip: Classic;  
Grip material: Steel

EAN 8606104032101

Pcs. per shipp. box: 10



**LS 109  
LOPPING SHEAR**

No. 008013

Length: 670 - 920mm; Weight: 1878g;  
Cutting diameter: 30mm;  
Blade material: Steel 65 Mn;  
Grip: Telescopic;  
Grip material: Steel

EAN 8606104032118

Pcs. per shipp. box: 10




**HS 116  
HEDGE SHEAR**

No. 029682

Length: 675 - 875mm; Weight: 1792g;  
Cutting diameter: 5mm;  
Blade material: Steel 65 Mn;  
Grip: Telescopic;  
Grip material: Steel

EAN 8606012806061

Pcs. per shipp. box: 10



**LS 112  
LOPPING SHEAR**

No. 005724

Length: 690 - 920mm; Weight: 1949g;  
Cutting diameter: 30mm;  
Blade material: Steel 65 Mn;  
Grip: Telescopic;  
Grip material: Steel

EAN 8606104032125

Pcs. per shipp. box: 10



**LS 124  
LOPPING SHEAR**

No. 037902

Length: 670 - 920mm; Weight: 1734g;  
Cutting diameter: 42mm;  
Blade material: Steel 55;  
Grip: Telescopic;  
Grip material: Steel

EAN 8605032601922

Pcs. per shipp. box: 10



**HS 115  
HEDGE SHEAR**

No. 023313

Length: 650mm; Weight: 1338g;  
Cutting diameter: 5mm;  
Blade material: Steel 65 Mn;  
Grip: Classic;  
Grip material: Steel

EAN 8606012803367

Pcs. per shipp. box: 10



**TP 118  
TELESCOPIC PRUNER**

No. 008017

Length: 1520 - 2600 mm;  
Weight: 2100g;  
Cutting diameter: 20mm;  
Blade material: Steel 65 Mn;  
Grip: Telescopic;  
Grip material: Steel

EAN 8606104032163

Pcs. per shipp. box: 6



**TP 119  
TELESCOPIC PRUNER**

No. 055320

Length: 1520 - 2600 mm;  
Weight: 1370g;  
Cutting diameter: 20mm;  
Blade material: Steel 65 Mn;  
Grip: Telescopic;  
Grip material: Aluminium

EAN 8605032610511

Pcs. per shipp. box: 6



**TP 120  
TELESCOPIC PRUNER**

No. 060387

Length: 2200 - 5000 mm;  
Weight: 2600g;  
Cutting diameter: 25mm;  
Blade material: Steel 65 Mn;  
Grip: Telescopic;  
Grip material: Aluminium

EAN 8605032612690

Pcs. per shipp. box: 6



**GS 119  
GARDEN SAW**

No. 011282

Length: 350mm; Weight: 240g;  
Cutting diameter: 100mm;  
Blade material: Steel 65 Mn;  
Grip: Classic;  
Grip material: Plastic

EAN 8606104853508

Pcs. per shipp. box: 72

**GK 122  
GRAFTING KNIFE**

No. 011299

Length: 200mm; Weight: 120g;  
Blade material: Stainless Steel;  
Grip: Folding;  
Grip material: Wooden

EAN 8606104853539

Pcs. per shipp. box: 120



**NEW**

**GF 204  
GARDEN FORK**

No. 082445

Aluminium+PP+TPR

EAN 8605032636085

Pcs. per shipp. box: 6



**GS 120  
GARDEN SAW**

No. 011281

Length: 165mm; Weight: 350g;  
Cutting diameter: 100mm;  
Blade material: Steel 65 Mn;  
Grip: Folding;  
Grip material: Plastic

EAN 8606104853515

Pcs. per shipp. box: 60

**GT 121  
GRAFTING TOOL**

No. 060388

Length: 200mm; Weight: 200g;  
Cutting diameter: 10mm;  
Blade material: Steel 65 Mn;  
Grip: Classic;  
Grip material: Plastic

EAN 8605032613901

Pcs. per shipp. box: 20



**NEW**

**GS 205  
GARDEN FORK**

No. 082446


Aluminium+PP+TPR

EAN 8605032636092

Pcs. per shipp. box: 6



Whether they are used for splitting logs or thin branches, these axes are an absolute must-have for the winter! You have found the best!



**FORESTRY PICK AX**

No. 022050

Length: 500mm;  
Weight: 600g;  
Grip material: Wooden.

EAN 3830007830761

Pcs. per shipp. box: 5



**CARPENTRY AX**

No. 022042

Length: 390mm;  
Weight: 800g;  
Grip material: Wooden.

EAN 3830007830594

Pcs. per shipp. box: 25



**UNIVERSAL AX 1.5 KG**

No. 022048

Length: 900mm;  
Weight: 1500g;  
Grip material: Wooden.

EAN 3830007830563

Pcs. per shipp. box: 5



**UNIVERSAL AX 2 KG**

No. 022049

Length: 950mm;  
Weight: 2000g;  
Grip material: Wooden.

EAN 3830007830570

Pcs. per shipp. box: 5



**LOG SPLITTER 2 KG**

No. 022041

Length: 800mm;  
Weight: 2000g;  
Grip material: Wooden.

EAN 3830007830587

Pcs. per shipp. box: 5



**LOG SPLITTER 3 KG**

No. 022047

Length: 950mm;  
Weight: 3000g;  
Grip material: Wooden.

EAN 3830007830754

Pcs. per shipp. box: 5





**DRILL TOOL HOLDER  
JOBSITE 1011**

No. 064235

Ergonomic belt holder, for handheld tools and cordless drill or driver.

EAN 8605032615646

Pcs. per shipp. box: 40



**TOOL HOLDER  
JOBISTE 1012**

No. 064236

Ergonomic belt holder for handheld tools.

EAN 8605032615653

Pcs. per shipp. box: 28



**DOUBLE POUCH WORK  
JOBSITE 2001**

No. 067970

Ergonomic double pouch work belt body with envelopes. Fit all the Europe hammer. Double layer material, no stuff.

EAN 8605032618487

Pcs. per shipp. box: 20



**TOOL BAG 40 CM  
JOBSITE 4006**

No. 064237

Mid sized handheld tool bag designed for tool carrying.

EAN 8605032615660

Pcs. per shipp. box: 20



**TOOL BAG 40 CM  
JOBISTE 4047**

No. 064238

Full size handheld tool bag, with wheels, designed for heavy tool carrying.

EAN 8605032615677

Pcs. per shipp. box: 6



**BACKPACK 45 CM  
JOBSITE 5021**

No. 067972

Backpack with hard base, consist 3 outer side pockets with one laptop pocket within and hard base.

EAN 8605032618500

Pcs. per shipp. box: 4



**TOOL BAG 45 CM  
JOBSITE 5018**

No. 067969

Tool bag polyester body material, with reinforcing board inside. Back pockets and draw bar of luggage case.

EAN 8605032618494

Pcs. per shipp. box: 4



**TOOL BAG 64 CM WITH  
WHEELS JOBSITE 6498**

No. 064239

Full size handheld tool bag, with wheels, designed for heavy tool carrying.

EAN 8605032615684

Pcs. per shipp. box: 4



**PROTECTIVE GLASSES  
VSG 3**

No. 034008

Red frame with transparent ocular. Material: polycarbonate frame + ocular.

EAN 8606012808164

Pcs. per shipp. box: 100



**PROTECTIVE GLASSES  
VSG 18**

No. 067084

Black frame with transparent ocular. Material: polycarbonate frame + ocular.

EAN 8605032617558

Pcs. per shipp. box: 100



**PROTECTIVE GLASSES  
VSG 17**

No. 067083

White frame with transparent ocular. Material: polycarbonate frame + ocular.

EAN 8605032617541

Pcs. per shipp. box: 100



**FOREST RANGER  
HELMET VFH 19**

No. 056395

Face protection, Earmuffs, Neck protection, Scope adjustment.

EAN 8605032611372

Pcs. per shipp. box: 4



**FACE PROTECTION  
VFS 15**

No. 038146

Splinter protection, Dust protection, Scope adjustment, PC material.

EAN 8605032602424

Pcs. per shipp. box: 20



**FACE PROTECTION  
VFS 20**

No. 060718

Splinter protection, Dust protection, Scope adjustment, Mesh+PC material.

EAN 8605032614861

Pcs. per shipp. box: 20



**FACE PROTECTION  
VFS 142**

No. 034019

Splinter protection, Scope adjustment, Mesh material.

EAN 8606012808270

Pcs. per shipp. box: 20



**WELDING MASKS  
ECLIPSE**

No. 056228

Glass size: 110 × 90mm; Darkened condition: DIN 11; Illuminated condition: DIN 11; Darkening type: manual.

EAN 8605032611242

Pcs. per shipp. box: 16



**WELDING MASKS  
ECLIPSE +**

No. 056229

Glass size: 90 × 35mm; Darkened condition: DIN 3; Illuminated condition: DIN 11; Darkening type: automatic; Darkening time: 1 / 5000s.

EAN 8605032611259

Pcs. per shipp. box: 16



**WELDING MASKS  
ECLIPSE PRO**

No. 054632

Glass size: 94 × 42mm; Darkened condition: DIN 4; Illuminated condition: DIN 9-13; Darkening type: automatic, adjustable; Darkening time: 1 / 25000s.

EAN 8605032610375

Pcs. per shipp. box: 16

## BIB PANTS

Material: 65% polyester, 35% cotton.  
Protect against surface mechanical influences.

No.	EAN
S: 077908	S: 8605032634487
M: 077909	M: 8605032634494
L: 077910	L: 8605032634500
XL: 077911	XL: 8605032634517
XXL: 077912	XXL: 8605032634524
XXL: 077913	XXL: 8605032634531



## KNEE PROTECTION VKP 14

No. 034014

Protection against small stones and similar object. Material: PVC, polyester, gel.

EAN 8606012808225

Pcs. per shipp. box: 12



## WORK JACKET VFJ 15

No. L: 038149;  
XL: 038150;  
XXL: 038151

Material: 100% polyester.  
Front lower made from Kevlar.

EAN L: 8605032602387;  
XL: 8605032609539;  
XXL: 8605032609546



## WORK GLOVES VWG 15

No. 7: 067385; 8: 067386;  
9: 067387; 10: 067388

Material: synthetic leather, spandex. Gripping part material: silicone printed, non-slippery. Reinforced material on finger area.

EAN 7: 8605032618074;  
8: 8605032618081;  
9: 8605032618098;  
10: 8605032618104



## PROTECTIVE GLOVES VPG 14

No. 9: 034017; 10: 035404;  
11: 035405; 12: 035406

Gripping part material: cow skin. Left hand protection (0-20m/s). Frontal glove part is reinforced to prevent the laceration.

EAN 9: 8606012808256;  
10: 8606012809352;  
11: 8606012809369;  
12: 8606012809376



## WORK JACKET VWJ 16

No. L: 041419;  
XL: 041831;  
XXL: 041832

Material: 100% polyester.  
Front lower made from Kevlar.

EAN L: 8605032603643;  
XL: 8605032609911;  
XXL: 8605032609928



## WORK GLOVES VWG 17

No. 9: 046923; 10: 047715;  
11: 047716; 12: 047717

Material: synthetic leather, spandex. Gripping part material: silicone printed, non-slippery material. Reinforced material on finger area.

EAN 9: 8605032606743;  
10: 8605032607283;  
11: 8605032607290;  
12: 8605032607306



## PROTECTIVE GLOVES VPG 15

No. 9: 038137; 10: 038138;  
11: 038139; 12: 038140

Gripping part material: cow skin. Left hand protection (0-20m/s). Frontal glove part is reinforced to prevent the laceration.

EAN 9: 8605032602417;  
10: 8605032609508;  
11: 8605032609515;  
12: 8605032609522



## PROTECTIVE TROUSERS VPT 15

No. L: 038154; XL: 038153;  
XXL: 038152

Material: 100% polyester, 9 layers, laceration resilient. Protection class: 0-20 m/s. Front lower made from Kevlar.

EAN L: 8605032609553;  
XL: 8605032609560;  
XXL: 8605032602394



## WORK TROUSERS VWT 16

No. L: 041422; XL: 041829;  
XXL: 041830

Material: 100% polyester.  
Front lower made from Kevlar.

EAN L: 8605032603636;  
XL: 8605032609935;  
XXL: 8605032609942




## PROTECTIVE COVER VBT 17


No. 046922

Protective cover designed for work with brush cutters. Polyester + PVC coated trousers.

EAN 8605032606736



# JUST WORK



**NYLON HEAD  
BC 171**

No. 046931

Bump-N-Work, Easy load, With nylon line; Type: Semi-pro.

EAN 8605032606682

Pcs. per shipp. box: 40



**NYLON HEAD  
BC 211 ALU KNOB**

No. 068403

Bump-N-Work, Easy load, With nylon line; Type: Semi-pro.

EAN 8605032618791

Pcs. per shipp. box: 40



**NYLON HEAD  
BC 152 109MM**

No. 038148

Bump-N-Work, Rotate knob, With nylon line; Type: Semi-pro.

EAN 8605032602509

Pcs. per shipp. box: 40



**NYLON HEAD  
BC 172 130MM**

No. 046929

Bump-N-Work, Rotate knob, With nylon line; Type: Semi-pro.

EAN 8605032606651

Pcs. per shipp. box: 40



**NYLON HEAD  
BC 14**

No. 026480

Bump-N-Work, With nylon line; Type: Semi-pro.

EAN 8607000042201

Pcs. per shipp. box: 50



**NYLON HEAD  
BC 15**

No. 031555

Bump-N-Work, With nylon line; Type: Semi-pro.

EAN 8605032602486

Pcs. per shipp. box: 50



**NYLON HEAD  
BC 172 ALU 109MM**

No. 046928

Bump-N-Work, Rotate knob, With nylon line; Type: Semi-pro.

EAN 8605032606668

Pcs. per shipp. box: 40



**NYLON HEAD  
BC 173 ALU 130MM**

No. 046930

Bump-N-Work, Rotate knob, With nylon line; Type: Semi-pro.

EAN 8605032606675

Pcs. per shipp. box: 40





**NYLON HEAD  
JS 2**

No. 073960

With Saw Duo Core nylon line;  
Type: Pro.

EAN 8605032633312

Pcs. per shipp. box: 20



**NYLON HEAD  
JS 4**

No. 073961

With Saw Duo Core nylon line;  
Type: Pro.

EAN 8605032633329

Pcs. per shipp. box: 20



**NYLON  
SAW DUO CORE**

No. 074390

Saw Duo Core nylon line;  
3.0mm X 30cm.

EAN 8605032633336

Pcs. per shipp. box: 20



**NYLON HEAD  
BC 212 130MM**

No. 067297

Bump-N-Work, With nylon  
line; Type: Semi-pro.

EAN 8605032618067

Pcs. per shipp. box: 20



**TRIMMER BLADE  
VB 2T**

No. 073577

4mm thickness. Central hole  
25.4mm; Type: Semi-pro.

EAN 8605032632919

Pcs. per shipp. box: 50



**TRIMMER BLADE  
VB 8T**

No. 046934

Central hole 25.4mm;  
Type: Semi-pro.

EAN 8605032606699

Pcs. per shipp. box: 50



**CIRCULAR BLADE  
VCS 24**

No. 048136

Central hole 25.4mm;  
Type: Semi-pro.

EAN 8605032609447

Pcs. per shipp. box: 25



**NYLON HEAD  
BC 175 109MM**

No. 046933

Bump-N-Work, With nylon  
line; Type: Pro.

EAN 8605032606712

Pcs. per shipp. box: 20



**NYLON HEAD  
BC 174 130MM**

No. 046932

Bump-N-Work, With nylon  
line; Type: Pro.

EAN 8605032606705

Pcs. per shipp. box: 20



**TRIMMER BLADE  
3T**

No. 051315

1.4mm thickness. Central  
hole 25.4mm; Type: Semi-pro.

EAN 8605032609461

Pcs. per shipp. box: 50



**TRIMMER BLADE  
VB 3T**

No. 051314

2.5mm thickness. Central  
hole 25.4mm; Type: Semi-pro.

EAN 8605032609454

Pcs. per shipp. box: 50



**NYLON HEAD  
BC 185 109MM**

No. 051524

Bump-N-Work, Easy load,  
With nylon line; Type: Pro.

EAN 8605302609751

Pcs. per shipp. box: 20



**NYLON HEAD  
BC 184 130MM**

No. 051523

Bump-N-Work, Easy load,  
With nylon line; Type: Pro.

EAN 8605302609744

Pcs. per shipp. box: 20



**CIRCULAR BLADE  
VCS 80**

No. 030956

Central hole 25.4mm;  
Type: Semi-pro.

EAN 8606012807464

Pcs. per shipp. box: 50



**NEW**

**TRIMMER BLADE  
VCS 40T**

No. 082525

Central hole 25.4mm;  
Type: Semi-pro.


EAN 8605032636405

Pcs. per shipp. box: 50

## LOW GRASS



## HEAVY GRASS & WEEDS



## DRY VEGETATION ON ROCKY GROUND



## BRAMBLES



## ORANGE LINE NYLON



Quality round nylon for demanding users. Standard round shape nylon provides exceptional work comfort.

Item	Package	Diameter	Length	No.	EAN	Transport package
Round	Coil 15 m	1.3 mm	15 m	034042	8606012808423	160 pcs
Round	Coil 15 m	2.0 mm	15 m	034043	8606012808430	160 pcs
Round	Coil 15 m	2.4 mm	15 m	034044	8606012808447	160 pcs
Round	Coil 15 m	2.7 mm	15 m	034045	8606012808454	pcs 160
Round	Coil 15 m	3.0 mm	15 m	034046	8606012808461	160 pcs
Round	Blister 1 LB	2.4 mm	86 m	038155	8605032602516	30 pcs
Round	Blister 1 LB	2.7 mm	68 m	038156	8605032602523	30 pcs
Round	Blister 1 LB	3.0 mm	55 m	038157	8605032602530	30 pcs
Round	Sheave 5 LB	2.4 mm	430 m	048161	8606012808478	4 pcs
Round	Sheave 5 LB	2.7 mm	340 m	048162	8606012808485	4 pcs
Round	Sheave 5 LB	3.0 mm	276 m	048163	8606012808492	4 pcs
Round	Sheave 20 LB	2.4 mm	1720 m	048164	8606012808508	2 pcs
Round	Sheave 20 LB	2.7 mm	1360 m	048165	8606012808515	2 pcs
Round	Sheave 20 LB	3.0 mm	1104 m	048166	8606012808522	2 pcs

## RED LINE NYLON



Excellent quality square nylon for demanding users. Square shape nylon provides exceptional work comfort, great performance and clean edges.

Item	Package	Diameter	Length	No.	EAN	Transport package
Square	Blister 15 m	2.4 mm	15 m	034053	8606012808539	160 pcs
Square	Blister 15 m	2.7 mm	15 m	034054	8606012808546	160 pcs
Square	Blister 15 m	3.0 mm	15 m	034055	8606012808553	160 pcs
Square	Blister 1 LB	2.4 mm	78 m	048167	8606012808560	30 pcs
Square	Blister 1 LB	2.7 mm	62 m	048168	8606012808577	30 pcs
Square	Blister 1 LB	3.0 mm	52 m	034058	8606012808584	30 pcs
Square	Sheave 5 LB	2.4 mm	390 m	048169	8606012808591	4 pcs
Square	Sheave 5 LB	2.7 mm	310 m	048170	8606012808607	4 pcs
Square	Sheave 5 LB	3.0 mm	261 m	034061	8606012808614	4 pcs
Square	Sheave 20 LB	2.4 mm	1560 m	048171	8606012808621	2 pcs
Square	Sheave 20 LB	2.7 mm	1240 m	048172	8606012808638	2 pcs
Square	Sheave 20 LB	3.0 mm	1007 m	048173	8606012808645	2 pcs

## DUO CORE ROUND NYLON



Duo core round trimmer line combines two materials with different physical properties. Tough skin with outstanding resistance to abrasion. High tenacity core with high resistance to breakage and welding. Compatible with Petrol Strimmer's and Trimmers.

Item	Package	Diameter	Length	No.	EAN	Transport package
Duo core Round	Blister 15 m	2.0 mm	15 m	068378	8605032618548	120 pcs
Duo core Round	Blister 15 m	2.4 mm	15 m	068379	8605032618555	120 pcs
Duo core Round	Blister 15 m	2.7 mm	15 m	068380	8605032618562	120 pcs
Duo core Round	Blister 15 m	3.0 mm	15 m	068381	8605032618579	120 pcs
Duo core Round	Blister 1 LB	2.4 mm	86 m	068382	8605032618586	30 pcs
Duo core Round	Blister 1 LB	2.7 mm	68 m	068383	8605032618593	30 pcs
Duo core Round	Blister 1 LB	3.0 mm	55 m	068384	8605032618609	30 pcs
Duo core Round	Sheave 5 LB	2.4 mm	430 m	068385	8605032618616	4 pcs
Duo core Round	Sheave 5 LB	2.7 mm	340 m	068386	8605032618623	4 pcs
Duo core Round	Sheave 5 LB	3.0 mm	277 m	068387	8605032618630	4 pcs
Duo core Round	Sheave 20 LB	2.4 mm	1720 m	068388	8605032618647	2 pcs
Duo core Round	Sheave 20 LB	2.7 mm	1360 m	068389	8605032618654	2 pcs
Duo core Round	Sheave 20 LB	3.0 mm	1108 m	068390	8605032618661	2 pcs

## DUO CORE SQUARE NYLON



Duo core square trimmer line combines two materials with different physical properties. Tough skin with outstanding resistance to abrasion. High tenacity core with high resistance to breakage and welding. Compatible with Petrol Strimmer's and Trimmers.

Item	Package	Diameter	Length	No.	EAN	Transport package
Duo core Square	Blister 15 m	2.4 mm	15 m	068391	8605032618678	120 pcs
Duo core Square	Blister 15 m	2.7 mm	15 m	068392	8605032618685	120 pcs
Duo core Square	Blister 15 m	3.0 mm	15 m	068393	8605032618692	120 pcs
Duo core Square	Blister 1 LB	2.4 mm	78 m	068394	8605032618708	30 pcs
Duo core Square	Blister 1 LB	2.7 mm	62 m	068395	8605032618715	30 pcs
Duo core Square	Blister 1 LB	3.0 mm	50 m	068396	8605032618722	30 pcs
Duo core Square	Sheave 5 LB	2.4 mm	390 m	068397	8605032618739	4 pcs
Duo core Square	Sheave 5 LB	2.7 mm	310 m	068398	8605032618746	4 pcs
Duo core Square	Sheave 5 LB	3.0 mm	260 m	068399	8605032618753	4 pcs
Duo core Square	Sheave 20 LB	2.4 mm	1560 m	068400	8605032618760	2 pcs
Duo core Square	Sheave 20 LB	2.7 mm	1240 m	068401	8605032618777	2 pcs
Duo core Square	Sheave 20 LB	3.0 mm	1007 m	068402	8605032618784	2 pcs

Villager oils are perfectly aligned with the technique of our products.

Those motor oils were developed specifically for the high demands of the motor units, characterized by excellent lubrication properties.

We have universal semi-synthetic oils for two-stroke engines, with integrated fuel stabilizer – FUEL FRESH, also special high performance oil for 4 stroke engines and universal mineral chain oil with special addition of lubricants.



**2-STROKE OIL  
100 ML**

No. 050008

Universal semi-synthetic oil. With integrated fuel stabilizer "Fuel fresh".

EAN 8605032605104

Pcs. per shipp. box: 50



**2-STROKE OIL  
1 L BOTTLE**

No. 056495

Universal semi-synthetic oil. With integrated fuel stabilizer "Fuel fresh".

EAN 8605032611754

Pcs. per shipp. box: 10



**2-STROKE OIL  
1 L DOSER**

No. 060717

Universal semi-synthetic oil. With integrated fuel stabilizer "Fuel fresh".

EAN 8605032614007

Pcs. per shipp. box: 12



**2-STROKE OIL  
200 L**

No. 056496

Universal semi-synthetic oil. With integrated fuel stabilizer "Fuel fresh".

EAN 8605032611761

Pcs. per shipp. box: 1



**CHAINOL MINERAL  
CHAIN OIL 1 L**

No. 056498

Universal mineral chain oil with special additive for lubricating.

EAN 8605032611785

Pcs. per shipp. box: 10



**CHAINOL MINERAL  
CHAIN OIL 3 L**

No. 066997

Universal mineral chain oil with special additive for lubricating.

EAN 8605032617305

Pcs. per shipp. box: 4



**CHAINOL MINERAL  
CHAIN OIL 5 L**

No. 056499

Universal mineral chain oil with special additive for lubricating.

EAN 8605032611792

Pcs. per shipp. box: 4



**CHAINOL MINERAL  
CHAIN OIL 205 L**

No. 056500

Universal mineral chain oil with special additive for lubricating.

EAN 8605032611808

Pcs. per shipp. box: 1



### CLEANER DEGREASER SPRAY 500 ML

No. 056502

High-pressure, flushing action  
cleans braking systems.

EAN 8605032611822

Pcs. per shipp. box: 12



### OIL FOR SHEEP SHEARING MACHINES

No. 071686

Volume: 500 ml.

EAN 8605032619699

Pcs. per shipp. box: 12



### OIL CHANGE KIT

No. 050940

Contains: Funnel, syringe 100  
ml, microfiber towel 30cm x  
30cm.

EAN 8605032608815

Pcs. per shipp. box: 12



### MIXING BOTTLE 1L

No. 056402

For easy mixing and filling of  
smaller fuel amounts up to 1 l.

EAN 8605032611686

Pcs. per shipp. box: 35



### 4-STROKE OIL SAE30 - 600 ML

No. 056497

Oil for 4 - stroke engines,  
for all conditions.

EAN 8605032611778

Pcs. per shipp. box: 10



### 4-STROKE SNOW THROWER OIL 600 ML

No. 056264

4 - stroke oil, made for low  
temperature conditions.

EAN 8605032611334

Pcs. per shipp. box: 10



### AIR COMPRESSOR OIL 600 ML

No. 056265

Special high performance oil  
for Air Compressors.

EAN 8605032611341

Pcs. per shipp. box: 10



### HYDROVILL HD 46 HY- DRAULIC OIL 10 L

No. 056266

Industrial hydraulic oil, ideal  
for both factory and vehicle  
use.

EAN 8605032611358

Pcs. per shipp. box: 1

NEW



### TESTEROL MINERAL CHAIN OIL 1 L

No. 079281

Universal mineral  
chain oil lubricating.

EAN 8605032634708

Pcs. per shipp. box: 10

NEW



### TESTEROL MINERAL CHAIN OIL 3 L

No. 079282

Universal mineral  
chain oil lubricating.

EAN 8605032634715

Pcs. per shipp. box: 10

NEW



### TESTEROL MINERAL CHAIN OIL 5 L

No. 079283

Universal mineral  
chain oil lubricating.

EAN 8605032634722

Pcs. per shipp. box: 10



### MULTI PURPOSE GREASE 120 ML TUBE

No. 056501

Multi usage grease for garden  
machines and power tools.

EAN 8605032611815

Pcs. per shipp. box: 20

Villager

Villager

www.villager-cools.com



### SINGLE HARNESS SH 2018

No. 051323

Single harness for petrol brushcutter with orange details.

EAN 8605032609492

Pcs. per shipp. box:



### ERGONOMIC HARNESS EH 2013

No. 020859

Ergonomic harness for petrol brushcutter with orange details.

EAN 8605032603674

Pcs. per shipp. box:



### PROFESSIONAL HARNESS SH 2018

No. 041425

Professional harness for petrol brushcutter with orange details.

EAN 8605032603681

Pcs. per shipp. box: 25



### CHAIN SAW MAT VCH 18

No. 051050

Chain saw base holder.

EAN 8605032609485

Pcs. per shipp. box: 10



### HARDWOOD FILE HANDLE

No. 056403

Suitable to use with draper files and other files.

EAN 8605032611693

Pcs. per shipp. box: 200



### PROTECTIVE LAWN-MOWER COVER

No. 051455

Protective storage cover for lawnmowers.

EAN 8605032609690

Pcs. per shipp. box: 10



### PROTECTIVE RIDE ON MOWER COVER

No. 053539

Protective storage cover for ride on mowers.

EAN 8605032611716

Pcs. per shipp. box: 20



### LOADING RAMP ALUMINIUM

No. 070282

Max load: 650kg; Max load per ramp: 325kg; Length: 2.25m; Width: 28.5cm.

EAN 8605032619514

Pcs. per shipp. box: 1



## NEW GENERATION CUTTING SYSTEM



# TEC™



Item	No.	Size	Step	Teeth	EAN	Transport package
VLGB12-50EA041	076078	30 cm	3/8, 1.3 mm	22.5	8605032633817	10 pcs
VLGB14-50EA041	076079	35 cm	3/8, 1.3 mm	26.5	8605032633824	10 pcs
VLGB16-50EA041	076080	40 cm	3/8, 1.3 mm	28.5	8605032633831	10 pcs
VLGB18-58BK095	076081	45 cm	325, 1.5 mm	36	8605032633848	10 pcs
VLGB18-58HD009	076082	45 cm	3/8, 1.5 mm	34	8605032633855	10 pcs
VLGB15-58BK095	081149	38 cm	325, 1.3 mm	32	8605032635262	10 pcs
VLGB15-50BK095	081150	38 cm	325, 1.3 mm	32	8605032635279	10 pcs
VLGB18-50BK095	081151	43 cm	325, 1.3 mm	36	8605032635286	10 pcs
VLGB17-58HD009	081152	30 cm	3/8, 1.5 mm	22	8605032635293	10 pcs
VLGB12-50EA074	081153	35 cm	3/8, 1.3 mm	22	8605032635309	10 pcs
VLGB14-50EA074	081154	35 cm	3/8, 1.3 mm	25	8605032635316	10 pcs
VLGB16-50EA074	081155	40 cm	3/8, 1.3 mm	27.5	8605032635323	10 pcs
VLGB16-63HD025	081156	40 cm	3/8, 1.6 mm	30	8605032635330	10 pcs
VLGB18-63HD025	081157	45 cm	3/8, 1.6 mm	33	8605032635347	10 pcs

## Villager Spark plugs

Item	No.	Size	Mark	EAN	Transport package
A942P	079953	19 mm	(RCJ7Y CHAMP - BPMR6A NGK)	8605032634951	10 pcs
A961P	079954	21 mm	(J19LM CHAMP - B2LM NGK)	8605032634968	10 pcs
A936P	79956	21 mm	(Honda, MTD) (RN11YC CHAMP - BPR5ES NGK)	8605032634975	10 pcs



# PALLET TRUCKS AND STACKERS



## MANUAL STACKER VSM 2500-1000M

The stacker uses a manual hydraulic pump (hydraulic device) as force to lift heavy goods, which are pushed, pulled and handled manually.

No. 072775

Load capacity: 1000 kg. Service weight: 274 kg. Max. Lift height: 2500 mm. Height lowered fork-arm: 90 mm. Overall length: 1655 mm. Width: 860 mm.

EAN 8605032620664

Pcs. per shipp. box: 6

NEW



## BATTERY STACKER VSE 1500-3000

The stacker uses an electric hydraulic pump (hydraulic device) as force to lift heavy goods, which are pushed, pulled and handled manually.

No.

Load capacity: 1500 kg. Service weight: 384 kg. Max. Lift height: 3000 mm. Height lowered fork-arm: 90 mm. Overall length: 1655 mm. Width: 860 mm.

EAN

Pcs. per shipp. box: 1





### DB 2500 550 X 1150MM

No. 065528

Capacity: 2500 kg. Maximum lifting height: 195 mm. Handrail height: 431.5 mm. Fork length: 1150 mm. Width over the forks: 550 mm.

Weight: 63 kg

EAN 8605032616285

Pcs. per shipp. box: 6



### DB 3000 - 550 X 1150MM

No. 067793

Capacity: 3000 kg. Maximum lifting height: 195 mm. Handrail height: 431.5 mm. Fork length: 1150 mm. Width over the forks: 550 mm. Base frame. Weight: 63 kg

EAN 8605032618395

Pcs. per shipp. box: 6



### BATTERY PALLET TRUCK VTP 1500 LI

This pallet truck has a lithium battery and has the ability to electric lifting and movement.

No. 077642

Load capacity: 1500 kg. Overall length: 1623/1693. Maximum lifted height: 190 mm. Fork length: 1150/1220 mm. Fork Width: 550/685 mm. Battery type: lithium, 20 Ah

EAN 8605032634357

Pcs. per shipp. box: 1



### SCALE PALLET TRUCK VTP 2000 S

This model has a scale and is used only for measuring pallet loads.

No. 077641

Load capacity: 2000 kg. Service weight: 125 kg. Max lift height: 175 mm. Height of handleless: 1182.5 mm. Fork dimensions: 570 x 1150 mm. Battery type: lead - acid, 10 Ah.

EAN 8605032634340

Pcs. per shipp. box: 1

## CUTTING WHEELS FOR INOX



This series of cutting wheels can be installed on angle grinders and have application especially in stainless steel. The main feature of this cutting wheel is efficiency.

Item	No.	Type of cutting wheel	Diameter/outer	Diameter/inner	Thickness	No load speed	EAN	Commercial package	Transport package
CWI-115-10	59028	WA46S7BF	115 mm	22.23 mm	1 mm	13300 rpm	8605032612508	10 pcs	400 pcs
CWI-115-20	59029	WA36S7BF	115 mm	22.23 mm	2 mm	13300 rpm	8605032612515	10 pcs	200 pcs
CWI-125-10	59030	WA46S7BF	125 mm	22.23 mm	1 mm	12200 rpm	8605032612522	10 pcs	400 pcs
CWI-125-20	59031	WA36S7BF	125 mm	22.23 mm	2 mm	12200 rpm	8605032612539	10 pcs	200 pcs
CWI-150-10	59032	WA46S7BF	150 mm	22.23 mm	1 mm	10200 rpm	8605032612546	10 pcs	200 pcs
CWI-150-20	59033	WA36S7BF	150 mm	22.23 mm	2 mm	10200 rpm	8605032612553	10 pcs	200 pcs
CWI-180-10	59034	WA46S7BF	180 mm	22.23 mm	1 mm	8500 rpm	8605032612553	10 pcs	200 pcs
CWI-180-20	59035	WA36S7BF	180 mm	22.23 mm	2 mm	8500 rpm	8605032612577	10 pcs	100 pcs
CWI-230-20	59036	WA36S7BF	230 mm	22.23 mm	2 mm	6500 rpm	8605032612584	10 pcs	100 pcs

## CUTTING WHEELS FOR METAL



The most used type of cutting wheel. Capable to cut different types of metal, steel and non ferrous alloys

Item	No.	Type of cutting wheel	Diameter/outer	Diameter/inner	Thickness	No load speed	EAN	Commercial package	Transport package
CW-115-10	23768	A46S4BF	115 mm	22.23 mm	1 mm	13300 rpm	7630005256060	10 pcs	400 pcs
CW-115-12	23769	A46S4BF	115 mm	22.23 mm	1.2 mm	13300 rpm	7630005256077	10 pcs	400 pcs
CW-125-10	23770	A46S4BF	125 mm	22.23 mm	1 mm	12200 rpm	7630005256084	10 pcs	400 pcs
CW-125-12	23771	A46S4BF	125 mm	22.23 mm	1.2 mm	12200 rpm	7630005256091	10 pcs	400 pcs
CW-150-12	23772	A46S4BF	150 mm	22.23 mm	1.2 mm	10200 rpm	7630005256107	10 pcs	200 pcs
CW-150-16	23773	A46S4BF	150 mm	22.23 mm	1.6 mm	8500 rpm	7630005256114	10 pcs	200 pcs
CW-180-16	23774	A46S4BF	180 mm	22.23 mm	1.6 mm	8500 rpm	7630005256121	10 pcs	100 pcs
CW-230-20	23775	A30S7BF	230 mm	22.23 mm	2 mm	6500 rpm	7630005256138	10 pcs	100 pcs
CFMB-355	38346	A/F30S7	355 mm	25.4 mm	3 mm	4400 rpm	8605032602677	5 pcs	25 pcs

## GRINDING WHEELS FOR METAL



Item	No.	Diameter/outer	Diameter/inner	Thickness	No load speed	EAN	Commercial package	Transport package
GW11560	41403	115 mm	22.23 mm	6 mm	13300 rpm	8605032603483	5 pcs	100 pcs
GW12560	38348	125 mm	22.23 mm	6 mm	12200 rpm	8605032602684	5 pcs	100 pcs
GW23060	38347	230 mm	22.23 mm	6 mm	6500 rpm	8605032602691	5 pcs	100 pcs

Grinding wheel with thickness of 6 mm. Grinding wheel consists of fiberglass and has application in grinding different types of metal. Mainly used to grind welded seams, welded spots, casting burrs and repair other metal surface's defects.

## FLAP DISCS



Item	No.	Diameter/outer	Diameter/inner	Grit	No load speed	EAN	Commercial package	Transport package
FD 115/60	30483	115 mm	22.23 mm	60	11900 rpm	8606012807150	5 pcs	200 pcs
FD 115/80	30484	115 mm	22.23 mm	80	11900 rpm	8606012807167	5 pcs	200 pcs
FD 115/100	30485	115 mm	22.23 mm	100	11900 rpm	8606012807174	5 pcs	200 pcs
FD 125/60	62724	125 mm	22.23 mm	60	10900 rpm	8605032615523	5 pcs	200 pcs
FD 125/80	62725	125 mm	22.23 mm	80	10900 rpm	8605032615530	5 pcs	200 pcs
FD 125/100	62726	125 mm	22.23 mm	100	10900 rpm	8605032615547	5 pcs	200 pcs

Flap disk made from fiberglass, can be used while roughly grinding and finishing grinding. Universal suitable for alloyed steel, unalloyed steel, structural steel, high speed steel, non ferrous metals. General purpose use rapid, aggressive stock removal on variety of welds, castings and other.

## DIAMOND SAW BLADES SEGMENTED



Item	No.	Diameter/ outer	Diameter/inner	Thickness	No load speed	EAN	Transport package
DCB-115C	23776	115 mm	22.23 mm	2 mm	13300 rpm	7630005257074	100 pcs
DCB-125C	23777	125 mm	22.23 mm	2 mm	12250 rpm	7630005257081	100 pcs
DCB-150C	23778	150 mm	22.23 mm	2.2 mm	10200 rpm	7630005257098	100 pcs
DCB-180C	23779	180 mm	22.23 mm	2.2 mm	8500 rpm	7630005257104	25 pcs
DCB-230C	23780	230 mm	22.23 mm	2.4 mm	6650 rpm	7630005257111	25 pcs

A type of diamond blade for dry cutting. Diamond blade consists of segments sintered on a rim. Applications in concrete, reinforced concrete, limestone.

## DIAMOND SAW BLADES CONTINUOUS



Item	No.	Diameter/ outer	Diameter/inner	Thickness	No load speed	EAN	Transport package
DCBC-115	060664	115 mm	22.23 mm	2 mm	13300 rpm	8605032614793	100 pcs
DCBC-125	060665	125 mm	22.23 mm	2 mm	12250 rpm	8605032614809	100 pcs
DCBC-150	060666	150 mm	22.23 mm	2 mm	10200 rpm	8605032614816	50 pcs
DCBC-180	060667	180 mm	22.23 mm	2.2 mm	8500 rpm	8605032614823	50 pcs
DCBC-230	060668	230 mm	22.23 mm	2.5 mm	6650 rpm	8605032614830	25 pcs

A type of diamond blade recommended for wet cutting. Diamond blade has continuous rim which helps with easy breaking materials. Application in porcelain tiles, ceramic tiles, bricks.

## DIAMOND SAW BLADES TURBO



Item	No.	Diameter/ outer	Diameter/inner	Thickness	No load speed	EAN	Transport package
DCBT-115	60659	125 mm	22.23 mm	2 mm	13300 rpm	8605032614748	100 pcs
DCBT-125	60660	150 mm	22.23 mm	2 mm	12250 rpm	8605032614755	100 pcs
DCBT-150	60661	180 mm	22.23 mm	2 mm	10200 rpm	8605032614762	50 pcs
DCBT-180	60662	230 mm	22.23 mm	2.2 mm	8500 rpm	8605032614779	50 pcs
DCBT-230	60663	230 mm	22.23 mm	2.5 mm	6650 rpm	8605032614786	25 pcs

A type of diamond saw blade for dry and wet cutting. Used while working with granite, flagstone, clay and slate.

## SANDING PAPER FOR DRYWALL SANDER VDS 600



Item	No.	Diameter	No. of holes	Grit	Pcs per set	EAN	Transport package
VDS-600	26724	225 mm	8	60	5	7630005251317	400 pcs
VDS-600	26725	225 mm	8	80	5	7630005251324	400 pcs
VDS-600	26726	225 mm	8	120	5	7630005251331	400 pcs
VDS-600	26727	225 mm	8	150	5	7630005251348	400 pcs
VDS-600	26728	225 mm	8	180	5	7630005251355	400 pcs
VDS-600	26729	225 mm	8	240	5	7630005251362	400 pcs

**SANDING PAPER  
FOR ORBITAL SANDER  
VLN 382/385**



Item	No.	Diameter	No. of holes	Grit	Pcs per set	EAN	Transport package
SD-40WM 6/1	37005	125 mm	8	40	6	8605032601304	600 pcs
SD-60WM 6/1	37006	125 mm	8	60	6	8605032601311	600 pcs
SD-80WM 6/1	37007	125 mm	8	80	6	8605032601328	600 pcs
SD-120WM 6/1	37008	125 mm	8	120	6	8605032601335	600 pcs
SD-180WM 6/1	37009	125 mm	8	180	6	8605032601342	100 pcs
SD-240WM 6/1	37010	125 mm	8	240	6	8605032601359	100 pcs
SD1-40WM 5/1	37011	150 mm	8	40	5	8605032601366	100 pcs
SD1-60WM 5/1	37012	150 mm	8	60	5	8605032601373	100 pcs
SD1-80WM 5/1	37013	150 mm	8	80	5	8605032601380	100 pcs
SD1-120WM 5/1	37014	150 mm	8	120	5	8605032601335	100 pcs
SD1-180WM 5/1	37015	150 mm	8	180	5	8606032601403	100 pcs
SD1-240WM 5/1	37016	150 mm	8	240	5	8605032601410	100 pcs

**SANDING BELT  
FOR BELT SANDER  
VLN 2101**



Item	No.	Dimensions	Grit	Pcs per set	EAN	Transport package
75x533	11626	75 mm x 533 mm	40	5	8606012800502	250 pcs
75x533	11627	75 mm x 533 mm	60	5	8606012800519	250 pcs
75x533	11628	75 mm x 533 mm	80	5	8606012800526	250 pcs
75x533	11629	75 mm x 533 mm	100	5	8606012800489	250 pcs
75x533	11630	75 mm x 533 mm	120	5	8606012800496	250 pcs

**SANDING BELT  
FOR BELT SANDER  
VLN 375**



Item	No.	Dimensions	Grit	Pcs per set	EAN	Transport package
SBTG-50-686-60	60643	50 mm x 686 mm	40	3	8605032614625	300 pcs
SBTG-50-686-80	60644	50 mm x 686 mm	80	3	8605032614632	300 pcs
SBTG-50-686-120	60645	50 mm x 686 mm	120	3	8605032614649	300 pcs

**SANDING PAPER  
FOR DELTA SANDER  
VLN 125**



Item	No.	Dimensions	No. of holes	Grit	Pcs per set	EAN	Transport package
VLN 125	51248	140 x 50 mm	6	60	5	8605032609362	600 pcs
VLN 125	51249	140 x 50 mm	6	80	5	8605032609379	600 pcs
VLN 125	51250	140 x 50 mm	6	120	5	8605032609386	600 pcs

Sanding paper coming in a set of 5 pieces. Consist of velcro and 6 holes for dust removal

**SANDING PAPER  
FOR DELTA SANDER  
VLP 150**



Item	No.	Dimensions	No. of holes	Grit	Pcs per set	EAN	Transport package
VLN 150	72257	150 x 100 mm	6	60	5	8605032619910	600 pcs
VLN 150	72258	1450 x 100 mm	6	80	5	8605032619927	600 pcs
VLN 150	72259	150 x 100 mm	6	120	5	8605032619934	600 pcs

Sanding paper coming in a set of 5 pieces. Consist of velcro and 6 holes for dust removal

**SANDING PAPER  
FOR DELTA SANDER  
VLN 7120**



Item	No.	Dimensions	No. of holes	Grit	Pcs per set	EAN	Transport package
VLN 7120	065523	135 x 135 x 95 mm	7	60	5	8605032616094	600 pcs
VLN 7120	065524	135 x 135 x 95 mm	7	80	5	8605032616100	600 pcs
VLN 7120	065525	135 x 135 x 95 mm	7	120	5	8605032616117	600 pcs

Sanding paper coming in a set of 5 pieces. Consist of velcro and 6 holes for dust removal

## SANDING PAPER FOR VIBRATING SANDER VLN 320



Item	No.	Dimensions	No. of holes	Grit	Pcs per set	EAN	Transport package
VLN 320	55691	230 × 115 mm	14	60	5	8605032611020	500 pcs
VLN 320	55692	230 × 115 mm	14	80	5	8605032611037	500 pcs
VLN 320	55693	230 × 115 mm	14	120	5	8605032611044	500 pcs

Sanding paper coming in a set of 5 pieces. Consist of velcro and 14 holes for dust removal

## SANDING PAPER FOR VIBRATING SANDER VLP 324



Item	No.	Dimensions	No. of holes	Grit	Pcs per set	EAN	Transport package
VLN 324	72260	90 × 182 mm	14	60	5	8605032619941	500 pcs
VLN 324	72261	90 × 182 mm	14	80	5	8605032619958	500 pcs
VLN 324	72262	90 × 182 mm	14	120	5	8605032619965	500 pcs

Sanding paper coming in a set of 5 pieces. Consist of velcro and 14 holes for dust removal

## SAW BLADE FOR WOOD



Comprehensive choice of saw blades for wood. Compatible with Villager circular saws and stationary machines with outer diameter from 160 mm to 255 mm. Tungsten carbide tipped with number of teeth from 18 to 60.

Item	No.	Dia./outer	Dia./inner	Dia./inner reduc.	Thick-ness	Teeth No.	EAN	Transport package
SBW 160x20/16x2.2x18T	33418	160 mm	20mm	16 mm	2.2 mm	18	8606012807716	100 pcs
SBW 160x20/16x2.2x30T	33419	160 mm	20mm	16 mm	2.2 mm	30	8606012807723	100 pcs
SBW 165x20/16x2.2x18T	51759	165 mm	20mm	16 mm	2.2 mm	18	8606012807730	100 pcs
SBW 165x20/16x2.2x30T	51760	165 mm	20mm	16 mm	2.2 mm	30	8606012807747	100 pcs
SBW 185x20/16x2.2x24T	64286	185 mm	20mm	16 mm	2.2 mm	24	8605032615691	50 pcs
SBW 185x20/16x2.2x30T	64287	185 mm	20mm	16 mm	2.2 mm	30	8605032615707	50 pcs
SBW 185x25.4/20x2.2x24T	33420	185 mm	25.4 mm	20mm	2.2 mm	24	8606012807754	50 pcs
SBW 185x25.4/20x2.2x30T	33421	185 mm	25.4 mm	20mm	2.2 mm	30	8606012807761	50 pcs
SBW 210x30/25.4x2.4x24T	33422	210 mm	30 mm	25.4 mm	2.4 mm	24	8606012807778	50 pcs
SBW 210x30/25.4x2.4x40T	33423	210 mm	30 mm	25.4 mm	2.4 mm	40	8606012807785	50 pcs
SBW 210x30/25.4x2.4x60T	33424	210 mm	30 mm	25.4 mm	2.4 mm	60	8606012807792	50 pcs
SBW 255x30/25.4x2.6x24T	33425	255 mm	30 mm	25.4 mm	2.6 mm	24	8606012807808	25 pcs
SBW 255x30/25.4x2.6x40T	33426	255 mm	30 mm	25.4 mm	2.6 mm	40	8605032609829	25 pcs
SBW 255x30/25.4x2.6x60T	33427	255 mm	30 mm	25.4 mm	2.6 mm	60	8605032609836	25 pcs
SBW 315x30/25.4x3x60T	71677	315 mm	30 mm	25.4 mm	3 mm	60	8605032619644	25 pcs
SBW 315x30/25.4x3x80T	71678	315 mm	30 mm	25.4 mm	3 mm	80	8605032619668	25 pcs
SBW 315x30/25.4x3x120T	71679	315 mm	30 mm	25.4 mm	3 mm	120	8605032619675	25 pcs

## BLADES FOR JIGSAW



Item	No.	Length	Purpose	Pcs per set	Type	EAN	Commercial package	Transport package
JSBB-144D	27184	75 mm	wood	5	Bosch	7630005252413	20 pcs	240 pcs
JSB119B	27185	50 mm	metal, pvc	5	Bosch	7630005252420	20 pcs	240 pcs
JSB101B	27186	75 mm	metal, pvc	5	Bosch	7630005252437	20 pcs	240 pcs
JSB118A	27187	50 mm	wood	5	Bosch	7630005252444	20 pcs	240 pcs

Jigsaw blade with 4 types and 2 length sizes 50 and 75 mm. Ideal for cutting in wood, pvc and other. Bosch-universal fitting.

## CONSUMABLES FOR BSV 2580

Item	No.	Length	Use	EAN	Transport package
Saw blade for band saw bsv 2580 6t-1400 mm	65936	1400 mm	wood	8605032616209	200 pcs

## BLADES FOR RECIPROCATING SAW



Item	No.	Length	Purpose	Pcs per set	EAN	Commercial package	Transport package
SSBW-150	41820	150 mm	wood	3	8605032603544	40 pcs	160 pcs
SSBM-150	41821	150 mm	metal	3	8605032603551	40 pcs	160 pcs
S1211K	57599	300 mm		1	8605032612133	25 pcs	100 pcs

Accessories compatible with Villager reciprocating blade. Blades for metal and wood come in a set of 3 pcs, when the blade from stainless steel comes in a package of 1. Ideal for cutting in wood, metal, aluminium, copper.

## ACCESSORIES FOR MULTI- TOOL



Item	No.	EAN	Transport package
Straight scraper VSS 672611	34893	8606012808799	200 pcs
Straight blade VSB 67262	34894	8606012808805	200 pcs
Sanding pad VSP 67566	34895	8606012808812	100 pcs
Sanding sheet VSS 67999	34896	8606012808829	200 pcs
Straight blade VSS 67458	34897	8606012808836	200 pcs
Semi-circular blade VSC 67460	34898	8606012808843	200 pcs

## CONSUMABLES AND ACCESSORIES FOR VLP 600



Item	No.	Diameter/ outer	Diameter/ inner	EAN	Transport package
Saw blade for wood	40676	85 mm	10 mm	8605032602950	100 pcs
Saw blade for metal	40678	85 mm	10 mm	8605032602974	100 pcs
Diamond saw blade	40677	85 mm	10 mm	8605032602967	100 pcs
Mini track	40673	x	x	8605032602868	10 pcs
Miter base	40674	x	x	8605032602875	5 pcs

## CONSUMABLES AND ACCESSORIES FOR SSV 7050 RS

Item	No.	Length	Use	Pieces in a set	EAN	Transport package
Saw for band saw bsv 2580 6t-1400 mm	065936	1400 mm	Wood	1	8605032616209	200 pcs
Saw for scroll saw ssv 7050 rs 5/1 pl-18t-133 mm	065937	133 mm	Wood	5	8605032616216	200 pcs
Saw for scroll saw ssv 7050 rs package set 5/1 p-15t-133 mm	065938	133 mm	Wood	5	8605032616223	200 pcs
Set 64 pcs for scroll saw ssv 7050 rs	065939			64	8605032616230	200 pcs

## DRILLS SDS PLUS



SDS plus drill bits belong to a new line of Villager drill bits Impact Line. Compatible with Villager and other electric hammer drills. The top of the drill consist 2 cutters. The head from solid carbide for optimum drilling performance. The unique flute geometry transfers more impact energy from the rotary hammer to the drill head, reducing stress for the user and the power tools.

Item	No.	Diameter	Length	Working Length	No. of cutters	EAN	Commercial package	Transport package
DP-4X110	60589	4 mm	110 mm	50 mm	2	8605032614106	10 pcs	200 pcs
DP-5X110	60591	5 mm	110 mm	50 mm	2	8605032614113	10 pcs	200 pcs
DP-5X160	60592	5 mm	160 mm	100 mm	2	8605032614120	10 pcs	200 pcs
DP-6X110	60593	6 mm	110 mm	50 mm	2	8605032614137	10 pcs	200 pcs
DP-6X160	60594	6 mm	160 mm	100 mm	2	8605032614144	10 pcs	200 pcs
DP-6.5X160	60595	6.5 mm	160 mm	100 mm	2	8605032614151	10 pcs	200 pcs
DP-7X160	60596	7 mm	160 mm	100 mm	2	8605032614168	10 pcs	200 pcs
DP-8X110	60597	8 mm	110 mm	50 mm	2	8605032614175	10 pcs	200 pcs
DP-8X160	60599	8 mm	160 mm	100 mm	2	8605032614182	10 pcs	200 pcs
DP-10X160	60600	10 mm	160 mm	100 mm	2	8605032614199	10 pcs	200 pcs
DP-10X210	60601	10 mm	210 mm	150 mm	2	8605032614205	10 pcs	200 pcs
DP-12X210	60602	12 mm	210 mm	150 mm	2	8605032614212	10 pcs	200 pcs
DP-12X260	60603	12 mm	260 mm	200 mm	2	8605032614229	10 pcs	100 pcs
DP-14X210	60604	14 mm	210 mm	150 mm	2	8605032614236	10 pcs	100 pcs
DP-14X260	60605	14 mm	260 mm	200 mm	2	8605032614243	10 pcs	100 pcs
DP-16X210	60606	16 mm	210 mm	150 mm	2	8605032614250	10 pcs	100 pcs
DP-16X260	60607	16 mm	260 mm	200 mm	2	8605032614267		50 pcs
DP-16X460	60608	16 mm	460 mm	400 mm	2	8605032614274		50 pcs
DP-18X350	60609	18 mm	350 mm	290 mm	2	8605032614281		50 pcs
DP-18X460	60610	18 mm	460 mm	400 mm	2	8605032614298		25 pcs
DP-20X460	60611	20 mm	460 mm	400 mm	2	8605032614304		25 pcs
DP-20X600	60612	20 mm	600 mm	540 mm	2	8605032614311		25 pcs
DP-22X460	60613	22 mm	460 mm	400 mm	2	8605032614328		25 pcs
DP-22X600	60614	22 mm	600 mm	540 mm	2	8605032614335		25 pcs
DP-25X600	60615	25 mm	600 mm	540 mm	2	8605032614342		25 pcs
DP-25X800	60616	25 mm	800 mm	740 mm	2	8605032614359		10 pcs

## DRILLS SDS MAX



Item	No.	Diameter	Length	Working Length	No. of cutters	EAN	Transport package
DM-16X540	60618	16 mm	540 mm	400 mm	4	8605032614366	25 pcs
DM-18X540	60619	18 mm	540 mm	400 mm	4	8605032614373	25 pcs
DM-20x540	60620	20 mm	540 mm	400 mm	4	8605032614380	25 pcs
DM-25X600	60621	25 mm	600 mm	460 mm	4	8605032614397	20 pcs
DM-28X540	60622	28 mm	540 mm	400 mm	4	8605032614403	10 pcs
DM-30X600	60623	30 mm	600 mm	460 mm	4	8605032614410	10 pcs
DM-32x600	60624	32 mm	600 mm	460 mm	4	8605032614427	10 pcs
DM-35X600	60625	35 mm	600 mm	460 mm	4	8605032614434	5 pcs
DM-38X600	60626	38 mm	600 mm	460 mm	4	8605032614441	5 pcs

SDS MAX drill bits belong to a new line of Villager drill bits Impact Line. With 4 cutters on top, their advantage is easy drilling in reinforced concrete. The high volume flute geometry ensures the optimum removal of drilling dust. Perfect where spot drilling is required. Recommended for Villager and other electric hammer drills with SDS MAX chuck.

**PEAK  
SDS PLUS**

Item	No.	Diameter	Length	EAN	Transport package
PP-14X250	60627	14 mm	250 mm	8605032614465	50 pcs




**PEAK  
SDS MAX**

Item	No.	Diameter	Length	EAN	Transport package
PM-18X300	60631	18 mm	300 mm	8605032614502	50 pcs
PM-18X400	60632	18 mm	400 mm	8605032614519	50 pcs



**PEAK  
HEX**

Item	No.	Diameter	Length	EAN	Transport package
PH-30X410	60639	30 mm	410 mm	8605032614588	10 pcs



**CHISEL  
SDS PLUS**

Item	No.	Diameter	Length	Width	EAN	Transport package
CP-14X250X20	60628	14 mm	250 mm	20 mm	8605032614472	25 pcs
CP-14X250X40	60629	14 mm	250 mm	40 mm	8605032614489	25 pcs



**CHISEL GROOVE  
SDS PLUS**

Item	No.	Diameter	Length	Width	EAN	Transport package
KP-14X250X22	60630	14 mm	250 mm	22 mm	8605032614496	25 pcs



**CHISEL  
SDS MAX**

Item	No.	Diameter	Length	Width	EAN	Transport package
CM-18X300X25	60633	18 mm	300 mm	25 mm	8605032614526	25 pcs
CM-18X400X25	60634	18 mm	400 mm	25 mm	8605032614533	25 pcs
CM-18X300X50	60635	18 mm	300 mm	50 mm	8605032614540	25 pcs
CM-18X400X50	60636	18 mm	400 mm	50 mm	8605032614557	25 pcs



**CHISEL GROOVE  
SDS MAX**

Item	No.	Diameter	Length	Width	EAN	Transport package
KM-18X300X26	60637	18 mm	300 mm	26 mm	8605032614564	25 pcs
KM-18X400X26	60638	18 mm	400 mm	26 mm	8605032614571	25 pcs





## CHISEL HEX



Item	No.	Diameter	Length	Width	EAN	Transport package
CH-30X410X35	60640	35 mm	410 mm	30 mm	8605032614595	10 pcs

## SETS SDS PLUS



Item	No.	Content	EAN	Commercial package	Transport package
DP SET 5 pcs	60641	Drills: 5x110 mm, 6x110 mm, 6x160 mm, 8x160 mm, 10x160 mm	8605032614601	5 pcs	50 pcs

Item	No.	Content	EAN	Commercial package	Transport package
DCP SET 17 pcs	60642	Drills: 5x160 mm, 6x110 mm, 8x110 mm, 10x110 mm, 6x160 mm, 8x160 mm, 10x160 mm, 8x210 mm, 10x210 mm, 12x260 mm, 14x260 mm Chisels: 14x250 mm, 14x140 mm, 14x250x20 mm, 14x140x20 mm	8605032614618	1 pcs	5 pcs

## MASONRY DRILL SET



Item	No.	Content	EAN	Transport package
DMA-SET 8PCS	62716	3 mm, 4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm	8605032615448	50 pcs

## WOODWORKING DRILL SETS



Item	No.	Content	EAN	Transport package
DW-SET 5 PCS	62717	4 mm, 5 mm, 6 mm, 8 mm, 10 mm	8605032615455	50 pcs
DWS-SET 4 PCS	62718	16 mm, 22 mm, 25 mm, 32 mm	8605032615462	50 pcs

## FORSTNER DRILL SET



Item	No.	Content	EAN	Transport package
DF-SET 5 PCS	62715	15 mm, 20 mm, 25 mm, 30 mm, 35 mm	8605032615431	25 pcs

## HSS DRILLS FOR METAL



New Villager drills within Impact line series. From now with new package of 5 and 10 peaces inside. Half ground drills with higher level of strength and precision. Ideal for ferrous and non-ferrous metals, offering good drilling speed and extended working life. Available in 1.5 - 13 mm in package.

Item	No.	Diameter	Length	Working Length	Pcs in set	EAN	Transport package
HSS-DM1-10/1	62679	1 mm	34 mm	12 mm	10 pcs	8605032615066	100 pcs
HSS-DM1.5-10/1	62680	1.5 mm	40 mm	18 mm	10 pcs	8605032615073	200 pcs
HSS-DM2-10/1	62681	2 mm	49 mm	24 mm	10 pcs	8605032615080	200 pcs
HSS-DM2.5-10/1	62682	2.5 mm	57 mm	30 mm	10 pcs	8605032615097	200 pcs
HSS-DM3-10/1	62683	3 mm	61 mm	33 mm	10 pcs	8605032615103	200 pcs
HSS-DM3.2-10/1	62684	3.2 mm	65 mm	36 mm	10 pcs	8605032615110	100 pcs
HSS-DM3.5-10/1	62685	3.5 mm	70 mm	39 mm	10 pcs	8605032615127	100 pcs
HSS-DM4-10/1	62686	4 mm	75 mm	43 mm	10 pcs	8605032615134	400 pcs
HSS-DM4.2-10/1	62687	4.2 mm	75 mm	43 mm	10 pcs	8605032615141	150 pcs
HSS-DM4.5-10/1	62688	4.5 mm	80 mm	47 mm	10 pcs	8605032615158	200 pcs
HSS-DM5-10/1	62689	5 mm	86 mm	52 mm	10 pcs	8605032615165	200 pcs
HSS-DM5.5-10/1	62690	5.5 mm	93 mm	57 mm	10 pcs	8605032615172	100 pcs
HSS-DM6-10/1	62691	6 mm	93 mm	57 mm	10 pcs	8605032615189	100 pcs
HSS-DM6.5-10/1	62692	6.5 mm	101 mm	63 mm	10 pcs	8605032615196	100 pcs
HSS-DM7-10/1	62693	7 mm	109 mm	69 mm	10 pcs	8605032615202	100 pcs
HSS-DM7.5-10/1	62694	7.5 mm	109 mm	69 mm	10 pcs	8605032615219	100 pcs
HSS-DM8-5/1	62695	8 mm	117 mm	75 mm	5 pcs	8605032615226	100 pcs
HSS-DM9-5/1	62696	9 mm	125 mm	81 mm	5 pcs	8605032615233	100 pcs
HSS-DM10-5/1	62697	10 mm	133 mm	87 mm	5 pcs	8605032615240	50 pcs
HSS-DM11-5/1	62698	11 mm	142 mm	94 mm	5 pcs	8605032615257	50 pcs
HSS-DM12-5/1	62699	12 mm	151 mm	101 mm	5 pcs	8605032615264	50 pcs
HSS-DM13-5/1	62700	13 mm	151 mm	101 mm	5 pcs	8605032615271	50 pcs

## MASONRY DRILLS



Item	No.	Diameter	Length	Working Length	Pcs in set	EAN	Transport package
DMA-4X75	62701	4 mm	75 mm	50 mm	1 pcs	8605032615288	300 pcs
DMA-5X85	62702	5 mm	85 mm	55 mm	1 pcs	8605032615295	300 pcs
DMA-6X100	62703	6 mm	100 mm	65 mm	1 pcs	8605032615301	300 pcs
DMA-8X120	62704	8 mm	120 mm	80 mm	1 pcs	8605032615394	300 pcs
DMA-10X120	62705	10 mm	120 mm	80 mm	1 pcs	8605032615318	300 pcs
DMA-12X150	62706	12 mm	150 mm	90 mm	1 pcs	8605032615325	300 pcs

Type of Impact Line drill bits, perfect for drilling in concrete and other masonry materials. Capable of producing a true round hole, recommended when installing critical fixings such as anchors.

## WOODWORKING DRILLS



Item	No.	Diameter	Length	Working Length	Pcs in set	EAN	Transport package
DW-4	62664	4 mm	75 mm	43 mm	1 pcs	8605032615011	300 pcs
DW-6	62666	6 mm	92 mm	54 mm	1 pcs	8605032615028	300 pcs
DW-8	62667	8 mm	115 mm	71 mm	1 pcs	8605032615035	300 pcs
DW-10	62668	10 mm	120 mm	82 mm	1 pcs	8605032615042	300 pcs
DW-12	62670	12 mm	140 mm	90 mm	1 pcs	8605032615059	300 pcs

Drill bits great when applied to hard and soft wood. Made from carbon with centering point on top.

## AUGER DRILLS



Item	No.	Diameter	Length	Working Length	Shank	EAN	Transport package
DWA-6X230	62707	6 mm	230 mm	160 mm	5mm Hex	8605032615332	200 pcs
DWA-8X230	62708	8 mm	230 mm	160 mm	7mm Hex	8605032615349	200 pcs
DWA-10X230	62709	10 mm	230 mm	160 mm	8.5mm Hex	8605032615356	200 pcs
DWA-12X230	62710	12 mm	230 mm	160 mm	8.5mm Hex	8605032615363	200 pcs
DWA-14X230	62711	14 mm	230 mm	160 mm	8.5mm Hex	8605032615370	200 pcs
DWA-16X230	62712	16 mm	230 mm	160 mm	8.5mm Hex	8605032615387	200 pcs

The standard auger drills with 230 mm lengths. Coming in sizes from 6 to 16 mm. Highly effective for boring clean and precise holes in soft or hard wood.

## STEP DRILLS



Item	No.	Diameter	Length	Shank	Pcs in set	EAN	Transport package
DSST-4/20 - straight	62713	4 - 20 mm	75 mm	8 mm	1 pcs	8605032615417	200 pcs
DSSP-4/20 - spiral	62714	4 - 20 mm	75 mm	8 mm	1 pcs	8605032615424	200 pcs

New drill bits in Impact Line series of Villager drill bits. Coming in two types with straight and spiral flute. Ideal for non-alloy steel, stainless steel, cast iron.

## FORSTNER DRILLS



Item	No.	Diameter	Length	Shank	Pcs in set	EAN	Transport package
DF-15	62719	15 mm	90 mm	8 mm	1 pcs	8605032615479	200 pcs
DF-20	62720	20 mm	90 mm	8 mm	1 pcs	8605032615486	200 pcs
DF-25	62721	25 mm	90 mm	8 mm	1 pcs	8605032615493	200 pcs
DF-30	62722	30 mm	90 mm	8 mm	1 pcs	8605032615509	200 pcs
DF-35	62723	35 mm	90 mm	10 mm	1 pcs	8605032615516	100 pcs

Forstner drill bits made from carbon. Perfect for drilling accurate flat bottom holes in wood with excellent chip free results. Assortment consists of popular sizes from 15 to 35 mm.

## BITS



Item	No.	Length	Pcs in set	EAN	Commercial package	Transport package
PH1	59887	25 mm	2 pcs	8605032612805	12 pcs	96 pcs
PH2	59888	25 mm	2 pcs	8605032612812	12 pcs	96 pcs
PH3	59889	25 mm	2 pcs	8605032612829	12 pcs	96 pcs
PZ1	59890	25 mm	2 pcs	8605032612836	12 pcs	96 pcs
PZ2	59891	25 mm	2 pcs	8605032612843	12 pcs	96 pcs
PZ3	59892	25 mm	2 pcs	8605032612850	12 pcs	100 pcs
PH1	67028	50 mm	2 pcs	8605032617367	10 pcs	100 pcs
PH2	67029	50 mm	2 pcs	8605032617374	10 pcs	100 pcs
PH3	67030	50 mm	2 pcs	8605032617381	10 pcs	100 pcs
PZ1	67031	50 mm	2 pcs	8605032617398	10 pcs	100 pcs
PZ2	67032	50 mm	2 pcs	8605032617404	10 pcs	100 pcs
PZ3	67033	50 mm	2 pcs	8605032617411	10 pcs	100 pcs
PH1	67034	100 mm	2 pcs	8605032617428	10 pcs	100 pcs
PH2	67035	100 mm	2 pcs	8605032617435	10 pcs	100 pcs
PH3	67036	100 mm	2 pcs	8605032617442	10 pcs	100 pcs
PZ1	67037	100 mm	2 pcs	8605032617459	10 pcs	100 pcs
PZ2	67038	100 mm	2 pcs	8605032617466	10 pcs	100 pcs
PZ3	67039	100 mm	2 pcs	8605032617473	10 pcs	100 pcs

## MAGNETIC HOLDER



Item	No.	Length	Pcs in set	EAN	Commercial package	Transport package
Pin 2 pcs	59886	50 mm	2 pcs	8605032612799	12 pcs	96 pcs

Coupled with an impact driver it gives ideal combination for maneuvering in screws. Drill bits are made from S2 steel which proves that the body is more stronger and with a longer lifetime compared with basic ones. The most popular types of bits Ph,Pz,S,T. There is an optional combination with magnetic holder for driving into non reachable spaces.

## BITS SET 42 PCS



Item	No.	Content	EAN	Commercial package	Transport package
SET 42 PCS	59885	1 pc magnetic holder 33 pcs 1/4"*25mm :PZ1x3, PZ2x3, PZ3x2, T10, T15, T20, T25, T27, T30, T35, T40, S3, S4x2, S5x2, S6x2, S7, PH1x3, PH2x3, PH3x2 8 pcs 1/4"*50mm: PH2x1, PH1x1, PZ2x1, PZ1x1, T15x1, T20x1, T25x1, T30x1	8605032612782	6 pcs	24 pcs

## HEX KEY 9 PCS SET



Item	No.	Content	EAN	Commercial package	Transport package
9 pcs long arm ball point hex key set	59881	1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm 10.0 mm	8605032612713	6 pcs	24 pcs

## TORX KEY 9 PCS SET



Item	No.	Content	EAN	Commercial package	Transport package
9 pcs long arm torx hex key set	59882	T10, T15, T20, T25, T27, T30, T40, T45, T50	8605032612720	6 pcs	24 pcs

## FOLDING HEX KEY 8PCS SET



Item	No.	Content	EAN	Commercial package	Transport package
Folding hex key set 8 pcs	67042	Size: 1.5-2.5-3-4-5-6-8-10 mm	8605032617503	12 pcs	48 pcs

### MINI RATCHET T- HANDLE SET



Item	No.	Content	EAN	Commercial package	Transport package
18 pcs mini ratchet T-handle set	59883	PH1, PH2, PH3, T10, T15, T20, SL3, SL5, SL6 ; SOC: 5,6,7,8,9,10 1 T-handle, 1 adapter, 1 extension bar	8605032612768	6 pcs	24 pcs

### MINI RATCHET BITS SET



Item	No.	Content	EAN	Commercial package	Transport package
23 pcs mini ratchet bits set	59884	PH0, PH1, PH2, PH3, H3,H5,H6, SL3, SL4, SL5, SL6, H4, H5, H6, T15, T20, PZ1, PZ2, SOC: 5, 6, 7, 8, 9, 10 1 Ratcheting driver, 1 adapter	8605032612775	6 pcs	24 pcs

### SMART PHONE REPAIR SET



Item	No.	Content	EAN	Commercial package	Transport package
77pcs Luxury Smart Phone Repair Set	67040	1 pc precision screwdriver, 1 pc tweezer, 1 pc magnetizer/demagnetizer, 1 pc triangular opening pick, 1 pc sim card opener, 1pc suction cup, 2pc minipry bar, 8 x socket, 6pc slotted , 5 pc phillis , pc pozi , 8 pc hex 7 pc hex sae , 9 pc torx , 6pc tamper proof , 3 pc square, 4pc pentalobe, 4 pc triwing	8605032617480	6 pcs	24 pcs

### SMART PHONE REPAIR SET



Item	No.	Content	EAN	Commercial package	Transport package
17pcs Luxury Smart Phone Repair Set	67041	Screwdriver, 1pc Suction Cup , 2pc Mini Pry Bar, 1pc Storage Box 12pc Precision Bits: 1pc Triangle: 2.0mm, 2pc five pointed star bit: 0.8, 2.0mm 2PC Phillips: PH000, Ph00, 1 pc Slotted: 1.2mm 6pc Torx: T4, T5, T6, T7, T8, T10	8605032617497	12 pcs	48 pcs

## LASER LEVEL VRL-2C

No. 067839

Cross laser line: 2  
Working distance: 15m  
Accuracy: +/- 1mm

EAN 8605032618418

Pcs. per shipp. box: 50



## TRIPOD FOR LASER LEVEL

No. 067840

Length: 1.5m  
With free adapter

EAN 8605032618425

Pcs. per shipp. box: 50



## HAND STAPLE GUN VSA 4IN1

No. 067043

Compatible staples:  
0.7 mm and 1.2 mm

EAN 8605032617510

Pcs. per shipp. box: 3



## HAND STAPLE GUN VSA 21

No. 067571

Compatible staples:  
0.7 mm

EAN 8605032618319

Pcs. per shipp. box: 6



## LASER DISTANCE METER VLD-40

No. 067838

Precision: +/- 2.0 mm,  
Unit: m/in/ft,  
Measuring range: 0.03 - 40m

EAN 8605032618401

Pcs. per shipp. box: 12



## WHEELBARROW COMPACT 75 L

No. 006650

Dimensions: 60 x 140 x 69 cm  
Volume: 75 l  
Weight: 11.08 kg

EAN 3850215004006

Pcs. per shipp. box: 1



## HAND FOLDABLE TRUCK VHF 85

No. 068683

Capacity: 80kg. Material: steel.  
Foot plate size: 235x380 mm.  
Handle height: 960 mm. Wheel  
size: PP+TPR 135 mm. Weight:  
3.2 kg.

EAN 8605032618876

Pcs. per shipp. box: 4



## HAND FOLDABLE TRUCK VHF 95

No. 079740

Max. load: 80 kg. Height folded  
625 mm. Height extended:  
995 mm. Width folded: 485  
mm. Width extended: 485 mm.  
Weight: 4.2 kg.

EAN 8605032634661

Pcs. per shipp. box: 2

## WELDING ELECTRODE E6013



Diameter	No.	Packaging	EAN
2.5 mm	30197	1 kg	8606012805934
3.25 mm	30198	5 kg	8606012805941
3.25 mm	59385	1 kg	8605032612683

## WELDING WIRE ER70S-6



Diameter	No.	Packaging	EAN
0.6 mm	30199	5 kg	8606012805880
0.8 mm	30200	5 kg	8606012805897
0.8 mm	30201	15 kg	8606012805903
1.0 mm	30202	15 kg	8606012805910
1.0 mm	30203	15 kg	8606012805927

## WELDING HELMETS SPARE PARTS



Item	No.	EAN
Spare strap for eclipse, eclipse-plus and eclipse-pro helmets	54719	8605032610412
Outer protective glass for eclipse and eclipse plus helmets	56249	8605032611280
Inner protective glass for eclipse helmet	54720	8605032610429
Inner protective glass for eclipse helmet	56251	8605032611303
Inner protective glass for eclipse-plus helmet	56250	8605032611297
Inner protective glass for eclipse-pro helmet	54721	8605032610436

## ACCESSORIES FOR JUMP STARTERS



Item	No.	EAN	Transport package
Starting clamps	56252	8605032611310	72 pcs
USB cables	56253	8605032611327	72 pcs

Accessories for jump starters Villager VJS 2500/ VJS 3500

## ACCESSORIES FOR SHEEP CLIPPERS



Item	No.	EAN	Transport package
Blade and comb for sheep clippers VLN SC 350	067392	8605032618128	100 pcs

## REPLACEMENT CHUCK



Item	No.	Chuck	Type	Material	EAN	Transport package
KC13	37018	to 13 mm	Key chuck	metal	8605032601434	50 pcs
KLC13	37017	to 13 mm	Keyless chuck	pvc	8605032601427	50 pcs

Key chucks ideal for Villager Electric Impact Drills, accepting drill diameter up to 13 mm.

## MIXING PADDLES



Item	No.	Length	Diameter	Thread	Purpose	EAN	Commercial package	Transport package
MPS-120/600-M14	60337	600 mm	120 mm	M 14	paints	8605032613796	4 pcs	12 pcs
MPR-140/600-M14	60343	600 mm	140 mm	M 14	plasters	8605032613819	4 pcs	12 pcs
MPS-120/550-L-HEX13	62623	550 mm	120 mm	HEX 13mm	paints	8605032614922	4 pcs	12 pcs
MPS-120/550-R-HEX13	62624	550 mm	120 mm	HEX 13mm	paints	8605032614939	4 pcs	12 pcs
MPS-85/400-HEX8	62625	400 mm	80 mm	HEX 8mm	paints	8605032614946	24 pcs	96 pcs
MPS 100/600	73361	600 mm	100 mm	M 14	paints	8605032620992	4 pcs	12 pcs

Mixing paddle compatible with Villager mixers.  
Coming in different types for different materials.

## ACCESSORIES FOR POLISHER




Item	No.	Diameter	Characteristics	EAN	Transport package
Woolen pad	34891	180 mm	Woolen	8606012808775	50 pcs
Polisher holder	34892	180 mm	Thread M14	8606012808782	50 pcs
Sponge pad	62655	180 mm	Velcro sponge	8605032615004	50 pcs
Woolen pad	73366	150 mm	Woolen	8605032621012	50 pcs
Polisher holder	73367	150 mm	Thread M14	8605032621043	50 pcs
Sponge pad	73365	150 mm	Velcro sponge	8605032621036	50 pcs
Woolen pad	73363	125 mm	Woolen	8605032621012	50 pcs
Polisher holder	73364	125 mm	Thread M14	8605032621029	50 pcs
Sponge pad	73362	125 mm	Velcro sponge	8605032621005	50 pcs

Accessories for polishing, compatible with all Villager polishers



## STAPLES FOR VAT 8016



Item	No.	Depth	Pcs in set	EAN	Transport package
T80-6	19098	6 mm	1000 pcs	8605032610351	100 pcs
T80-8	19097	8 mm	1000 pcs	8605032610344	100 pcs
T80-10	19096	10 mm	1000 pcs	8605032610337	100 pcs
T80-12	19095	12 mm	1000 pcs	8605032610320	100 pcs
T80-14	19094	14 mm	1000 pcs	8605032610313	100 pcs
T80-16	19093	16 mm	1000 pcs	8605032610306	100 pcs

## STAPLES FOR VAT 50/9040



Item	No.	Depth	Pcs in set	EAN	Transport package
T90 - 16	19084	16 mm	1000 pcs	8605032610146	50 pcs
T90 - 20	19085	20 mm	1000 pcs	8605032610153	50 pcs
T90 - 22	19086	22 mm	1000 pcs	8605032610160	50 pcs
T90 - 25	19087	25 mm	1000 pcs	8605032610177	50 pcs
T90 - 28	19088	28 mm	1000 pcs	8605032610184	50 pcs
T90 - 32	19089	32 mm	1000 pcs	8605032610191	40 pcs
T90 - 35	19090	35 mm	1000 pcs	8605032610207	40 pcs
T90 - 38	19091	38 mm	1000 pcs	8605032610214	40 pcs
T90 - 40	19092	40 mm	1000 pcs	8605032610221	40 pcs

## NAILS FOR VAT 50/9040



Item	No.	Depth	Pcs in set	EAN	Transport package
F-20	19105	20 mm	1000 pcs	8605032610290	100 pcs
F-25	19104	25 mm	1000 pcs	8605032610283	100 pcs
F-32	19103	32 mm	1000 pcs	8605032610276	100 pcs
F-38	19102	38 mm	1000 pcs	8605032610269	50 pcs
F-40	19101	40 mm	1000 pcs	8605032610252	50 pcs
F-45	19100	45 mm	1000 pcs	8605032610245	50 pcs
F-50	19099	50 mm	1000 pcs	8605032610238	40 pcs

## NAILS FOR VAT 3520




Item	No.	Depth	Pcs in set	EAN	Transport package
T60-16	60646	16 mm	1000 pcs	8605032614656	50 pcs
T60-19	60647	19 mm	1000 pcs	8605032614663	50 pcs
T60-22	60648	22 mm	1000 pcs	8605032614670	40 pcs
T60-25	60649	25 mm	1000 pcs	8605032614687	40 pcs

## STAPLES FOR VAT 3520



Item	No.	Depth	Pcs in set	EAN	Transport package
F-15	60650	15 mm	1000 pcs	8605032614694	100 pcs
F-20	60651	20 mm	1000 pcs	8605032614700	100 pcs
F-25	60652	25 mm	1000 pcs	8605032614717	100 pcs
F-30	60653	30 mm	1000 pcs	8605032614724	40 pcs
F-32	60654	32 mm	1000 pcs	8605032614731	40 pcs

## STAPLES FOR HAND STAPLER VSA 4IN1



Item	Art No.	Depth	Pieces in a set	EAN code	Transport package
1.2X11.3X6mm SET 1000/1	67524	6 mm	1000 pcs	8605032618234	200 pcs
1.2X11.3X10mm SET 1000/1	67532	10 mm	1000 pcs	8605032618241	100 pcs
1.2X11.3X14mm SET 1000/1	67533	14 mm	1000 pcs	8605032618258	100 pcs
0.7X11.3X6mm SET 1000/1	67534	6 mm	1000 pcs	8605032618265	200 pcs
0.7X11.3X10mm SET 1000/1	67535	10 mm	1000 pcs	8605032618272	200 pcs
0.7X11.3X14mm SET 1000/1	67536	14 mm	1000 pcs	8605032618289	200 pcs
1.2X7.5X12mm SET 1000/1	67537	12 mm	1000 pcs	8605032618296	100 pcs
1.2X2X14mm SET 1000/1	67538	14 mm	1000 pcs	8605032618302	200 pcs



***YOU ASKED FOR A  
MACHINE  
WE GAVE YOU A  
FRIEND***

**Villager**

---

Villager d.o.o.  
Bratislavška cesta 5, 1000 Ljubljana, Slovenia.  
Tel. +386 820 51180  
info@villager.si

